

Home

2. Rynatan

Rynatan

Generic name: Chlorpheniramine and Phenylephrine Tablets [klor-fen-IR-a-meen-& fen-il-EF-rin]

Brand names: Ny-Tannic, Rynatan

Drug class: Upper respiratory combinations

Medically reviewed by Drugs.com. Last updated on Apr 24, 2024.

Uses Before taking Warnings Dosage Side effects Overdose



The Rynatan brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

Uses of Rynatan:

- It is used to treat nose stuffiness.
- It is used to ease allergy signs.

What do I need to tell my doctor BEFORE I take Rynatan?

- If you have an allergy to chlorpheniramine, phenylephrine, or any other part of Rynatan (chlorpheniramine and phenylephrine tablets).
- If you are allergic to Rynatan (chlorpheniramine and phenylephrine tablets); any part of Rynatan (chlorpheniramine and phenylephrine tablets); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have taken certain drugs for depression or Parkinson's disease in the last 14 days. This includes isocarboxazid, phenelzine, tranylcypromine, selegiline, or rasagiline. Very high blood pressure may happen.

This is not a list of all drugs or health problems that interact with Rynatan (chlorpheniramine and phenylephrine tablets).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Rynatan (chlorpheniramine and phenylephrine tablets) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Rynatan?

• Tell all of your health care providers that you take Rynatan (chlorpheniramine and phenylephrine tablets). This

includes your doctors, nurses, pharmacists, and dentists.

- Do not take more than what your doctor told you to take. Taking more than you are told may raise your chance of very bad side effects.
- Do not take Rynatan (chlorpheniramine and phenylephrine tablets) for longer than you were told by your doctor.
- Avoid driving and doing other tasks or actions that call for you to be alert until you see how Rynatan (chlorpheniramine and phenylephrine tablets) affects you.
- Avoid drinking alcohol while taking Rynatan (chlorpheniramine and phenylephrine tablets).
- Talk with your doctor before you use other drugs and natural products that slow your actions.
- Different brands of Rynatan (chlorpheniramine and phenylephrine tablets) may have different doses for children. Talk with the doctor before giving Rynatan (chlorpheniramine and phenylephrine tablets) to a child.
- Use with care in children. Talk with the doctor.
- Do not use to make a child sleepy. Talk with the doctor.
- Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using Rynatan (chlorpheniramine and phenylephrine tablets) while you are pregnant.
- Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.

How is this medicine (Rynatan) best taken?

Use Rynatan (chlorpheniramine and phenylephrine tablets) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

• Take with or without food. Take with food if it causes an upset stomach.

What do I do if I miss a dose?

- If you take Rynatan (chlorpheniramine and phenylephrine tablets) on a regular basis, take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Many times Rynatan (chlorpheniramine and phenylephrine tablets) is taken on an as needed basis. Do not take more often than told by the doctor.
- Detailed Rynatan dosage information

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
 wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.

Related/similar drugs

Promethazine

Promethazine is a phenothiazine and antihistamine used to treat allergies, motion sickness, nausea ...

Reviews & ratings

7.2 / 10

388 Reviews

View more

Loratadine

Loratadine is a non-drowsy antihistamine used to relieve allergy symptoms like sneezing, runny ...

Reviews & ratings

4.7 / 10

139 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

162 Reviews

Methylprednisolone

Methylprednisolone is used to treat conditions such as allergies, arthritis, lupus and ulcerative ...

Reviews & ratings

7.1 / 10

484 Reviews

View more

Cetirizine

Cetirizine treats cold or allergy symptoms such as sneezing, itching, watery eyes, or runny nose ...

Reviews & ratings

5.8 / 10

294 Reviews

View more

Montelukast

Montelukast is a daily oral medication used to prevent asthma attacks, exercise-induced ...

Reviews & ratings

5.6 / 10

571 Reviews

View more

Diphenhydramine

Diphenhydramine is an antihistamine used to treat sneezing, runny nose, itching, hives and other ...

Reviews & ratings

5.5 / 10

541 Reviews

View more

Zyrtec

Zyrtec (cetirizine) is used to treat allergy symptoms such as sneezing, itching, watery eyes, or ...

Reviews & ratings

5.8 / 10

197 Reviews

View more

What are some other side effects of Rynatan?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- · Dizziness.
- Feeling nervous and excitable.
- · Not able to sleep.
- · Feeling sleepy.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Rynatan?

- Store at room temperature.
- Store in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
 Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

• If your symptoms or health problems do not get better or if they become worse, call your doctor.

- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions
 about Rynatan (chlorpheniramine and phenylephrine tablets), please talk with your doctor, nurse, pharmacist, or
 other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

More about Rynatan (chlorpheniramine / phenylephrine)

- · Check interactions
- Compare alternatives
- Reviews (5)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- Drug class: upper respiratory combinations

Patient resources

Other brands

Ed A-Hist, Phenagil, R-Tanna, Actifed Cold and Allergy, ... +8 more

Professional resources

· Rynatan prescribing information

Related treatment guides

- Cold Symptoms
- Allergic Rhinitis

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability
Discontinued





User Reviews & Ratings

5 Reviews

Images

Rynatan 9 mg / 25 mg (WALLACE 707)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





