

Home

- Muse
- Consumer

Muse

Generic name: Alprostadil Urethral Suppository [al-PROS-ta-dill]

Drug classes: Impotence agents, Vasodilators

Medically reviewed by Drugs.com. Last updated on Feb 27, 2024.

Uses Before taking Warnings Dosage Side effects Overdose

Uses of Muse:

- It is used to treat erectile dysfunction (ED).
- It may be given to you for other reasons. Talk with the doctor.

What do I need to tell my doctor BEFORE I take Muse?

- If you have an allergy to alprostadil or any other part of Muse (alprostadil urethral suppository).
- If you are allergic to Muse (alprostadil urethral suppository); any part of Muse (alprostadil urethral suppository); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have been told that you are not healthy enough to have sex.
- If you have a deformed penis, penile implant, or other penile problems.
- If you have any of these health problems: Polycythemia or thrombocythemia.
- If you have any of these health problems: Leukemia, multiple myeloma, sickle cell anemia, or other health problems
 that may raise the chance of painful erection (hard penis) or an erection that lasts for longer than 4 hours. Ask your
 doctor if you are not sure.
- If you are a woman. This medicine is not approved for use in women.

This is not a list of all drugs or health problems that interact with Muse (alprostadil urethral suppository).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Muse (alprostadil urethral suppository) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Muse?

• Tell all of your health care providers that you take Muse (alprostadil urethral suppository). This includes your doctors, nurses, pharmacists, and dentists.

- Avoid driving and doing other tasks or actions that call for you to be alert until you see how Muse (alprostadil urethral suppository) affects you.
- To lower the chance of feeling dizzy or passing out, rise slowly if you have been sitting or lying down. Be careful going up and down stairs.
- Talk with your doctor before you drink alcohol.
- This medicine does not stop the spread of diseases like HIV or hepatitis that are passed through blood or having sex. Do not have any kind of sex without using a latex or polyurethane condom. Do not share needles or other things like toothbrushes or razors.
- If your sex partner is able to get pregnant, use birth control that you can trust to prevent pregnancy.
- Do not have sex with a pregnant woman while using Muse (alprostadil urethral suppository) unless you use a condom.
- This medicine is not approved for use in children. Talk with the doctor.

How is this medicine (Muse) best taken?

Use Muse (alprostadil urethral suppository) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Your doctor will teach you how to take Muse (alprostadil urethral suppository).
- Wash your hands before and after use.
- This medicine is for use in the urethra (the tube that urine passes through).
- This medicine works best if you pass urine before using.

What do I do if I miss a dose?

- This medicine is used on an as needed basis. Do not use more often than told by the doctor.
- Detailed Muse dosage information

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
 wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Redness, lumps, swelling, tenderness, or curving of the erection (hard penis).
- Irritation where Muse (alprostadil urethral suppository) is given.
- Chest pain or pressure or a fast heartbeat.
- · Dizziness or passing out.
- Very bad headache.

- · Shortness of breath.
- Any unexplained bruising or bleeding.
- Swelling of the leg veins.
- Call your doctor right away if you have a painful erection (hard penis) or an erection that lasts for longer than 4 hours. This may happen even when you are not having sex. If this is not treated right away, it may lead to lasting sex problems and you may not be able to have sex.
- i Muse side effects (more detail)

Related/similar drugs

Cialis

Cialis (tadalafil) increase increases blood flow to a certain area of the body and is used to treat ...

Reviews & ratings

8.6 / 10

554 Reviews

View more

Viagra

Viagra (sildenafil) is used to treat erectile dysfunction or impotence in men. Includes Viagra side ...

Reviews & ratings

8.5 / 10

253 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Adcirca

Adcirca is used to treat pulmonary

arterial hypertension. Learn about side effects, interactions ...

Reviews & ratings

6 Reviews

View more

Levitra

Levitra relaxes muscles and increases blood flow to particular areas of the body and is used to ...

Reviews & ratings

7.8 / 10

133 Reviews

View more

Revatio

Revatio (sildenafil) is used to treat pulmonary arterial hypertension. Includes Revatio side ...

Reviews & ratings

6.9 / 10

10 Reviews

View more

Sildenafil

Sildenafil is used to treat erectile dysfunction and pulmonary arterial hypertension. Includes ...

Reviews & ratings

8.3 / 10

498 Reviews

View more

What are some other side effects of Muse?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Warm or burning feeling in the urethra.
- · Aching in the penis, testicles, legs, or in the area between the penis and rectum.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Muse?

- Store unopened foil pouch in the refrigerator.
- · Protect from heat and sunlight.
- This medicine may be stored at room temperature for up to 2 weeks before use.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
 Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about Muse (alprostadil urethral suppository), please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

More about Muse (alprostadil)

- Check interactions
- · Compare alternatives
- Reviews (54)
- · Side effects
- Dosage information

- During pregnancy
- Drug class: impotence agents
- En español

Patient resources

· Muse advanced reading

Other brands

Caverject, Edex, Prostin VR Pediatric

Professional resources

- Muse prescribing information
- Alprostadil (Systemic, Local) (AHFS Monograph)

Other brands

Caverject, Edex, Caverject Impulse, Prostin VR Pediatric

Related treatment guides

• Erectile Dysfunction

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

The Drug history at FDA

User Reviews & Ratings

5.4 / 10

54 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





