

Home

Estradiol Patch

Estradiol Patch (skin patch)

Generic name: estradiol transdermal (skin patch) [*ES-tra-DYE-ole-tranz-DERM-al*] **Brand names:** Climara, Dotti, Estradiol Patch, Lyllana, Menostar, ... show all 8 brands

Drug class: Estrogens



Medically reviewed by Drugs.com on Aug 17, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Estradiol Patch?

Estradiol is a form of estrogen, a female sex hormone produced by the ovaries. Estrogen is necessary for many processes in the body.

Estradiol Patches are used to treat certain symptoms of menopause such as hot flashes, and vaginal dryness, burning, and irritation. Estradiol Patch is also used to prevent postmenopausal osteoporosis, or to treat ovarian disorders.

Estradiol Patch may also be used for purposes not listed in this medication guide.

Estradiol Patch side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Remove the skin patch and call your doctor at once if you have:

- heart attack symptoms--chest pain or pressure, pain spreading to your jaw or shoulder, nausea, sweating;
- increased blood pressure--severe headache, blurred vision, pounding in your neck or ears, anxiety, nosebleed;
- signs of a stroke--sudden numbness or weakness (especially on one side of the body), sudden severe headache, slurred speech, problems with vision or balance;
- signs of a blood clot--sudden vision loss, stabbing chest pain, feeling short of breath, coughing up blood, pain or warmth in one or both legs;
- swelling or tenderness in your stomach;
- jaundice (yellowing of the skin or eyes);
- · unusual vaginal bleeding, pelvic pain;
- · a breast lump;
- memory problems, confusion, unusual behavior; or

• **high levels of calcium in your blood**--nausea, vomiting, constipation, increased thirst or urination, muscle weakness, bone pain, lack of energy.

Common side effects of Estradiol Patch may include:

- · headache, back pain;
- stuffy nose, sinus pain, sore throat;
- · vaginal itching or discharge, changes in your menstrual periods, breakthrough bleeding;
- bloating, stomach cramps, nausea, vomiting;
- · breast pain;
- redness or irritation where the patch was worn;
- thinning scalp hair; or
- fluid retention (swelling, rapid weight gain).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Estradiol Patch side effects (more detail)

Related/similar drugs

Fosamax

Fosamax (alendronate) is used to treat or prevent postmenopausal osteoporosis and steroid-induced ...

Reviews & ratings

2.8 / 10

76 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Premarin

Premarin is used to treat symptoms of

menopause such as not hasnes, and vaginal dryness. Learn ...

Reviews & ratings

7.7 / 10

84 Reviews

View more

Reclast

Reclast (zoledronic acid) is used to treat osteoporosis in women after menopause and also to treat ...

Reviews & ratings

5.1 / 10

275 Reviews

View more

Estrace

Estrace (estradiol) is used to treat symptoms of menopause such as hot flashes and vaginal dryness ...

Reviews & ratings

7.3 / 10

12 Reviews

View more

Testosterone

Testosterone is used in men and boys to treat conditions caused by a lack of this hormone. Includes ...

Reviews & ratings

7.3 / 10

533 Reviews

View more

Abiraterone

Abiraterone is used along with prednisone or methylprednisolone to treat prostate cancer. Includes ...

Reviews & ratings

44 Reviews

View more

Zometa

Zometa is used to treat high blood levels of calcium caused by cancer and multiple myeloma. Learn ...

Reviews & ratings

4.8 / 10

43 Reviews

View more

Warnings

You should not use estradiol if you have: undiagnosed vaginal bleeding, liver disease, coronary artery disease, if you will have major surgery, or if you have ever had a heart attack, a stroke, a blood clot, or cancer of the breast, uterus/cervix, or vagina.

Do not use if you are pregnant.

Estradiol may increase your risk of developing a condition that may lead to uterine cancer. Report any unusual vaginal bleeding right away.

Using Estradiol Patch can increase your risk of blood clots, stroke, heart attack, or cancer of the breast, uterus, or ovaries. Estradiol should not be used to prevent heart disease, stroke, or dementia.

Before taking this medicine

You should not use estradiol if you are allergic to it, or if you have:

- unusual vaginal bleeding that has not been checked by a doctor;
- · liver disease;
- · coronary artery disease;
- a bleeding disorder;
- a history of heart attack, stroke, or blood clot; or
- a history of hormone-related cancer, or cancer of the breast, uterus/cervix, or vagina.

Do not use estradiol if you are pregnant. Tell your doctor right away if you become pregnant during treatment.

Using estradiol can increase your risk of blood clots, stroke, or heart attack. You are even more at risk if you have high blood pressure, diabetes, high cholesterol, if you are overweight, or if you smoke.

Estradiol should not be used to prevent heart disease, stroke, or dementia, because this medicine may actually increase your risk of developing these conditions.

Tell your doctor if you have ever had:

- heart disease:
- liver problems, or jaundice caused by pregnancy or taking hormones;
- a thyroid disorder;
- gallbladder disease;
- · kidney disease;
- · asthma;
- · epilepsy or other seizure disorder;
- · migraine headaches;
- lupus;
- porphyria (a genetic enzyme disorder that causes symptoms affecting the skin or nervous system);
- endometriosis or uterine fibroid tumors;
- · high levels of calcium in your blood; or
- hereditary angioedema (an immune system disorder).

Using estradiol may increase your risk of cancer of the breast, uterus, or ovaries. Talk with your doctor about this risk.

Estradiol can slow breast milk production. Tell your doctor if you are breast-feeding.

How should I use Estradiol Patch?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Apply the skin patch to clean, dry skin on your stomach or buttocks. Press the patch firmly into place for at least 10 seconds. Choose a different spot within these skin areas each time you apply a new patch. Do not use the same skin area twice within 7 days. Avoid skin that is irritated or damaged.

Do not apply a skin patch to your breasts. Do not apply a patch where it might be rubbed off by tight clothing, such as under an elastic waistband. **Never cut a skin patch.**

If a patch falls off, try sticking it back into place. If it does not stick well, put on a new patch on a different skin area and leave it on only for the rest of your wearing time. Do not change your patch removal schedule.

Remove the patch and apply a new one on the same day(s) each week to stay on your once-weekly or twice-weekly schedule.

Estradiol may increase your risk of developing a condition that may lead to uterine cancer. Your doctor may prescribe a progestin to help lower this risk. **Report any unusual vaginal bleeding right away.**

If you need major surgery or will be on long-term bed rest, you may need to stop using Estradiol Patch for a short

time. Any doctor or surgeon who treats you should know that you are using estradiol.

Your doctor should check your progress on a regular basis to determine whether you should continue this treatment. Self-examine your breasts for lumps on a monthly basis, and have regular mammograms while using Estradiol Patch.

Store patches at room temperature away from moisture and heat. Keep each patch in its pouch until you are ready to use it.

After removing a skin patch, fold it in half so it sticks together. Discard the folded patch in a place children and pets cannot get to.

Detailed Estradiol Patch dosage information

What happens if I miss a dose?

If you forget to change your patch, change it as soon as you remember or wait until your next scheduled patch change. **Do not** apply two patches at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using Estradiol Patch?

Avoid smoking. It can greatly increase your risk of blood clots, stroke, or heart attack while using estradiol.

Grapefruit may interact with estradiol and lead to unwanted side effects. Avoid the use of grapefruit products.

Avoid using creams, lotions, or powders on the skin where you apply the patch, or it may not stick to your skin.

What other drugs will affect Estradiol Patch?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Other drugs may affect estradiol, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Estradiol Patch drug interactions (more detail)

Does Estradiol Patch interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Estradiol Patch		
+		

Enter a drug name Add

More about Estradiol Patch (estradiol)

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (168)
- Side effects
- Dosage information
- During pregnancy
- Drug class: estrogens
- Breastfeeding
- En español

Patient resources

Other brands

Estrace, Estrogel, Climara, Vivelle-Dot, ... +17 more

Professional resources

- Estradiol Patch prescribing information
- Estradiol (Systemic, Local) (AHFS Monograph)

Other brands

Estrace, Estrogel, Climara, Vivelle-Dot, ... +11 more

Related treatment guides

- Atrophic Vaginitis
- Oophorectomy
- Hypoestrogenism
- Atrophic Urethritis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 22.01.

Guide to Weight Loss Drugs

Find out everything you need to know about weight loss drugs in our prescription weight loss drug guide.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

4.6 / 10

168 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×