

Home

Zaditor

Zaditor ⊲

Generic name: ketotifen ophthalmic [kee-toe-TYE-fen-off-THAL-mik]

Brand names: Alaway, Alaway Preservative Free, Eye Itch Relief, Zaditor, Claritin Eye, Refresh Eye Itch Relief

Drug class: Ophthalmic antihistamines and decongestants



Medically reviewed by Drugs.com on Aug 11, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Zaditor?

Zaditor (for the eyes) is used in adults and children at least 3 years old to temporarily treat itching of the eyes caused by allergy to dust, pollen, grass, animals, or other allergens.

Zaditor may also be used for purposes not listed in this medication guide.

Zaditor side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives, difficult breathing, swelling of your face, lips, tongue, or throat.

Zaditor may cause serious side effects. Stop using Zaditor and call your doctor at once if you have:

- eye pain or changes in vision;
- eye itching that gets worse or lasts longer than 72 hours;
- severe burning, stinging, or eye irritation after using the eye drops; or
- signs of eye infection--swelling, redness, severe discomfort, crusting or drainage.

Less serious side effects may be more likely, and you may have none at all.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Zaditor side effects (more detail)

Related/similar drugs

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Warnings

Follow all directions on the label and package. Use exactly as directed.

Before taking this medicine

You should not use Zaditor if you are allergic to it, or if you have:

• eye irritation caused by wearing contact lenses.

Ask a doctor before using Zaditor if you are pregnant or breastfeeding.

Do not allow a young child to use Zaditor without help from an adult.

How should I use Zaditor?

Use exactly as directed on the label, or as prescribed by your doctor.

Do not use while wearing soft contact lenses. Zaditor may contain a preservative that can permanently stain the lenses. Wait at least 10 minutes before inserting your contact lenses.

Wash your hands before using eye medication.

To apply the eye drops: Pull down your lower eyelid to create a small pocket and squeeze a drop into this pocket. Close your eyes for 1 or 2 minutes.

Use only the prescribed number of drops.

Wait at least 5 minutes before using any other eye drops.

Do not touch the dropper tip or place it directly on your eye. A contaminated dropper can infect your eye and lead to serious vision problems.

Call your pharmacist if the medicine looks cloudy, has changed colors or has particles in it.

Each **single-use** vial is for one use only (in both eyes). Store the unused vials in the original foil pouch and protect from light. Throw the vial away after one use, even if there is still medicine left inside.

Store at room temperature, in an upright position and tightly closed. Do not freeze.

0

What happens if I miss a dose?

Use the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222 if anyone has accidentally swallowed the medicine.

What should I avoid while using Zaditor?

Do not use other eye medications unless your doctor tells you to.

What other drugs will affect Zaditor?

Medicine used in the eyes is not likely to be affected by other drugs you use. But many drugs can interact. Tell your doctor about all your current medicines, including prescription and over-the-counter medicines, vitamins, and herbal products.

Does Zaditor interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Zaditor	
+	
Enter a drug name	Add

More about Zaditor (ketotifen ophthalmic)

- · Compare alternatives
- Pricing & coupons
- Reviews (9)
- · Side effects
- Dosage information
- During pregnancy
- · Drug class: ophthalmic antihistamines and decongestants
- Breastfeeding

• En español

Patient resources

· Zaditor advanced reading

Other brands

Alaway, Eye Itch Relief, Claritin Eye, Refresh Eye Itch Relief, Thera Tears Allergy Eye Itch Relief

Professional resources

- Zaditor prescribing information
- Ketotifen (AHFS Monograph)

Other brands

Zyrtec Itchy Eye Drops

Related treatment guides

• Conjunctivitis, Allergic

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 4.01.

DRUG STATUS

Availability OTC Over the counter Pregnancy & Lactation Risk data available CSA Schedule* N/A Not a controlled drug Approval History Drug history at FDA

User Reviews & Ratings

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

 \times