

Home

- 2. Sublimaze
- Consumer

Sublimaze

Generic name: Fentanyl Injection [FEN-ta-nil] **Drug class:** Opioids (narcotic analgesics)

Medically reviewed by Drugs.com. Last updated on Nov 7, 2023.

Uses Before taking Warnings Dosage Side effects Overdose FAQ



The Sublimaze brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

Warning

- This medicine may cause very bad and sometimes deadly breathing problems. Call your doctor right away if you have slow, shallow, or trouble breathing.
- The chance of very bad and sometimes deadly breathing problems may be greater when you first start Sublimaze (fentanyl injection) or anytime your dose is raised.
- Even one dose of Sublimaze (fentanyl injection) may be deadly if it is taken by someone else or by accident, especially in children. If Sublimaze (fentanyl injection) is taken by someone else or by accident, get medical help right away.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- This medicine is a strong pain drug that can put you at risk for addiction, abuse, and misuse. Misuse or abuse of Sublimaze (fentanyl injection) can lead to overdose and death. Talk with your doctor.
- You will be watched closely to make sure you do not misuse, abuse, or become addicted to Sublimaze (fentanyl injection).
- This medicine has an opioid drug in it. Severe side effects have happened when opioid drugs were used with benzodiazepines or other drugs that may make you drowsy or slow your actions. This includes slow or troubled breathing and death. Benzodiazepines include drugs like alprazolam, diazepam, and lorazepam.
 Benzodiazepines may be used to treat many health problems like anxiety, trouble sleeping, or seizures. If you have questions, talk with your doctor.
- Many drugs interact with Sublimaze (fentanyl injection) and can raise the chance of side effects like deadly breathing problems. Talk with your doctor and pharmacist to make sure it is safe to use Sublimaze (fentanyl injection) with all of your drugs.
- Do not take with alcohol or products that have alcohol. Unsafe and sometimes deadly effects may happen.

- Get medical help right away if you feel very sleepy, very dizzy, or if you pass out. Caregivers or others need to
 get medical help right away if the patient does not respond, does not answer or react like normal, or will not wake
 up.
- Using Sublimaze (fentanyl injection) for a long time during pregnancy may lead to withdrawal in the newborn baby. This can be life-threatening. Talk with the doctor.

Uses of Sublimaze:

• It is used to ease pain.

What do I need to tell my doctor BEFORE I take Sublimaze?

- If you are allergic to Sublimaze (fentanyl injection); any part of Sublimaze (fentanyl injection); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have any of these health problems: Lung or breathing problems like asthma, trouble breathing, or sleep apnea; high levels of carbon dioxide in the blood; or stomach or bowel block or narrowing.
- If you have any of these health problems: Kidney disease or liver disease.
- If you have taken certain drugs for depression or Parkinson's disease in the last 14 days. This includes isocarboxazid, phenelzine, tranylcypromine, selegiline, or rasagiline. Very high blood pressure may happen.
- If you are taking any of these drugs: Linezolid or methylene blue.
- If you are taking any of these drugs: Buprenorphine, butorphanol, nalbuphine, or pentazocine.
- If you are breast-feeding or plan to breast-feed.

This is not a list of all drugs or health problems that interact with Sublimaze (fentanyl injection).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Sublimaze (fentanyl injection) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Sublimaze?

- Tell all of your health care providers that you take Sublimaze (fentanyl injection). This includes your doctors, nurses, pharmacists, and dentists.
- Avoid driving and doing other tasks or actions that call for you to be alert until you see how Sublimaze (fentanyl
 injection) affects you.
- To lower the chance of feeling dizzy or passing out, rise slowly if you have been sitting or lying down. Be careful going up and down stairs.
- Long-term or regular use of opioid drugs like Sublimaze (fentanyl injection) may lead to dependence. Lowering the
 dose or stopping Sublimaze (fentanyl injection) all of a sudden may cause a greater risk of withdrawal or other
 severe problems. Talk to your doctor before you lower the dose or stop Sublimaze (fentanyl injection). You will need
 to follow your doctor's instructions. Tell your doctor if you have more pain, mood changes, thoughts of suicide, or
 any other bad effects.

- Do not take more than what your doctor told you to take. Taking more than you are told may raise your chance of very bad side effects.
- Do not take Sublimaze (fentanyl injection) with other strong pain drugs or if you are using a pain patch without talking to your doctor first.
- If you drink grapefruit juice or eat grapefruit often, talk with your doctor.
- This medicine may raise the chance of seizures in some people, including people who have had seizures in the past. Talk to your doctor to see if you have a greater chance of seizures while taking Sublimaze (fentanyl injection).
- Long-term use of an opioid drug may lead to lower sex hormone levels. Call your doctor if you have a lowered interest in sex, fertility problems, no menstrual period (women), or change in sex ability (men).
- If you are 65 or older, use Sublimaze (fentanyl injection) with care. You could have more side effects.
- This medicine may cause harm to the unborn baby if you take it while you are pregnant. If you are pregnant or you get pregnant while taking Sublimaze (fentanyl injection), call your doctor right away.

How is this medicine (Sublimaze) best taken?

Use Sublimaze (fentanyl injection) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

• It is given as a shot.

What do I do if I miss a dose?

- Call your doctor to find out what to do.
- Detailed Sublimaze dosage information

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
 wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- · Feeling confused.
- Severe constipation or stomach pain. These may be signs of a severe bowel problem.
- · Noisy breathing.
- · Chest pain.
- · Fast or slow heartbeat.
- · Seizures.
- Low mood (depression).
- Trouble controlling body movements.

- Swelling in the arms or legs.
- A severe and sometimes deadly problem called serotonin syndrome may happen if you take Sublimaze (fentanyl injection) with certain other drugs. Call your doctor right away if you have agitation; change in balance; confusion; hallucinations; fever; fast or abnormal heartbeat; flushing; muscle twitching or stiffness; seizures; shivering or shaking; sweating a lot; severe diarrhea, upset stomach, or throwing up; or severe headache.
- Taking an opioid drug like Sublimaze (fentanyl injection) may lead to a rare but very bad adrenal gland problem. Call
 your doctor right away if you have very bad dizziness or passing out, very bad upset stomach or throwing up, or if
 you feel less hungry, very tired, or very weak.
- Sublimaze side effects (more detail)

Related/similar drugs

Oxycodone

Oxycodone is an opioid analgesic used to treat moderate to severe pain; it has a high potential for ...

Reviews & ratings

6.9 / 10

1,142 Reviews

View more

Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

Reviews & ratings

7.9 / 10

1,054 Reviews

View more

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

685 Reviews

View more

Naproxen

Naproxen is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.8 / 10

683 Reviews

View more

Paracetamol

Paracetamol (Panadol, Calpol, Alvedon) is a widely used over-thecounter painkiller and fever ...

Reviews & ratings

6.1 / 10

13 Reviews

View more

Tramadol

Tramadol is an opioid medication that may be used to treat moderate to moderately severe chronic ...

Reviews & ratings

7.0 / 10

1,876 Reviews

View more

Cymbalta

Cymbalta (duloxetine) is used to treat major depressive disorder, general anxiety disorder and ...

Reviews & ratings

6.3 / 10

1,899 Reviews

View more

Duloxetine

Duloxetine is a selective serotonin and

norepinephrine reuptake inhibitor antidepressant used to ...

Reviews & ratings

6.2 / 10

2,456 Reviews

View more

Meloxicam

Meloxicam is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.3 / 10

600 Reviews

View more

What are some other side effects of Sublimaze?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Feeling dizzy, sleepy, tired, or weak.
- Dry mouth.
- Constipation, diarrhea, stomach pain, upset stomach, throwing up, or feeling less hungry.
- · Headache.
- · Feeling cold.
- · Trouble sleeping.
- Sweating a lot.
- Irritation where Sublimaze (fentanyl injection) is used.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Sublimaze?

 If you need to store Sublimaze (fentanyl injection) at home, talk with your doctor, nurse, or pharmacist about how to store it.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Follow the information that comes with Sublimaze (fentanyl injection) for throwing out doses that are not needed. Check with your pharmacist if you have questions about how to throw out Sublimaze (fentanyl injection).
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about Sublimaze (fentanyl injection), please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

Frequently asked questions

- Which drugs cause opioid-induced constipation?
- How long does Fentanyl stay in your system?
- Why is fentanyl so dangerous?
- · Carfentanil vs Fentanyl: Which is more dangerous?
- Fentanyl test strips: where to get & how to use?
- Which painkiller should you use?
- What are the symptoms of a fentanyl overdose?
- How does fentanyl compare to heroin or other opiates?

More about Sublimaze (fentanyl)

- · Check interactions
- Compare alternatives
- Reviews (6)
- Latest FDA alerts (14)
- Side effects
- Dosage information
- During pregnancy
- Drug class: Opioids (narcotic analgesics)
- Breastfeeding

Patient resources

· Sublimaze advanced reading

Other brands

Duragesic, Actiq, Fentora, Abstral, ... +4 more

Professional resources

- Sublimaze prescribing information
- FentaNYL, fentaNYL Citrate (AHFS Monograph)

Other brands

Duragesic, Actiq, Fentora, Abstral, ... +2 more

Related treatment guides

- Chronic Pain
- Anesthesia
- · Anesthetic Adjunct
- Pain
- Postoperative Pain
- Sedation

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

O Discontinued

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

2 High potential for abuse

WADA Class

റ്റ് Anti-Doping Classification

Related News

More Children Accidentally Poisoned By Fentanyl

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





