

#### Home

2. Gas-X

# Gas-X ⊲

**Generic name:** simethicone [ sye-METH-i-cone ]

Brand names: Alka-Seltzer Anti-Gas, Bicarsim, Gas Aide, Gas Relief Extra Strength, Gas Relief Ultra Strength Softgels, ... show all 20

brands

Drug class: Miscellaneous GI agents



Medically reviewed by Drugs.com on Apr 9, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

### What is Gas-X?

Gas-X is used to relieve painful pressure caused by excess gas in the stomach and intestines. This medicine is for use in babies, children, and adults.

Gas-X may also be used for purposes not listed in this medication guide.

### Gas-X side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Less serious side effects may be more likely, and you may have none at all.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Gas-X side effects (more detail)

## Related/similar drugs

#### FEATURED

#### **Omvoh**

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

#### **Reviews & ratings**

1 Reviews

View more

## **Warnings**

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

## Before taking this medicine

You should not use Gas-X if you are allergic to it.

Ask a doctor or pharmacist if it is safe for you to take Gas-X if you are allergic to any drugs, or if you have any type of serious illness (especially one that affects your stomach or intestines).

Ask a doctor before using this medicine if you are pregnant or breastfeeding.

The liquid form may contain phenylalanine. Talk to your doctor before using this form of simethicone if you have phenylketonuria (PKU).

### How should I take Gas-X?

Use exactly as directed on the label, or as prescribed by your doctor.

Do not take more of this medicine than directed.

Gas-X works best if you take it after meals and at bedtime.

You must chew the **chewable tablet** before you swallow it.

Measure **liquid medicine** carefully. Use the dosing syringe provided, or use a medicine dose-measuring device (not a kitchen spoon).

Gas-X liquid drops can be mixed with water, baby formula, or other liquids to make swallowing easier for an infant or child.

Always follow directions on the medicine label about giving Gas-X to a child. Call your doctor if the child's gas symptoms do not improve after treatment with this medicine.

You may need to follow a special diet or increase your exercise while using Gas-X. Follow all instructions of your doctor or dietitian. Learn about the foods to eat or avoid to help control your condition.

Store at room temperature away from moisture, heat, and light. Do not allow the liquid form of this medicine to freeze.

Detailed Gas-X dosage information

## What happens if I miss a dose?

Since Gas-X is used when needed, you may not be on a dosing schedule. Skip any missed dose if it's almost time for your next dose. **Do not** use two doses at one time.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while taking Gas-X?

Ask your doctor before using an antacid, and use only the type your doctor recommends. Some antacids may contain Gas-X.

## What other drugs will affect Gas-X?

Other drugs may affect Gas-X, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Gas-X drug interactions (more detail)

## Does Gas-X interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



## Frequently asked questions

Which is more effective, Beano or Gas-X for gas from ulcerative colitis?

## More about Gas-X (simethicone)

- · Check interactions
- · Compare alternatives
- Reviews (26)
- Drug images

- Side effects
- Dosage information
- During pregnancy
- Support group
- Drug class: miscellaneous GI agents
- Breastfeeding
- En español

### **Patient resources**

- · Gas-X Maximum Strength drug information
- Children's Gas-X Tongue Twisters
- Gas-X Infant Drops

#### Other brands

Mylicon, Maalox Anti-Gas, Phazyme, Alka-Seltzer Anti-Gas, ... +14 more

### **Professional resources**

• Simethicone monograph

### Other formulations

• Gas-X Extra Strength

### Related treatment guides

• Gas

### **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

#### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 9.02.

#### **DRUG STATUS**

**Availability** 

OTC Over the counter

### **Pregnancy & Lactation**

જુ

Risk data available

**CSA Schedule\*** 

N/A Not a controlled drug

### **User Reviews & Ratings**

8.2 / 10

26 Reviews

### **Images**

Gas-X Maximum Strength simethicone 250 mg (GXM)

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com

Advertising policy

Attribution & citations

#### Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

### **Support**

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









