

#### Home

2. Ex-Lax Regular Strength Pills

# **Ex-Lax Regular Strength Pills**

Generic name: senna [ SEN-nah ]

Brand names: Ex-Lax Chocolated, Ex-Lax Maximum Strength, Ex-Lax Regular Strength Pills, Fletchers Castoria, Geri-kot, ... show all 17

brands

**Drug class: Laxatives** 



Medically reviewed by Drugs.com on Oct 24, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ



The Ex-Lax Regular Strength Pills brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

See also: Ex-Lax, Ex-Lax Chocolated

## What is senna?

Senna is an herb also known as Alexandrian Senna, Casse, Fan Xie Ye, Indian Senna, Khatoum Senna, Sen, Sena Alejandrina, Sennae Folium, Sennae Fructus, Sennosides, Tinnevelly Senna, True Senna, and other names.

Senna is **likely effective** in alternative medicine as an aid in treating occasional constipation in adults and children at least 2 years old.

Senna has been used in alternative medicine as a possibly effective aid in emptying the bowel before a colonoscopy.

Other uses **not proven with research** have included weight loss, irritable bowel syndrome, hemorrhoids, and other conditions.

It is not certain whether senna is effective in treating any medical condition. Medicinal use of this product has not been approved by the FDA. Senna should not be used in place of medication prescribed for you by your doctor.

Senna is often sold as an herbal supplement. There are no regulated manufacturing standards in place for many herbal compounds and some marketed supplements have been found to be contaminated with toxic metals or other drugs. Herbal/health supplements should be purchased from a reliable source to minimize the risk of contamination.

Senna may also be used for purposes not listed in this product guide.

## Senna side effects

Get emergency medical help if you have signs of an allergic reaction: hives, difficult breathing, swelling of your face,

lips, tongue, or throat.

Senna may cause serious side effects. Stop using senna and call your doctor at once if you have:

- · rectal bleeding;
- no bowel movement within 12 hours after using senna; or
- low blood potassium--leg cramps, constipation, irregular heartbeats, fluttering in your chest, increased thirst or urination, numbness or tingling, muscle weakness or limp feeling.

### Common side effects of Ex-Lax Regular Strength Pills may include:

- stomach pain, discomfort, or cramps;
- diarrhea, or an urgent need to have a bowel movement;
- nausea, gas; or
- · discoloration of your urine.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

<u>Ex-Lax Regular Strength Pills side effects</u> (more detail)

# Related/similar drugs

#### **MiraLAX**

MiraLAX (polyethylene glycol) is used as a laxative to treat occasional constipation or irregular ...

### **Reviews & ratings**

7.2 / 10

262 Reviews

View more

#### Colace

Colace makes bowel movements softer and is used to treat or prevent constipation. Includes Colace ...

### **Reviews & ratings**

6.3 / 10

18 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

### **Reviews & ratings**

6.6 / 10

1,504 Reviews

-----

View more

#### Linzess

Linzess (linaclotide) is used to treat chronic idiopathic constipation, irritable bowel syndrome ...

### Reviews & ratings

6.7 / 10

884 Reviews

View more

### **Dulcolax**

Dulcolax (bisacodyl) is a laxative used to treat constipation. Includes Dulcolax side effects ...

### Reviews & ratings

5.3 / 10

1,158 Reviews

View more

### **Sutab**

Sutab (sodium sulfate, magnesium sulfate, and potassium chloride) is used for colonoscopy ...

### **Reviews & ratings**

6.3 / 10

126 Reviews

View more

# Warnings

Follow all directions on the product label and package. Tell each of your healthcare providers about all your medical

conditions, allergies, and all medicines you use.

## Before taking this medicine

You should not use senna if you are allergic to it, or if you have:

- · diarrhea;
- · hemorrhoids:
- · stomach pain;
- a blockage in your intestines;
- · inflammatory bowel disease; or
- · appendicitis.

Ask a doctor, pharmacist, or other healthcare provider if it is safe for you to use this product if you have ever had:

- an electrolyte imbalance (such as low levels of potassium in your blood);
- any change in bowel habits that has lasted longer than 2 weeks;
- long-term bowel problems;
- stomach pain, nausea, or vomiting; or
- if you are taking mineral oil.

Ask a doctor before using this product if you are pregnant or breastfeeding.

Do not give any herbal/health supplement to a child without medical advice.

## How should I take senna?

When considering the use of senna, seek the advice of your doctor. You may also consider consulting a practitioner who is trained in the use of herbal/health supplements.

If you choose to use senna, use it as directed on the package or as directed by your doctor, pharmacist, or other healthcare provider. Do not use more of this product than is recommended on the label.

Swallow the tablet whole with a full glass of water and do not crush, chew, or break it.

You must chew the **chewable tablet** before you swallow it.

Measure liquid product with the supplied measuring device (not a kitchen spoon).

Taking more than your recommended dose will not make this product more effective, and may cause serious side effects.

Senna should produce a bowel movement within 6 to 12 hours after you take it.

Do not use different forms of senna (tablets, liquids, and others) at the same time or you could have an overdose.

Call your healthcare provider if your constipation does not improve after 1 week of using senna, or if constipation gets

worse. Do not take senna for longer than 1 week, unless your healthcare provider has told you to.

Store at room temperature away from moisture, heat, and light.

Detailed Ex-Lax Regular Strength Pills dosage information

# What happens if I miss a dose?

Skip the missed dose and take the next regularly scheduled dose.

# What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include electrolyte imbalance (muscle spasms, changes in the shape of your fingers), muscle weakness, heart problems, liver damage, and other side effects.

# What should I avoid while taking senna?

Avoid taking this product within 2 hours before or after you take other medicines. Senna can make it harder for your body to absorb certain medicines you take by mouth.

Avoid using senna together with other herbal/health supplements that can lower potassium level. This includes horsetail, licorice, aloe, buckthorn, gossypol, rhubarb, and other stimulant laxative herbs.

Do not use other laxatives while taking senna unless your doctor has told you to.

# What other drugs will affect senna?

Do not take senna without medical advice if you are using the following medications:

- warfarin (Coumadin, Jantoven); or
- a diuretic (water pill).

This list is not complete. Other drugs may affect senna, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Ex-Lax Regular Strength Pills drug interactions (more detail)

## Does Ex-Lax Regular Strength Pills interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Ex-Lax Regular Strength Pills

+

Enter a drug name

Add

# **Popular FAQ**

Which drugs cause opioid-induced constipation?

# More about Ex-Lax Regular Strength Pills (senna)

- · Check interactions
- Compare alternatives
- Reviews (2)
- Latest FDA alerts (3)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: laxatives
- Breastfeeding
- En español

### **Patient resources**

### Other brands

Senokot, Senexon, Senna Lax, Geri-Kot, ... +10 more

## **Professional resources**

Senna monograph

### Other formulations

- Ex-Lax
- Ex-Lax Chocolated
- Ex-Lax Milk of Magnesia

## Related treatment guides

- Constipation
- Bowel Preparation

## **Further information**

• Consult with a licensed healthcare professional before using any herbal/health supplement. Whether you are treated by a medical doctor or a practitioner trained in the use of natural medicines/supplements, make sure all your healthcare providers know about all of your medical conditions and treatments.



Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.01.

## **DRUG STATUS**

### **Availability**

O Discontinued

**Pregnancy & Lactation** 

Risk data available

**CSA Schedule\*** 

N/A Not a controlled drug

## **User Reviews & Ratings**

Review this drug

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com Advertising policy

Attribution & citations

Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

#### Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.