

Home

Avinza

Avinza 🖘

Generic name: morphine [*MOR-feen*] **Drug class:** Opioids (narcotic analgesics)

Medically reviewed by Philip Thornton, DipPharm. Last updated on Jun 4, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ



The Avinza brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

What is Avinza?

Avinza is an opioid pain medication. An opioid is sometimes called a narcotic.

Avinza is used to treat moderate to severe pain.

Avinza extended-release capsules are for around-the-clock treatment of pain. They are not for use on an as-needed basis for pain.

Warnings

You should not take Avinza if you have severe asthma or breathing problems, a blockage in your stomach or intestines, or a bowel obstruction called paralytic ileus.

Morphine can slow or stop your breathing, and may be habit-forming. MISUSE OF AVINZA CAN CAUSE ADDICTION, OVERDOSE, OR DEATH, especially in a child or other person using the medicine without a prescription.

Taking Avinza during pregnancy may cause life-threatening withdrawal symptoms in the newborn.

Fatal side effects can occur if you use this medicine with alcohol, or with other drugs that cause drowsiness or slow your breathing.

Before taking this medicine

You should not take Avinza if you have ever had an allergic reaction to morphine or other narcotic medicines, or if you have:

• severe asthma or breathing problems; or

• a blockage in your stomach or intestines.

Do not use Avinza if you have used an MAO inhibitor in the past 14 days. A dangerous drug interaction could occur. MAO inhibitors include isocarboxazid, linezolid, methylene blue injection, phenelzine, rasagiline, selegiline, tranylcypromine, and others.

To make sure Avinza is safe for you, tell your doctor if you have ever had:

- any type of breathing problem or lung disease;
- a head injury, brain tumor, or seizures;
- a drug or alcohol addiction, or mental illness;
- urination problems;
- liver or kidney disease;
- problems with your gallbladder, pancreas, or thyroid; or
- if you use a sedative like Valium (diazepam, alprazolam, lorazepam, Ativan, Klonopin, Restoril, Tranxene, Versed, Xanax, and others).

Some medicines can interact with morphine and cause a serious condition called serotonin syndrome. Be sure your doctor knows if you also take stimulant medicine, opioid medicine, herbal products, or medicine for depression, mental illness, Parkinson's disease, migraine headaches, serious infections, or prevention of nausea and vomiting. Ask your doctor before making any changes in how or when you take your medications.

If you use Avinza while you are pregnant your baby could become dependent on the drug. This can cause life-threatening withdrawal symptoms in the baby after it is born. Babies born dependent on habit-forming medicine may need medical treatment for several weeks. Tell your doctor if you are pregnant or plan to become pregnant.

Do not breast-feed while taking Avinza. This medicine can pass into breast milk and cause drowsiness, breathing problems, or death in a nursing baby.

Avinza pregnancy and breastfeeding warnings (more detail)

How should I use Avinza?

Take Avinza exactly as prescribed by your doctor. Follow all directions on your prescription label. Morphine can slow or stop your breathing, especially when you start using this medicine or whenever your dose is changed. Never use Avinza in larger amounts, or for longer than prescribed. Tell your doctor if the medicine seems to stop working as well in relieving your pain.

Morphine may be habit-forming. Never share Avinza with another person, especially someone with a history of drug abuse or addiction. MISUSE OF NARCOTIC MEDICINE CAN CAUSE ADDICTION, OVERDOSE, OR DEATH, especially in a child or other person using the medicine without a prescription. Selling or giving away Avinza is against the law.

Stop taking all other around-the-clock narcotic pain medications when you start taking Avinza.

To make swallowing easier, you may open the extended-release capsule and sprinkle the medicine into a spoonful of applesauce. Swallow right away without chewing. Do not save the mixture for later use.

Do not stop using Avinza suddenly, or you could have unpleasant withdrawal symptoms. Ask your doctor how to safely stop using this medicine.

Never crush or break open an Avinza capsule to inhale the powder or mix it into a liquid to inject the drug into your vein. This practice has resulted in death with the misuse of morphine and similar prescription drugs.

Store at room temperature, away from heat, moisture, and light. Keep track of your medicine. Morphine is a drug of abuse and you should be aware if anyone is using your medicine improperly or without a prescription.

Do not keep leftover Avinza capsules. Ask your pharmacist where to locate a drug take-back disposal program. If there is no take-back program, flush any unused capsules down the toilet.

Detailed Avinza dosage information

What happens if I miss a dose?

Avinza extended release capsules are taken only once per day Since Avinza is used for pain, you are not likely to miss a dose. If you do miss a dose, take the medicine as soon as you remember, then take your next dose 24 hours after taking the missed dose.

Do not take extra medicine to make up a missed dose. Do not take more than your prescribed dose in a 24-hour period.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222. A morphine overdose can be fatal, especially in a child or other person using the medicine without a prescription. Overdose symptoms may include slow breathing and heart rate, severe drowsiness, muscle weakness, cold and clammy skin, pinpoint pupils, and fainting.

What should I avoid while using Avinza?

Do not drink alcohol. Dangerous side effects or death could occur.

This medication may impair your thinking or reactions. Avoid driving or operating machinery until you know how morphine will affect you. Dizziness or severe drowsiness can cause falls or other accidents.

Avinza side effects

Get emergency medical help if you have **signs of an allergic reaction to Avinza**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Like other opioid medicines, morphine can slow your breathing. Death may occur if breathing becomes too weak. A person caring for you should seek emergency medical attention if you have slow breathing with long pauses, blue colored lips, or if you are hard to wake up.

Call your doctor at once if you have:

- slow heart rate, sighing, weak or shallow breathing;
- · chest pain, fast or pounding heartbeats;

- · extreme drowsiness, feeling like you might pass out; or
- low cortisol levels nausea, vomiting, loss of appetite, dizziness, worsening tiredness or weakness.

Seek medical attention right away if you have symptoms of serotonin syndrome, such as: agitation, hallucinations, fever, sweating, shivering, fast heart rate, muscle stiffness, twitching, loss of coordination, nausea, vomiting, or diarrhea.

Morphine is more likely to cause breathing problems in older adults and people who are severely ill, malnourished, or otherwise debilitated.

Long-term use of opioid medication may affect fertility (ability to have children) in men or women. It is not known whether opioid effects on fertility are permanent.

Common Avinza side effects may include:

- · drowsiness, dizziness;
- constipation, stomach pain, nausea, vomiting;
- · headache, tired feeling;
- · anxiety; or
- mild itching.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Avinza side effects (more detail)

Related/similar drugs

Paracetamol

Paracetamol (Panadol, Calpol, Alvedon) is a widely used over-thecounter painkiller and fever ...

Reviews & ratings

6.1 / 10

13 Reviews

View more

Tylenol

Tylenol is a pain reliever and a fever reducer used to treat many conditions such as headaches ...

Reviews & ratings

5.8 / 10

30 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Cymbalta

Cymbalta (duloxetine) is used to treat major depressive disorder, general anxiety disorder and ...

Reviews & ratings

6.3 / 10

1,899 Reviews

View more

Oxycodone

Oxycodone is an opioid analgesic used to treat moderate to severe pain; it has a high potential for ...

Reviews & ratings

6.9 / 10

1,142 Reviews

View more

Amitriptyline

Amitriptyline is a tricyclic antidepressant used to treat depression and, off-label, conditions ...

Reviews & ratings

7.5 / 10

1,803 Reviews

View more

Naproxen is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.8 / 10

683 Reviews

View more

Hydroxyzine

Hydroxyzine is an antihistamine used to treat itching, hives, and anxiety. It also acts as a ...

Reviews & ratings

5.9 / 10

1,404 Reviews

View more

Tramadol

Tramadol is an opioid medication that may be used to treat moderate to moderately severe chronic ...

Reviews & ratings

7.0 / 10

1,876 Reviews

View more

Cyclobenzaprine

Cyclobenzaprine is a muscle relaxant and works by blocking pain sensations. Includes ...

Reviews & ratings

6.0 / 10

618 Reviews

View more

What other drugs will affect Avinza?

Narcotic (opioid) medication can interact with many other drugs and cause dangerous side effects or death. Be

sure your doctor knows if you also use:

- other narcotic medications opioid pain medicine or prescription cough medicine;
- drugs that make you sleepy or slow your breathing a sleeping pill, muscle relaxer, sedative, tranquilizer, or antipsychotic medicine; or
- drugs that affect serotonin levels in your body medicine for depression, Parkinson's disease, migraine
 headaches, serious infections, or prevention of nausea and vomiting.

This list is not complete. Other drugs may interact with morphine, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible interactions are listed in this medication guide.

Avinza drug interactions (more detail)

Does Avinza interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

Which drugs cause opioid-induced constipation?

How does fentanyl compare to heroin or other opiates?

More FAQ

· Which painkiller should you use?

References

1. Avinza Product Label

More about Avinza (morphine)

- · Check interactions
- · Compare alternatives
- Reviews (33)
- Drug images
- Latest FDA alerts (13)

- · Side effects
- Dosage information
- During pregnancy
- Drug class: Opioids (narcotic analgesics)
- Breastfeeding

Patient resources

Other brands

MS Contin, Kadian, MorphaBond ER, Roxanol, ... +7 more

Professional resources

- Morphine Sulfate monograph
- Opium Tincture (FDA)

Other brands

MS Contin, Kadian, MorphaBond ER, Duramorph, ... +4 more

Related treatment guides

- Chronic Pain
- Pain

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Avinza only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 12.01.

DRUG STATUS

Availability

O Discontinued


Pregnancy & Lactation

ം Risk data available

CSA Schedule*

2 High potential for abuse

Approval History




User Reviews & Ratings

8.3 / 10

33 Reviews

Images

Avinza 45 mg (AVINZA 45 mg 509)



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and









Copyright © 2000-2025 Drugs.com. All rights reserved.

 \rightarrow