

Home

Bonine

Bonine

Generic name: meclizine [MEK-li-zeen]

Brand names: Antivert, Bonine, Bonine Max, Dramamine Less Drowsy, Dramamine Nausea Long Lasting, Travel-Ease

Drug class: Anticholinergic antiemetics



Medically reviewed by Drugs.com on Aug 29, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is Bonine?

Bonine is used in adults and children aged 12 years and older to treat or prevent nausea, vomiting and dizziness caused by motion sickness.

Bonine is also used in adults to treat symptoms of vertigo (dizziness or spinning sensation) caused by disease that affects your inner ear.

Bonine may also be used for purposes not listed in this medication guide.

Bonine side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives, difficult breathing, swelling of your face, lips, tongue, or throat.

Common side effects of Bonine may include:

- · drowsiness;
- dry mouth;
- · headache;
- vomiting; or
- · feeling tired.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Bonine side effects (more detail)

Related/similar drugs

Ativan

Ativan is a benzodiazepine used to treat anxiety disorders or anxiety associated with depression ...

Reviews & ratings

8.0 / 10

479 Reviews

View more

Diphenhydramine

Diphenhydramine is an antihistamine used to treat sneezing, runny nose, itching, hives and other ...

Reviews & ratings

5.5 / 10

541 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Metoclopramide

Metoclopramide is used short-term to treat heartburn caused by gastroesophageal reflux. Learn about

•••

Reviews & ratings

3.9 / 10

517 Reviews

View more

Promethazine

Promethazine is a phenothiazine and

.....

antihistamine used to treat allergies, motion sickness, nausea ...

Reviews & ratings

7.2 / 10

388 Reviews

View more

Zofran

Zofran (ondansetron) is used to prevent nausea and vomiting caused by surgery or cancer medicines ...

Reviews & ratings

8.0 / 10

270 Reviews

View more

Olanzapine

Olanzapine (brand name Zyprexa) is an atypical antipsychotic that may be used to treat adults and ...

Reviews & ratings

5.9 / 10

1,091 Reviews

View more

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

162 Reviews

View more

Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

Reviews & ratings

1,054 Reviews

View more

Benadryl

Benadryl is an antihistamine and is used to treat sneezing, runny nose, itching and other ...

Reviews & ratings

7.0 / 10

79 Reviews

View more

Warnings

Use only as directed. Tell your doctor if you use other medicines or have other medical conditions or allergies.

Before taking this medicine

You should not use Bonine if you are allergic to it.

Do not give Bonine to anyone younger than 12 years old without medical advice.

Tell your doctor if you have or have ever had:

- glaucoma;
- breathing problems such as asthma, emphysema, or chronic bronchitis;
- an enlarged prostate or urination problems;
- · recently used alcohol, sedatives, or tranquilizers; or
- · liver or kidney disease.

Tell your doctor if you are pregnant or breastfeeding.

How should I take Bonine?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Swallow the tablet whole and do not crush, chew, or break it.

You must chew the chewable tablet before you swallow it.

To prevent motion sickness, take Bonine about 1 hour before you travel or anticipate having motion sickness. You may take this medicine once every 24 hours while you are traveling, to further prevent motion sickness.

To treat vertigo, you may need to take Bonine several times daily. Follow your doctor's instructions.

Store at room temperature away from moisture, heat, and light.

Detailed Bonine dosage information

What happens if I miss a dose?

Bonine is used when needed. If you are on a dosing schedule, skip any missed dose. Do not use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Bonine?

Avoid driving or hazardous activity until you know how Bonine will affect you. Your reactions could be impaired.

Avoid drinking alcohol. Drinking alcohol with this medicine can cause side effects.

What other drugs will affect Bonine?

Using Bonine with other drugs that make you drowsy can worsen this effect. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Sometimes it is not safe to use certain medicines at the same time. Some drugs can affect your blood levels of other drugs you use, which may increase side effects or make the medicines less effective.

Other drugs may affect Bonine, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all other medicines you use.

Bonine drug interactions (more detail)

Does Bonine interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

More about Bonine (meclizine)

- Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (50)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- Drug class: anticholinergic antiemetics
- Breastfeeding
- En español

Patient resources

Other brands

Antivert, Dramamine Less Drowsy, Travel-Ease, Meclicot, ... +3 more

Professional resources

- Meclizine Hydrochloride monograph
- Meclizine (FDA)

Other brands

Antivert

Related treatment guides

- Vertigo
- Motion Sickness
- Nausea/Vomiting

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal

circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

DRUG STATUS

Availability



Rx and/or OTC

Pregnancy & Lactation



Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

8.5 / 10

50 Reviews

Images

Bonine 25 mg (BON INE 201)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us









Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.