

Home

2. Golimumab

Golimumab

Generic name: golimumab [goe-LIM-ue-mab]

Brand names: Simponi, Simponi Aria, Simponi SmartJect

Dosage forms: intravenous solution (50 mg/4 mL), subcutaneous solution (100 mg/mL; 50 mg/0.5 mL)

Drug class: TNF alfa inhibitors



Medically reviewed by Drugs.com on Jun 6, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is golimumab?

Golimumab is used to treat rheumatoid arthritis and ankylosing spondylitis in adults.

Golimumab is also used alone or in combination with other medicines to treat psoriatic arthritis and polyarticular juvenile idiopathic arthritis in adults and children at least 2 years old.

Golimumab is also used alone or in combination with other medicines to treat ulcerative colitis in adults when other medicines have not worked or could not be tolerated.

Golimumab may also be used for purposes not listed in this medication guide.

Golimumab side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives, difficult breathing, swelling of your face, lips, tongue, or throat.

You may get infections more easily, even serious or fatal infections. Call your doctor right away if you have signs of infection such as:

- fever, chills, sweating, muscle aches, feeling very tired;
- cough, bloody mucus, shortness of breath;
- · weight loss;
- painful skin sores, warmth, or redness;
- · diarrhea, stomach pain; or
- increased urination, or burning when you urinate.

Also call your doctor at once if you have:

- skin growths or changes in skin appearance;
- · swelling in your lower legs;
- · vision changes;
- numbness or tingly feeling, weakness in your arms or legs;
- heart problems--swelling, rapid weight gain, feeling short of breath;
- low blood cell counts--fever, chills, tiredness, mouth sores, skin sores, easy bruising, unusual bleeding, pale skin, cold hands and feet, feeling light-headed or short of breath;
- **liver problems**--loss of appetite, stomach pain (upper right side), tiredness, itching, dark urine, clay-colored stools, jaundice (yellowing of the skin or eyes);
- new or worsening symptoms of lupus--joint pain, and a skin rash on your cheeks or arms that worsens in sunlight; or
- signs of psoriasis--red or scaly patches of skin, flaking, pus.

Common side effects of golimumab may include:

- cold symptoms such as stuffy nose, sneezing, sore throat;
- · abnormal liver function tests;
- high blood pressure;
- · skin rash;
- · low blood cell counts; or
- pain, itching, redness, bruising, tingling or swelling where the medicine was injected.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Golimumab side effects (more detail)

Related/similar drugs

Otezla

Otezla (apremilast) is used to treat plaque psoriasis, psoriatic arthritis, and oral ulcers ...

Reviews & ratings

5.2 / 10

439 Reviews

View more

Skyrizi

Skyrizi (risankizumab) is used to treat

plaque psoriasis, psoriatic arthritis, ulcerative colitis ...

Reviews & ratings

7.9 / 10

56 Reviews

View more

FEATURED

Entyvio

Entyvio (vedolizumab) is used to treat ulcerative colitis (UC) and Crohn's disease, reducing ...

Reviews & ratings

6.2 / 10

162 Reviews

View more

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Xeljanz

Xeljanz (tofacitinib) is an oral Janus kinase (JAK) inhibitor that may be used alone or with other ...

Reviews & ratings

5.7 / 10

145 Reviews

View more

Stelara

Stelara (ustekinumab) is used to treat Crohn's disease, ulcerative colitis, plaque psoriasis, and ...

Reviews & ratings

7.6 / 10

View more

Rinvoq

Rinvoq (upadacitinib) is used to treat rheumatoid arthritis, psoriatic arthritis, atopic ...

Reviews & ratings

7.0 / 10

223 Reviews

View more

Celecoxib

Celecoxib is a nonsteroidal antiinflammatory drug (NSAID) used to treat pain or inflammation ...

Reviews & ratings

7.0 / 10

280 Reviews

View more

Hydroxychloroquine

Hydroxychloroquine is a quinoline drug used to treat or prevent malaria. It's also used to treat ...

Reviews & ratings

6.4 / 10

356 Reviews

View more

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

162 Reviews

Warnings

You may get infections more easily, even serious or fatal infections. Call your doctor if you have flu symptoms, cough, night sweats, neck stiffness, confusion, or vision problems.

If you have ever had tuberculosis or hepatitis B, golimumab can cause these conditions to come back or get worse. You should be tested for these conditions before you start golimumab. Your doctor may need to monitor you for signs and symptoms during treatment.

Before taking this medicine

You should not use golimumab if you are allergic to rubber or latex.

Tell your doctor if you have or ever had:

- an active or chronic infection;
- a nerve-muscle disorder such as multiple sclerosis or Guillain-Barré syndrome;
- · cancer or lymphoma;
- congestive heart failure;
- psoriasis; or
- recently received or scheduled to receive a live vaccine.

Tell your doctor if you've had or been exposed to tuberculosis, or if you recently traveled. Some infections are more common in certain parts of the world, and you may have been exposed during travel.

Using golimumab may increase your risk of developing other cancers. Ask your doctor about this risk.

It is not known if golimumab will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

Tell your baby's doctor if you used golimumab during pregnancy. It could affect your baby's vaccination schedule during the first 6 months of life.

Ask a doctor if it is safe to breastfeed while using this medicine.

How should I use golimumab?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

If you have ever had tuberculosis or hepatitis B, golimumab can cause these conditions to come back or get worse. You should be tested for these conditions before you start golimumab. Your doctor may need to monitor you for signs and symptoms during treatment.

Golimumab is sometimes **given as an infusion into a vein**. A healthcare provider will give you this type of injection once every 4 to 8 weeks.

Golimumab may also be **injected under the skin** once every 2 to 4 weeks. You may be able to give this injection to yourself.

Your healthcare provider will show you where to inject golimumab. Do not inject into the same place two times in a row.

Ask your doctor or pharmacist if you don't understand how to use an injection.

Prepare an injection only when you are ready to give it. Call your pharmacist if the medicine looks cloudy, has changed colors or has particles in it.

Golimumab can weaken your immune system. Your blood will need to be tested often.

Store this medicine in its original container in the refrigerator, do not freeze. Protect from light.

Take the medicine out of the refrigerator and let it reach room temperature for 30 minutes before using. **Do not warm** the medicine with hot water, sunlight, or a microwave.

Throw away a prefilled syringe or auto-injector after one use, even if there is still medicine left inside.

Do not reuse a needle or syringe. Place them in a puncture-proof "sharps" container and dispose of it following state or local laws. Keep out of the reach of children and pets.

Detailed Golimumab dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss a dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using golimumab?

Avoid receiving a "live" vaccine, or you could develop a serious infection. Live vaccines include measles, mumps, rubella (MMR), rotavirus, typhoid, yellow fever, varicella (chickenpox), and zoster (shingles).

What other drugs will affect golimumab?

Sometimes it is not safe to use certain medicines at the same time. Some drugs can affect your blood levels of other drugs you use, which may increase side effects or make the medicines less effective.

Tell your doctor about all your other medicines, especially:

- · anakinra;
- · abatacept, etanercept; or
- adalimumab, certolizumab, infliximab, rituximab, or tocilizumab.

This list is not complete. Other drugs may affect golimumab, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

Golimumab drug interactions (more detail)

Does golimumab interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Golimumab Biosimilars

Biosimilar and interchangeable products are biological products that are highly similar to and have no clinically meaningful differences from the reference product.

Reference products

These are biological products that have already been approved by the FDA, against which biosimilar products are compared. There are 2 for golimumab.

Simponi (golimumab) - Janssen Biotech, Inc.

Formulation type	Strength
Autoinjector	100 mg/mL
Autoinjector	50 mg/0.5 mL
Pre-Filled Syringe	100 mg/mL
Pre-Filled Syringe	50 mg/0.5 mL

View Simponi information in detail.

Simponi Aria (golimumab) - Janssen Biotech, Inc.

Frequently asked questions

• What are the new drugs for rheumatoid arthritis (RA)?

More about golimumab

Check interactions

- · Compare alternatives
- Reviews (155)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: TNF alfa inhibitors
- Breastfeeding
- En español

Patient resources

· Golimumab advanced reading

Other brands

Simponi, Simponi Aria

Professional resources

· Golimumab monograph

Other brands

Simponi, Simponi Aria

Related treatment guides

- Rheumatoid Arthritis
- Ankylosing Spondylitis
- Polyarticular Juvenile Idiopathic Arthritis
- Psoriatic Arthritis
- Spondyloarthritis
- Ulcerative Colitis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

প্ Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

The Drug history at FDA

User Reviews & Ratings

6.3 / 10

155 Reviews

Images

Simponi (golimumab) 50 mg/0.5 mL single-dose prefilled syringe





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×