

#### Home

- 2. Dosage
- 3. Magaldrate/simethicone

# Magaldrate / Simethicone Dosage

Applies to the following strengths: 540 mg-40 mg/5 mL; 480 mg-20 mg; 1080 mg-30 mg; 1080 mg-40 mg/5 mL

### **Usual Adult Dose for:**

- Dyspepsia
- Flatulence

### Additional dosage information:

- Renal Dose Adjustments
- Liver Dose Adjustments
- Precautions
- Dialysis

# **Usual Adult Dose for Dyspepsia**

1 to 2 teaspoonfuls after meals and at bedtime.

## **Usual Adult Dose for Flatulence**

1 to 2 teaspoonfuls after meals and at bedtime.

# **Renal Dose Adjustments**

Data not available

## **Liver Dose Adjustments**

Data not available

## **Precautions**

Magaldrate should be used with caution in patients with renal impairment to avoid hypermagnesemia and toxicity.

Doses of simethicone greater than 500 mg a day are generally not recommended.

## **Dialysis**

Data not available

# More about magaldrate / simethicone

- · Check interactions
- · Compare alternatives
- Reviews (2)
- Side effects
- During pregnancy
- Drug class: antacids

## Related treatment guides

- Gas
- Indigestion


## **Further information**

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

### **DRUG STATUS**

**Availability** 



**Pregnancy & Lactation** 

& Risk data available

**CSA Schedule\*** 

N/A Not a controlled drug

### **User Reviews & Ratings**

Review this drug

### **Related Drugs**

Pepcid, Prilosec, calcium carbonate, magnesium oxide, ranitidine, simethicone, sodium bicarbonate, Pepto-Bismol, Mylanta

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com
Advertising policy
Attribution & citations

### **Terms & privacy**

Terms of use Editorial policy Privacy policy

### **Support**

Help center Sitemap













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





