

Home

2. Norpace CR

Norpace CR

Generic name: disopyramide [DYE-soe-PIR-a-mide]

Brand names: Norpace, Norpace CR Drug class: Group I antiarrhythmics



Medically reviewed by Drugs.com on Apr 12, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Norpace CR?

Norpace CR affects the way that your heart beats.

Norpace CR is used to treat life-threatening irregular heartbeat patterns.

Norpace CR may also be used for purposes not listed in this medication guide.

Norpace CR side effects

Get emergency medical help if you have any of these **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Norpace CR may cause serious side effects. Call your doctor at once if you have:

- a new or a worsening irregular heartbeat pattern;
- little or no urinating, painful or difficult urination;
- a light-headed feeling, like you might pass out;
- shortness of breath (even with mild exertion), swelling, rapid weight gain; or
- low blood sugar (headache, hunger, weakness, sweating, confusion, irritability, dizziness, fast heart rate, or feeling
 jittery).

Serious side effects such as heart failure or kidney problems may be more likely in older adults.

Common side effects of Norpace CR may include:

- dry mouth, nose, or throat;
- nausea, stomach pain, bloating;
- · constipation;

- dry eyes, blurred vision;
- headache, tiredness, general ill feeling; or
- muscle pain or weakness.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Norpace CR side effects (more detail)

Related/similar drugs

Tikosyn

Tikosyn (dofetilide) is antiarrhythmic drug used to treat an abnormal heartbeat including atrial ...

Reviews & ratings

7.7 / 10

62 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Verapamil

Verapamil is used to treat hypertension (high blood pressure), angina (chest pain), and certain ...

Reviews & ratings

7.6 / 10

183 Reviews

View more

Warnings

You should not use Norpace CR if you have long QT syndrome, or a serious heart condition such as "AV block" (unless you have a pacemaker).

Do not use Norpace CR to treat any heart rhythm disorder that has not been checked and diagnosed by your doctor.

Before taking this medicine

You should not use Norpace CR if you are allergic to it, or if you have:

- long QT syndrome; or
- a serious heart condition such as "AV block" (unless you have a pacemaker).

Do not use Norpace CR to treat any heart rhythm disorder that has not been checked and diagnosed by your doctor.

To make sure Norpace CR is safe for you, tell your doctor if you have:

- other heart rhythm disorders ("sick sinus syndrome", bundle branch block, Wolff-Parkinson-White syndrome);
- congestive heart failure, or if you have recently had a heart attack;
- low blood pressure;
- low potassium levels in your blood (hypokalemia);
- low blood sugar, or diabetes;
- liver or kidney disease;
- enlarged prostate, bladder obstruction or other urination problems;
- glaucoma;
- · myasthenia gravis; or
- if you are malnourished.

FDA pregnancy category C. It is not known whether Norpace CR will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using Norpace CR.

Disopyramide can pass into breast milk and may harm a nursing baby. You should not breast-feed while using this medicine.

How should I take Norpace CR?

Follow all directions on your prescription label. Do not take this medicine in larger or smaller amounts or for longer than recommended.

Your doctor may want to give your first dose of this medicine in a hospital or clinic setting to quickly treat any serious side effects that occur.

Do not crush, chew, break, or open an extended-release capsule. Swallow it whole.

Your heart function may need to be checked using an electrocardiograph or ECG (sometimes called an EKG).

Do not skip doses or change your dosing schedule without your doctor's advice. Sudden changes in the way you take Norpace CR can make your condition worse.

Store at room temperature away from moisture and heat.

Detailed Norpace CR dosage information

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222. **An overdose of Norpace CR can be fatal.**

Overdose symptoms may include trouble breathing, irregular heartbeats, and loss of consciousness.

What should I avoid while taking disopyramide?

Norpace CR may cause blurred vision and may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert and able to see clearly.

Drinking alcohol can increase certain side effects of disopyramide.

What other drugs will affect Norpace CR?

Many drugs can interact with Norpace CR. Not all possible interactions are listed here. Tell your doctor about all your medications and any you start or stop using, especially:

- ketoconazole;
- an antibiotic--clarithromycin, erythromycin; or
- other heart rhythm medicines--encainide, flecainide, propranolol, propafenone, quinidine.

This list is not complete and many other drugs can interact with Norpace CR. This includes prescription and overthe-counter medicines, vitamins, and herbal products. Give a list of all your medicines to any healthcare provider who treats you.

Norpace CR drug interactions (more detail)

Does Norpace CR interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Norpace CR

Enter a drug name Add

More about Norpace CR (disopyramide)

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (4)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- Drug class: group I antiarrhythmics
- Breastfeeding
- En español

Patient resources

Norpace CR advanced reading

Professional resources

- Disopyramide monograph
- Disopyramide (FDA)

Other formulations

Norpace

Related treatment guides

• Arrhythmia

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ন্ত Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA

User Reviews & Ratings

4 Reviews

Images

Norpace CR 100 MG (NORPACE CR 100 mg SEARLE 2732)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×