

[Home](#)

2. Diamox Sequels

Diamox Sequels

Generic name: [acetazolamide](#) [a-SEET-a-ZOLE-a-mide]**Brand names:** [Diamox](#), Diamox Sequels**Drug classes:** [Carbonic anhydrase inhibitor anticonvulsants](#), [Carbonic anhydrase inhibitors](#)[Medically reviewed](#) by Drugs.com on Aug 3, 2023. Written by [Cerner Multum](#).[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#)

The Diamox Sequels brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be [generic equivalents available](#).

What is Diamox Sequels?

Diamox Sequels reduces the activity of a protein in your body called carbonic anhydrase. Blocking this protein can help reduce the build-up of certain fluids in the body.

Diamox Sequels is used in people with certain types of [glaucoma](#) to reduce the amount of fluid in the eye, which decreases pressure inside the eye.

Diamox Sequels is also used as a diuretic ("water pill") in people with congestive [heart failure](#), to reduce the build-up of fluid in the body. This build-up is called edema.

Diamox Sequels is also used to treat certain types of [seizures](#), and to treat or prevent altitude sickness.

Diamox Sequels may also be used for purposes not listed in this medication guide.

Diamox Sequels side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Diamox Sequels may cause serious side effects. Call your doctor at once if you have:

- blood in urine or stools;
- a seizure (convulsions);
- loss of movement in any part of your body;
- **a blood cell disorder**--sudden weakness or ill feeling, fever, chills, [sore throat](#), mouth sores, pale skin, feeling tired

or short of breath, rapid heart rate, nosebleeds, bleeding gums;

- **liver problems**--nausea, upper stomach pain or swelling, tired feeling, loss of appetite, dark urine, clay-colored stools, [jaundice](#) (yellowing of the skin or eyes);
- **signs of metabolic acidosis**--confusion, [vomiting](#), lack of energy, irregular heartbeats;
- **signs of a kidney stone**--pain in your side or lower back, blood in your urine, painful or difficult urination; or
- **severe skin reaction**--fever, sore throat, swelling in your face or tongue, burning in your eyes, skin pain followed by a red or purple skin rash that spreads (especially in the face or upper body) and causes blistering and peeling.

Common side effects of Diamox Sequels may include:

- nausea, vomiting, loss of appetite, [diarrhea](#);
- numbness or tingling, especially in your arms and legs;
- [drowsiness](#), confusion;
- hearing problems, ringing in your ears;
- increased urination; or
- altered sense of taste.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Diamox Sequels side effects](#) (more detail)

Related/similar drugs

Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

Reviews & ratings

7.9 / 10

[1,054 Reviews](#)

[View more](#)

Clonazepam

Clonazepam is used to treat seizures and panic disorder. Learn about side effects, interactions and ...

Reviews & ratings

8.2 / 10

[2,176 Reviews](#)

[View more](#)

[view more](#)

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

Pregabalin

Pregabalin may be used to treat certain types of pain and used in combination with other ...

Reviews & ratings

6.8 / 10

[1,668 Reviews](#)

[View more](#)

Hydrochlorothiazide

HCTZ (hydrochlorothiazide) used to treat high blood pressure (hypertension) and edema. Includes ...

Reviews & ratings

5.2 / 10

[185 Reviews](#)

[View more](#)

Spironolactone

Spironolactone is a potassium-sparing diuretic that is primarily used to treat heart failure, high ...

Reviews & ratings

6.9 / 10

[702 Reviews](#)

[View more](#)

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

[162 Reviews](#)

[View more](#)

Lasix

Lasix is a loop diuretic used to treat fluid retention from heart, liver, or kidney conditions, and ...

Reviews & ratings

6.4 / 10

[56 Reviews](#)

[View more](#)

Warnings

You should not use Diamox Sequels if you have [cirrhosis](#), severe liver or kidney disease, an electrolyte imbalance, adrenal gland failure, or an allergy to Diamox Sequels or [sulfa drugs](#).

Before taking this medicine

You should not use Diamox Sequels if you are allergic to it, or if you have:

- severe [liver disease](#), or cirrhosis;
- severe kidney disease;
- an electrolyte imbalance (such as [acidosis](#) or low levels of potassium or sodium in your blood);
- adrenal gland failure; or
- an allergy to sulfa drugs.

To make sure Diamox Sequels is safe for you, tell your doctor if you have:

- severe breathing problems;
- angle closure glaucoma; or
- if you also take [aspirin](#) in high doses.

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

[Acetazolamide](#) can pass into breast milk and may harm a nursing baby. You should not breast-feed while using this medicine.

Diamox Sequels is not approved for use by anyone younger than 18 years old.

How should I take Diamox Sequels?

Follow all directions on your prescription label. Your doctor may occasionally change your dose to make sure you get the best results. Do not use Diamox Sequels in larger or smaller amounts or for longer than recommended.

Your dose of this medicine will depend on the condition you are treating. If you take Diamox Sequels for congestive heart failure, your doctor may tell you to skip your medication for a day. **Follow your doctor's dosing instructions very carefully.**

Take this medicine with a full glass of water.

While using Diamox Sequels, you may need frequent blood tests.

Diamox Sequels may be only part of a complete treatment program that may also include other medications. Follow your doctor's instructions very closely.

Store at room temperature away from moisture and heat. Keep the bottle tightly closed when not in use.

 [Detailed Diamox Sequels dosage information](#)

What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose.

Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Diamox Sequels?

Diamox Sequels may impair your thinking or reactions. Be careful if you drive or do anything that requires you to be alert.

Avoid exposure to sunlight or tanning beds. Diamox Sequels can make you [sunburn](#) more easily. Wear protective clothing and use [sunscreen](#) (SPF 30 or higher) when you are outdoors.

What other drugs will affect Diamox Sequels?

Other drugs may interact with acetazolamide, including prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Tell each of your health care providers about all medicines you use now and any medicine you start or stop using.

 [Diamox Sequels drug interactions](#) (more detail)

Does Diamox Sequels interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Diamox Sequels

+

Enter a drug name

Add

More about Diamox Sequels (acetazolamide)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(6\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: carbonic anhydrase inhibitor anticonvulsants](#)
- [Breastfeeding](#)

Patient resources

- [Diamox Sequels advanced reading](#)

Other brands

[Diamox](#)

Professional resources

- [Diamox Sequels prescribing information](#)
- [AcetaZOLAMIDE, acetaZOLAMIDE Sodium \(AHFS Monograph\)](#)

Related treatment guides

- [Hydrocephalus](#)
- [Edema](#)
- [Epilepsy](#)
- [Glaucoma](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 7.01.

DRUG STATUS

Availability		
	Discontinued	
Pregnancy & Lactation		
	Risk data available	
CSA Schedule*		
N/A	Not a controlled drug	▼
WADA Class		
	Anti-Doping Classification	▼

User Reviews & Ratings

[6 Reviews](#)

Images

[Diamox Sequels 500 mg \(DIAMOX 754\)](#)



[View larger images](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

- [About Drugs.com](#)
- [Advertising policy](#)
- [Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)


[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.