

Home

2. Carbinoxamine

Carbinoxamine

Generic name: carbinoxamine [car-bi-NOX-a-meen]

Brand names: Karbinal ER, Ryvent, Histex PD, Histex CT, Carbinoxamine PD, ... show all 15 brands

Dosage forms: oral liquid (4 mg/5 mL), oral suspension, extended release (4 mg/5 mL), oral tablet (4 mg; 6 mg)

Drug class: Antihistamines



Medically reviewed by Drugs.com on Jun 12, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is carbinoxamine?

Carbinoxamine is an antihistamine that is used to treat runny or stuffy nose, sneezing, itching, watery eyes, hives, skin rash, itching, and other symptoms of allergies.

Carbinoxamine is for use in adults and children at least 2 years old.

Carbinoxamine may also be used for purposes not listed in this medication guide.

Carbinoxamine side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Carbinoxamine may cause serious side effects. Stop using carbinoxamine and call your doctor at once if you have:

- a light-headed feeling, like you might pass out;
- little or no urination;
- wheezing, tightness in your chest;
- pounding heartbeats or fluttering in your chest; or
- pale skin, easy bruising or bleeding.

Side effects such as dizziness and confusion may be more likely in older adults.

Common side effects of carbinoxamine may include:

- · dry mouth, nose, or throat;
- drowsiness, dizziness;

- · loss of coordination; or
- · upset stomach.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Carbinoxamine side effects (more detail)

Related/similar drugs

Triamcinolone

Triamcinolone is used to treat allergies, skin conditions, ulcerative colitis, and arthritis. Learn ...

Reviews & ratings

6.7 / 10

226 Reviews

View more

FEATURED

Xolair

Xolair injection (omalizumab) is used to reduce the risk of severe food allergy reactions ...

Reviews & ratings

7.5 / 10

229 Reviews

View more

Promethazine

Promethazine is a phenothiazine and antihistamine used to treat allergies, motion sickness, nausea ...

Reviews & ratings

7.2 / 10

388 Reviews

View more

Prednisone

Prednisone is used to treat allergic disorders, ulcerative colitis, psoriasis

and arthritis. Learn ...

Reviews & ratings

7.5 / 10

867 Reviews

View more

Zyrtec

Zyrtec (cetirizine) is used to treat allergy symptoms such as sneezing, itching, watery eyes, or ...

Reviews & ratings

5.8 / 10

197 Reviews

View more

Loratadine

Loratadine is a non-drowsy antihistamine used to relieve allergy symptoms like sneezing, runny ...

Reviews & ratings

4.7 / 10

139 Reviews

View more

Methylprednisolone

Methylprednisolone is used to treat conditions such as allergies, arthritis, lupus and ulcerative ...

Reviews & ratings

7.1 / 10

484 Reviews

View more

Cetirizine

Cetirizine treats cold or allergy symptoms such as sneezing, itching, watery eyes, or runny nose ...

Reviews & ratings

View more

Warnings

Use only as directed. Tell your doctor if you use other medicines or have other medical conditions or allergies.

Before taking this medicine

You should not use carbinoxamine if you are allergic to it.

Do not use carbinoxamine if you also use an MAO inhibitor such as isocarboxazid, linezolid, methylene blue injection, phenelzine, or tranylcypromine.

Not approved for use by anyone younger than 2 years old.

Tell your doctor if you have ever had:

- glaucoma;
- · a stomach ulcer;
- a blockage in your digestive tract (stomach or intestines);
- a thyroid disorder;
- heart problems, high blood pressure;
- liver or kidney disease;
- · asthma or sulfite allergy;
- an enlarged prostate;
- urination problems; or
- low blood pressure.

You should not breastfeed while using carbinoxamine.

Tell your doctor if you are pregnant.

How should I take carbinoxamine?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Follow all directions when giving carbinoxamine to a child. **Do not use the medicine to make a child sleepy.** Misuse of this medicine may cause death in very young children.

Shake the oral suspension (liquid). Measure a dose with the supplied syringe or a dose-measuring device (not a kitchen

spoon).

Call your doctor if your symptoms do not improve, or if they get worse.

Store at room temperature away from moisture, heat, and light.

Detailed Carbinoxamine dosage information

What happens if I miss a dose?

Carbinoxamine is used when needed. If you are on a dosing schedule, skip any missed dose. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222. **An overdose can be fatal, especially to a child.**

Overdose symptoms may include extreme drowsiness or restless feeling, hallucinations, dilated pupils, or seizure (convulsions).

What should I avoid while taking carbinoxamine?

Avoid driving or hazardous activity until you know how carbinoxamine will affect you. Your reactions could be impaired.

Avoid drinking alcohol.

Ask a doctor or pharmacist before using other cough or cold medicines that may contain similar ingredients.

What other drugs will affect carbinoxamine?

Ask a doctor or pharmacist before using any other medicines that can cause drowsiness (such as opioid medication, sleep medicine, a muscle relaxer, or medicine for anxiety or seizures). Tell your doctor about all other medicines you use. This includes prescription and over-the-counter medicines, vitamins, and herbal products. **Not all possible interactions are listed here.**

Carbinoxamine drug interactions (more detail)

Does carbinoxamine interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

carbinoxamine
+
Enter a drug name
Add

More about carbinoxamine

- · Check interactions
- · Compare alternatives
- · Pricing & coupons
- Reviews (3)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- · Drug class: antihistamines
- Breastfeeding
- En español

Patient resources

· Carbinoxamine advanced reading

Other brands

Histex PD, Carboxine, Arbinoxa, Histex CT, ... +6 more

Professional resources

- · Carbinoxamine monograph
- Carbinoxamine (FDA)
- Carbinoxamine ER Oral Suspension (FDA)

Other brands

Karbinal ER, Ryvent

Related treatment guides

- Allergic Reactions
- Allergic Rhinitis
- Allergic Urticaria
- Dermatographism

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 9.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ஆ Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

3 Reviews

Images

Carbinoxamine Maleate 4 mg (109 C)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center

Sitemap

Contact us













<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









 \sim

Copyright © 2000-2025 Drugs.com. All rights reserved.