

[Home](#)

2. Premsyn PMS

## Premsyn PMS

**Generic name:** Acetaminophen, Pamabrom, and Pyrilamine Tablets [ *a-SEET-a-MIN-oh-fen, PAM-a-brom, and-pir-IL-a-meen* ]

**Brand names:** GNP Pre-Menstrual Relief Max Strength, [Menstrual Pain Relief](#), [Menstrual PMS](#), Pamprin Max Pain Formula, Pamprin Multi-Symptom, Premsyn PMS, RA Menstrual Pain Relief

**Drug class:** [Analgesic combinations](#)

[Medically reviewed](#) by Drugs.com. Last updated on Apr 25, 2024.

[Uses](#) [Before taking](#) [Warnings](#) [Directions](#) [Side effects](#) [Overdose](#)

### Uses of Premsyn PMS:

- It is used to ease painful period (menstrual) cycles.
- It may be given to you for other reasons. Talk with the doctor.

### What do I need to tell my doctor BEFORE I take Premsyn PMS?

- If you have an [allergy](#) to [acetaminophen](#), [pamabrom](#), pyrilamine, or any other part of Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets).
- If you are allergic to Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets); any part of Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have [liver disease](#).

This is not a list of all drugs or health problems that interact with Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, [vitamins](#)) and health problems. You must check to make sure that it is safe for you to take Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

### What are some things I need to know or do while I take Premsyn PMS?

- Tell all of your health care providers that you take Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets). This includes your doctors, nurses, pharmacists, and dentists.
- Avoid driving and doing other tasks or actions that call for you to be [alert](#) until you see how Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) affects you.

- Do not take more than what your doctor told you to take. Taking more than you are told may raise your chance of very bad side effects.
- Do not take Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) for longer than you were told by your doctor.
- Avoid taking other products that have acetaminophen in them. Check labels closely. Too much acetaminophen may cause liver problems.
- This medicine has acetaminophen in it. Liver problems have happened with the use of acetaminophen. Sometimes, this has led to a liver transplant or death. Most of the time, liver problems happened in people taking more than 4,000 mg (milligrams) of acetaminophen in a day. People were also often taking more than 1 drug that had acetaminophen.
- Follow the directions exactly. Do not take more acetaminophen in a day than directed. If you do not know how much acetaminophen you can take in a day, ask your doctor or pharmacist. Some people may take up to 4,000 mg (milligrams) in a day if told to do so by the doctor. Some people (like people with liver problems and children) should take less acetaminophen. Call your doctor right away if you have taken too much acetaminophen in a day, even if you feel well.
- Avoid drinking alcohol while taking Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets).
- Talk with your doctor before you use other drugs and natural products that slow your actions.
- This medicine may affect certain lab tests. Tell all of your health care providers and lab workers that you take Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets).
- Use with care in children. Talk with the doctor.
- Do not give Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) to a child younger than 12 years old without first checking with the doctor.
- Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) while you are pregnant.
- Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.

## How is this medicine (Premsyn PMS) best taken?

Use Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Take with or without food. Take with food if it causes an [upset stomach](#).
- Take with a full glass of water.

### What do I do if I miss a dose?

- If you take Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) on a regular basis, take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Many times Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets) is taken on an as needed basis. Do not take more often than told by the doctor.

# What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like [rash](#); hives; [itching](#); red, swollen, blistered, or peeling skin with or without [fever](#); [wheezing](#); tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of liver problems like dark urine, feeling tired, not hungry, upset stomach or stomach pain, light-colored stools, throwing up, or yellow skin or eyes.
- Not able to pass urine or change in how much urine is passed.
- A very bad skin reaction ([Stevens-Johnson syndrome/toxic epidermal necrolysis](#)) may happen. It can cause very bad health problems that may not go away, and sometimes death. Get medical help right away if you have signs like red, swollen, blistered, or peeling skin (with or without fever); red or irritated eyes; or sores in your mouth, throat, nose, or eyes.

 [Premsyn PMS side effects](#) (more detail)

## Related/similar drugs

### Zoloft

Zoloft is an antidepressant used to treat major depression, obsessive-compulsive disorder, panic ...

#### Reviews & ratings

7.3 / 10

[1,972 Reviews](#)

[View more](#)

### Prozac

Prozac (fluoxetine) is an SSRI antidepressant used to treat depression, OCD, panic disorder ...

#### Reviews & ratings

7.2 / 10

[1,239 Reviews](#)

[View more](#)

#### FEATURED

### Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight

management, cardiovascular ...

### Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

## Paxil

Paxil is used to treat depression, obsessive-compulsive disorder and anxiety. Learn about side ...

### Reviews & ratings

7.1 / 10

[960 Reviews](#)

[View more](#)

## Yaz

Yaz (drospirenone and ethinyl estradiol) is used as a contraceptive to prevent pregnancy. Includes ...

### Reviews & ratings

5.9 / 10

[997 Reviews](#)

[View more](#)

## Yasmin

Yasmin (drospirenone and ethinyl estradiol) is used as contraception to prevent pregnancy. Includes ...

### Reviews & ratings

5.2 / 10

[605 Reviews](#)

[View more](#)

## Paroxetine

Paroxetine is used treat depression, obsessive-compulsive disorder and anxiety disorders. Learn ...

### Reviews & ratings

7.1 / 10

[View more](#)

## What are some other side effects of Premsyn PMS?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Feeling sleepy.
- Feeling nervous and excitable.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at <https://www.fda.gov/medwatch>.

## If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

## How do I store and/or throw out Premsyn PMS?

- Store at room temperature.
- Protect from heat.
- Store in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so. Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

## Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about Premsyn PMS (acetaminophen, pamabrom, and pyrilamine tablets), please talk with your doctor, nurse, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

# More about Premsyn PMS (acetaminophen / pamabrom / pyrilamine)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(1\)](#)
- [Drug images](#)
- [Side effects](#)
- [Drug class: analgesic combinations](#)

## Patient resources

### Other brands

[Pamprin Multi-Symptom Menstrual Relief](#), [Menstrual Pain Relief](#), [Menstrual PMS](#), [Pamprin Maximum Pain](#)

## Related treatment guides

- [Premenstrual Dysphoric Disorder](#)
- [Premenstrual Syndrome](#)

## Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

DRUG STATUS	
Availability	
OTC	Over the counter
CSA Schedule*	
N/A	Not a controlled drug

▼

## User Reviews & Ratings

[Review this drug](#)

## Images

[Premsyn PMS acetaminophen 500 mg / pamabrom 25 mg / pyrilamine maleate 15 mg \(PREMSYN PMS\)](#)

# Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



## About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

## Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

## Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices  
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.