

Home

Oxtellar XR

Oxtellar XR

Generic name: oxcarbazepine

Dosage form: oral extended-release tablet **Drug class:** Dibenzazepine anticonvulsants

Medically reviewed by Philip Thornton, DipPharm. Last updated on Mar 25, 2025.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is Oxtellar XR?

Oxtellar XR (oxcarbazepine) is a once-a-day anticonvulsant drug used to treat partial-onset seizures in people with epilepsy. Oxtellar XR is an extended-release tablet, which means it slowly releases the drug steadily over the course of the day.

After you take Oxtellar XR, your body processes the drug into an active form called licarbazepine - a metabolite - that is responsible for most of Oxtellar XR's antiepileptic activity. Oxcarbazepine undergoes a process called metabolism to produce licarbazepine, its active 10-monohydroxy metabolite (MHD).

Oxtellar XR works to help prevent seizure spread in the intact brain. During a seizure many neurons or nerve cells fire at the same time, creating a surge of excessive electrical activity. Oxtellar XR is thought to work by blocking voltage-sensitive sodium channels (VSSC).

VSSC are integral membrane proteins that play key roles in the electrical signaling of cells. It's thought that by blocking VSSC, Oxtellar XR helps to stabilize hyper-excited nerve cell membranes, stop repetitive neuronal firing and diminish impulses between nerve cells. Oxtellar XR also affects calcium channels and increases potassium conductance, and this may also contribute to its antiepileptic activity.

Oxtellar XR was approved by the US Food and Drug Administration (FDA) in 2012. No generic versions of Oxteallar XR are available.

What is Oxtellar XR used for?

Oxtellar XR is a prescription medicine used to treat partial onset seizures in adults and children 6 years of age and older.

Oxtellar XR is not for use in children under 6 years of age.

It is not known if Oxtellar XR is safe and effective in children under 6 years of age.

Important information

Do not stop taking Oxtellar XR without first talking to your healthcare provider. Stopping Oxtellar XR suddenly can cause serious problems.

Oxtellar XR can cause serious side effects, including:

- Oxtellar XR may cause the level of sodium in your blood to be low. Symptoms of low blood sodium include:
 - nausea
 - tiredness, lack of energy
 - headache
 - o confusion
 - o more frequent or more severe seizures

Similar symptoms that are not related to low sodium may occur from taking Oxtellar XR. You should tell your healthcare provider if you have any of these side effects and if they bother you or they do not go away.

Some other medicines can also cause low sodium in your blood. Be sure to tell your healthcare provider about all the other medicines that you are taking.

Your healthcare provider may do blood tests to check your sodium levels during your treatment with Oxtellar XR.

- Oxtellar XR may also cause allergic reactions or serious problems which may affect organs and other parts of your body like the liver or blood cells. You may or may not have a rash with these types of reactions. Call your healthcare provider right away if you have any of the following:
 - o swelling of your face, eyes, lips, or tongue
 - trouble swallowing or breathing
 - o a skin rash
 - hives
 - o fever, swollen glands, or sore throat that does not go away or comes and goes
 - o painful sores in the mouth or around your eyes
 - yellowing of your skin or eyes
 - o unusual bruising or bleeding
 - severe fatigue or weakness
 - o severe muscle pain
 - o frequent infections that do not go away

Many people who are allergic to carbamazepine are also allergic to Oxtellar XR. Tell your healthcare provider if you are allergic to carbamazepine.

- Like other antiepileptic drugs, Oxtellar XR may cause suicidal thoughts or actions in a very small number of people, about 1 in 500. Call your healthcare provider right away if you have any of these symptoms, especially if they are new, worse, or worry you:
 - · thoughts about suicide or dying

- o attempts to commit suicide
- o new or worse depression
- new or worse anxiety
- feeling agitated or restless
- panic attacks
- trouble sleeping (insomnia)
- o new or worse irritability
- o acting aggressive, being angry, or violent
- o acting on dangerous impulses
- o an extreme increase in activity and talking (mania)
- o other unusual changes in behavior or mood

How can I watch for early symptoms of suicidal thoughts and actions?

- Pay attention to any changes, especially sudden changes, in mood, behaviors, thoughts, or feelings.
- Keep all follow-up visits with your healthcare provider as scheduled.

Call your healthcare provider between visits as needed, especially if you are worried about symptoms.

Do not stop taking Oxtellar XR without first talking to a healthcare provider.

- Stopping Oxtellar XR suddenly can cause serious problems.
- Stopping a seizure medicine suddenly in a patient who has epilepsy may cause seizures that will not stop (status epilepticus).

Suicidal thoughts or actions may be caused by things other than medicines. If you have suicidal thoughts or actions, your healthcare provider may check for other causes.

Who should not take Oxtellar XR?

Do not take Oxtellar XR if you are allergic to oxcarbazepine or any of the other ingredients in Oxtellar XR, or to eslicarbazepine acetate. See below for a complete list of ingredients in Oxtellar XR.

Oxtellar XR pregnancy and breastfeeding warnings (more detail)

What should I tell my doctor before taking Oxtellar XR?

Before taking Oxtellar XR, tell your healthcare provider about all your medical conditions, including if you:

- have or have had suicidal thoughts or actions, depression or mood problems.
- have liver problems.
- have kidney problems.
- are allergic to carbamazepine. Many people who are allergic to carbamazepine are also allergic to Oxtellar XR.

• use birth control medicine. Oxtellar XR may cause your birth control medicine to be less effective. Talk to your healthcare provider about the best birth control method to use.

How should I take Oxtellar XR?

- Do not stop taking Oxtellar XR without talking to your healthcare provider. Stopping Oxtellar XR suddenly can cause serious problems, including seizures that will not stop (status epilepticus).
- Take Oxtellar XR exactly as prescribed. Your healthcare provider may change your dose. Your healthcare provider will tell you how much Oxtellar XR to take.
- Take Oxtellar XR 1 time each day.
- Take Oxtellar XR on an empty stomach. This means you should take Oxtellar XR at least 1 hour before or at least 2 hours after a meal.
- Take Oxtellar XR tablets whole with water or other liquid.
- Do not cut, crush, or chew the tablets before swallowing.
- If you take too much Oxtellar XR call your healthcare provider right away.

Dosing information

The recommended dose of Oxtellar XR for adults and pediatric patients when used as monotherapy or adjuvant therapy are listed below.

Adults

- Initiate treatment at a dosage of 600 mg a day given orally once daily for one week. Subsequent dosage increases
 can be made at weekly intervals in 600 mg a day increments to achieve the recommended daily dosage.
- The recommended daily dosage of Oxtellar XR is 1200 mg to 2400 mg a day, given once daily.

Pediatric Patients (6 to Less than 17 Years of Age)

- Initiate treatment at a daily dosage of 8 mg/kg to 10 mg/kg orally once daily, not to exceed 600 mg per day in the first week. Subsequent dosage increases can be made at weekly intervals in 8 mg/kg to 10 mg/kg increments once daily, not to exceed 600 mg, to achieve the target daily dosage.
- The target maintenance dosage, achieved over two to three weeks, is displayed in the table below.

Target Daily Dosage in Pediatric Patients (6 to Less Than 17 Years of Age)

Weight	Target Daily Dose
20 kg to 29 kg	900 mg/day
29.1 kg to 39 kg	1200 mg/day
Greater than 39 kg	1800 mg/day

See full prescribing information for more information about Oxtellar XR dosing.

Detailed Oxtellar XR dosage information

What are the side effects of Oxtellar XR?

See "Important information" above.

Oxtellar XR may cause other serious side effects including seizures that can happen more often or become worse, especially in children.

The most common side effects of Oxtellar XR include:

- dizziness
- sleepiness
- headache
- balance problems
- tremors
- vomiting
- double vision
- weakness or lack of energy (asthenia)

These are not all the possible side effects of Oxtellar XR. For more information, ask your healthcare provider or pharmacist.

Tell your healthcare provider if you have any side effect that bothers you or does not go away.

Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Oxtellar XR side effects (more detail)

Related/similar drugs

Depakote

Depakote is used to treat various types of seizure disorders. Learn about side effects ...

Reviews & ratings

6.3 / 10

329 Reviews

View more

Lyrica

Lyrica is used to control seizures, treat nerve pain and fibromyalgia. Learn about side effects ...

Reviews & ratings

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Keppra

Keppra is an anti-epileptic drug used to treat partial onset seizures in people with epilepsy ...

Reviews & ratings

5.7 / 10

307 Reviews

View more

Diazepam

Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.4 / 10

884 Reviews

View more

Lamictal

Lamictal is an anti-epileptic medication used treat seizures in adults and children over 2 years ...

Reviews & ratings

8.0 / 10

792 Reviews

View more

Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

Reviews & ratings

7.9 / 10

1,054 Reviews

View more

Pregabalin

Pregabalin may be used to treat certain types of pain and used in combination with other ...

Reviews & ratings

6.8 / 10

1,668 Reviews

View more

Interactions

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Taking Oxtellar XR with certain other medicines may cause side effects or affect how well they work. Do not start or stop other medicines without talking to your healthcare provider.

Especially tell your healthcare provider if you take:

- carbamazepine
- phenobarbital
- phenytoin
- birth control medicine

Know the medicines you take. Keep a list of them and show it to your healthcare provider and pharmacist when you get a new medicine.

①xtellar XR drug interactions (more detail)

Does Oxtellar XR interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Pregnancy and breastfeeding

Tell your doctor if you are pregnant or plan to become pregnant. Oxtellar XR may harm your unborn baby. Tell your healthcare provider right away if you become pregnant while taking Oxtellar XR. You and your healthcare provider will decide if you should take Oxtellar XR while you are pregnant.

If you become pregnant while taking Oxtellar XR, talk to your healthcare provider about registering with the North American Antiepileptic Drug (NAAED) Pregnancy Registry.

The purpose of this registry is to collect information about the safety of antiepileptic medicine during pregnancy. You can enroll in this registry by calling 1-888-233-2334.

Tell your doctor if you are breastfeeding or plan to breastfeed. Oxtellar XR passes into breast milk. Talk with your healthcare provider about the best way to feed your baby if you take Oxtellar XR.

Storage

- Store Oxtellar XR at room temperature between 68°F to 77°F (20°C and 25°C).
- Keep Oxtellar XR in a tightly closed container and out of the light.
- Keep Oxtellar XR tablets dry.

Keep Oxtellar XR and all medicines out of the reach of children.

What are the ingredients in Oxtellar XR?

Active ingredient: oxcarbazepine

Inactive ingredients:

150 mg tablets: colloidal silicon dioxide, hypromellose, yellow iron oxide, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, sodium lauryl sulfate, talc, and titanium dioxide.

300 mg tablets: colloidal silicon dioxide, hypromellose, yellow iron oxide, red iron oxide, black iron oxide, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, sodium lauryl sulfate, talc, and titanium dioxide.

600 mg tablets: colloidal silicon dioxide, hypromellose, red iron oxide, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, sodium lauryl sulfate, talc, and titanium dioxide.

Oxtellar XR is manufactured by Patheon Inc. Whitby, Ontario L1N 5Z5 Canada and distributed by Supernus Pharmaceuticals, Inc. Rockville, MD 20850 USA.

Popular FAQ

What happens if you take Oxtellar XR with food?	~
Is Oxtellar XR a mood stabilizer?	~
Is Oxtellar XR the same as Trileptal?	~
How long does it take for Oxtellar XR to work?	~

References

- 1. National Library of Medicine Oxtellar XR Product Label
- 2. Preuss CV, Randhawa G, Wy TJP, et al. Oxcarbazepine. [Updated 2021 Aug 31]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-

More about Oxtellar XR (oxcarbazepine)

- Check interactions
- Compare alternatives
- · Pricing & coupons
- Reviews (7)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- · Generic availability
- Drug class: dibenzazepine anticonvulsants
- Breastfeeding
- En español

Patient resources

Other brands

Trileptal

Professional resources

• Oxtellar XR prescribing information

• Oxcarbazepine (AHFS Monograph)

Other brands

Trileptal

Related treatment guides

- Seizures
- Epilepsy

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

& Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

7 Reviews

Images

Oxtellar XR 300 mg (300)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×