



[Home](#)

2. [Abiraterone](#)

# Abiraterone

**Generic name:** abiraterone acetate [ *A-bir-A-te-rone* ]

**Brand names:** [Yonsa](#), [Zytiga](#)

**Dosage form:** oral tablet (125 mg; 250 mg; 500 mg)

**Drug class:** [Miscellaneous antineoplastics](#)

Medically reviewed by [Philip Thornton, DipPharm](#). Last updated on Apr 30, 2024.

[Uses](#)   [Warnings](#)   [Before taking](#)   [Dosage](#)   [Side effects](#)   [Interactions](#)   [FAQ](#)

## What is abiraterone?

[Abiraterone](#) works by reducing androgen production in the body. Androgens are male [hormones](#) that can promote tumor growth in the prostate gland.

Abiraterone is used together with steroid medication ([prednisone](#) or [methylprednisolone](#)) to treat [prostate cancer](#) that has spread to other parts of the body. abiraterone is used in men whose prostate cancer cannot be treated with surgery or other medicines.

It is not known if abiraterone acetate tablets are safe or effective in females or children.

## Warnings

**Abiraterone tablets should not be handled by a woman who is pregnant or who may become pregnant.** This medicine can harm an unborn baby or cause miscarriage.

You should not use abiraterone if you are allergic to it.

## Before taking this medicine

**Abiraterone is not for use by women or children.**

To make sure this medicine is safe for you, tell your doctor if you have ever had:

- liver disease;
- diabetes (especially if you use [pioglitazone](#) or [repaglinide](#));
- heart problems, [high blood pressure](#);
- a [heart attack](#);
- low levels of potassium in your blood; or

- problems with your adrenal gland or pituitary gland.

Abiraterone can harm an unborn baby if a woman is exposed to it during pregnancy. **An abiraterone tablet should not be handled by a woman who is pregnant or may become pregnant.** The medicine from a broken tablet could be absorbed through the skin.

Abiraterone can also harm an unborn baby if the father is taking this medicine at the time of conception or during pregnancy.

Use effective birth control if your sex partner is pregnant or able to get pregnant. Keep using birth control for at least 3 weeks after your last dose.

 [Abiraterone pregnancy and breastfeeding warnings](#) (more detail)

## How should I take abiraterone?

Take abiraterone exactly as prescribed by your doctor. Follow all directions on your prescription label and read all medication guides or instruction sheets.

Abiraterone is usually taken once per day while also taking a steroid 1 or 2 times per day. Follow your doctor's dosing instructions very carefully.

Your abiraterone dose needs may change if you switch to a different brand, strength, or form of this medicine. Avoid medication errors by using only the medicine your doctor prescribes.

Your prednisone or methylprednisolone dose needs may change if you have an infection or are under [stress](#). Do not change your dose or stop using your steroid medicine without your doctor's advice.

Take this medicine with a full glass of water.

You may take Yonsa with or without food.

Take **Zytiga** on an empty stomach. **Do not eat anything for at least 2 hours before and 1 hour after you take Zytiga.**

Swallow the tablet whole and do not crush, chew, or break it.

Your blood pressure will need to be checked often, and you may need frequent blood tests. If you have diabetes, your blood sugar should be checked carefully, especially if you take pioglitazone or repaglinide.

You should not stop using abiraterone or your steroid medicine suddenly. Follow your doctor's instructions about tapering your prednisone dose.

Store at room temperature away from moisture and heat.

## Dosing information

### Usual Adult Dose for Prostate Cancer:

Metastatic CRPC:

-Regular formulation: 1000 mg orally once daily (in combination with methylprednisolone 5 mg orally 2 times daily)

-Micronized formulation: 500 mg orally once daily (in combination with methylprednisolone 4 mg orally 2 times daily)

Metastatic high-risk CSPC:

-Regular formulation: 1000 mg orally once daily (in combination with methylprednisolone 5 mg orally once daily)

-Micronized formulation: 500 mg orally once daily (in combination with methylprednisolone 4 mg orally 2 times a day)

Comments:

-Patients receiving this drug should also receive a gonadotropin-releasing hormone (GnRH) analog concurrently or should have had bilateral orchiectomy.

NOTE: Different abiraterone acetate formulations have different indications and different dosing. Below are suggested dosing guidelines. Refer to the manufacturer product information before prescribing this drug.

Uses:

In combination with prednisone for the treatment of patients with:

-Metastatic castration-resistant prostate cancer (CRPC)

-Metastatic high-risk castration-sensitive prostate cancer (CSPC)

 [Detailed Abiraterone dosage information](#)

## What happens if I miss a dose?

Skip the missed dose and take the medicine the following day. Do not take two doses at one time.

Call your doctor for instructions if you miss more than one dose of abiraterone.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while taking abiraterone?

Do not eat food for at least 2 hours before you take [Zytiga](#) and for at least 1 hour after your dose. Food can increase the amount of Zytiga your body absorbs and may cause side effects.

Avoid taking an herbal supplement containing [St. John's wort](#).

## Abiraterone side effects

Get emergency medical help if you have **signs of an allergic reaction to abiraterone**: [hives](#); difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- swelling in your ankles or feet, pain in your legs;
- fast or irregular heartbeats;
- a light-headed feeling, like you might pass out;
- severe [headache](#), blurred vision, pounding in your neck or ears;

- pain or burning when you urinate;
- **low red blood cells (anemia)** - pale skin, tiredness, feeling light-headed or short of breath, cold hands and feet;
- **low blood potassium** - leg cramps, [constipation](#), irregular heartbeats, fluttering in your chest, increased thirst or urination, numbness or tingling, muscle weakness or limp feeling;
- **liver problems** - stomach pain (upper right side), [nausea](#), [vomiting](#), dark urine, [jaundice](#) (yellowing of the skin or eyes); or
- **low blood sugar** - headache, hunger, sweating, irritability, [dizziness](#), [fast heart rate](#), and feeling anxious or shaky.

Common abiraterone side effects may include:

- feeling very weak or tired;
- feeling very hot;
- high blood sugar;
- increased blood pressure;
- swelling in your legs or feet;
- anemia, low blood potassium;
- painful urination;
- abnormal liver function tests or other blood tests;
- joint pain or swelling;
- headache;
- nausea, vomiting, [diarrhea](#); or
- [cold symptoms](#) such as stuffy nose, sneezing, cough, [sore throat](#).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Abiraterone side effects](#) (more detail)

## Related/similar drugs

### Premarin

Premarin is used to treat symptoms of menopause such as hot flashes, and vaginal dryness. Learn ...

#### Reviews & ratings

7.7 / 10

[84 Reviews](#)

[View more](#)

FEATURED

## Omvox

Omvox is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

### Reviews & ratings

[1 Reviews](#)

[View more](#)

## Estrace

Estrace (estradiol) is used to treat symptoms of menopause such as hot flashes and vaginal dryness ...

### Reviews & ratings

7.3 / 10

[12 Reviews](#)

[View more](#)

## Xtandi

Xtandi (enzalutamide) is an anti-androgen used to treat prostate prostate cancer. Includes Xtandi ...

### Reviews & ratings

5.6 / 10

[21 Reviews](#)

[View more](#)

## Zytiga

Zytiga (abiraterone) is used together with prednisone to treat prostate cancer that has spread to ...

### Reviews & ratings

8.2 / 10

[41 Reviews](#)

[View more](#)

## Lynparza

Lynparza (olaparib) is used to treat ovarian cancer, breast cancer, pancreatic cancer, and prostate ...

### Reviews & ratings

7.4 / 10

[17 Reviews](#)

[View more](#)

### Casodex

Casodex (bicalutamide) is an anti-androgen and is used together with LHRH to treat prostate cancer ...

### Reviews & ratings

[7 Reviews](#)

[View more](#)

### Bicalutamide

Bicalutamide is a prescription medicine used to treat prostate cancer; Includes bicalutamide side ...

### Reviews & ratings

8.4 / 10

[13 Reviews](#)

[View more](#)

## What other drugs will affect abiraterone?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Tell your doctor about all your current medicines. Many drugs can interact with abiraterone, especially:

- other prostate cancer medicines, especially radium Ra 223 (may increase your risk of fractures while you are taking abiraterone); or
- pioglitazone or repaglinide to treat diabetes (may cause severe low blood sugar [hypoglycemia](#) while you are taking abiraterone).

This list is not complete and many other drugs may affect abiraterone. This includes prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Not all possible drug interactions are listed here.

 [Abiraterone drug interactions](#) (more detail)

## Does abiraterone interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

abiraterone

+

Enter a drug name

Add

## Popular FAQ

Why is prednisone prescribed with Zytiga?



What does abiraterone therapy do?



### References

1. [Abiraterone Product Label](#)

## More about abiraterone

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(44\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: miscellaneous antineoplastics](#)
- [En español](#)

## Patient resources

- [Abiraterone, micronized advanced reading](#)

## Other brands

[Zytiga](#), [Yonsa](#)

## Professional resources

- [Abiraterone Acetate monograph](#)
- [Abiraterone \(FDA\)](#)

- [Abiraterone Acetate \(FDA\)](#)

Other brands

[Zytiga, Yonsa](#)

Related treatment guides

- [Prostate Cancer](#)

Further information


Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use abiraterone only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 10.01.

DRUG STATUS

Availability	
Rx	Prescription only
Pregnancy & Lactation	
	Risk data available
CSA Schedule*	
N/A	Not a controlled drug
Approval History	
	Drug history at FDA

User Reviews & Ratings

8.0 / 10

[44 Reviews](#)

Images

[Abiraterone Acetate 250 mg \(ABR 250\)](#)



[View larger images](#)



# Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



## About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

## Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

## Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices

ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.