

Home

- 2. Side Effects
- 3. Konsyl

Konsyl Side Effects

Generic name: psyllium

Medically reviewed by Drugs.com. Last updated on Apr 19, 2024.

Serious side effects Other side effects Professional info FAQ

Note: This document provides detailed information about **Konsyl** Side Effects associated with *psyllium*. Some dosage forms listed on this page may not apply specifically to the brand name **Konsyl**.

Applies to psyllium: oral capsule, oral packet, oral powder, oral wafer.

Serious side effects of Konsyl

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
 wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Trouble swallowing.

Other side effects of Konsyl

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- · Stomach pain.
- · Bloating.
- · Stomach cramps.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

Managing side effects (general information)

For healthcare professionals

Applies to psyllium: oral capsule, oral powder for reconstitution, oral wafer.

Hypersensitivity adverse events

Hypersensitivity side effects have been reported rarely. They have included sensitization from inhalation of fine dust particles dispersed into the air as the product is mixed or poured. [Ref]

While hypersensitivity reactions may be severe, they are most frequently reported by workers in the pharmaceutical firms that manufacture the drug. This is because when it is mixed or poured, fine dust particles are readily dispersed into the air and can then be inhaled and cause sensitization. Orally ingested psyllium seems less likely to induce sensitization. [Ref]

Gastrointestinal

Gastrointestinal side effects have included several cases of esophageal impaction and duodenal bezoars in patients receiving a bulk laxative product containing 82% psyllium (the active ingredient contained in Konsyl) and 18% senna (commercially available as Perdiem Overnight Relief). Other gastrointestinal side effects have included nausea, intestinal gas, cramps, mild diarrhea, rectal pain, constipation, and irritation. [Ref]

Hematologic

Hematologic side effects have included a case of eosinophilia. [Ref]

The case report of eosinophilia was believed to be a sole manifestation of an allergic reaction to psyllium. [Ref]

References

- 1. Gillespie BF, Rathbun FJ (1992) "Adverse effects of psyllium." CMAJ, 146, p. 16-7
- 2. Anderson JW, Floore TL, Geil PB, O'Neal DS, Balm TK (1991) "Hypocholesterolemic effects of different bulk-forming hydrophilic fibers as adjuncts to dietary therapy in mild to moderat hypercholesterolemia." *Arch Intern Med*, 151, p. 1597-602
- 3. Angueira C, Kadakia S (1993) "Esophageal and duodenal bezoars from Perdiem [letter]." Gastrointest Endosc, 39, p. 110-1
- 4. Stoy DB, LaRosa JC, Brewer BK, Mackey M, Meusing RA (1993) "Cholesterol-lowering effects of ready-to-eat cereal containing psyllium." J Am Diet Assoc, 93, p. 910-2
- 5. Schneider RP (1989) "Perdiem causes esophageal impaction and bezoars." South Med J, 82, p. 1449-50
- 6. Nelson AM, Taubin HL, Frank HD (1980) "Eosinophilia associated with psyllium hydrophilic colloid ingestion [letter." JAMA, 243, p. 329-30

Frequently asked questions

• Is psyllium husk an affordable weight loss option to Ozempic?

More about Konsyl (psyllium)

- Check interactions
- Compare alternatives
- · Pricing & coupons
- Reviews (11)
- Drug images

- Dosage information
- During pregnancy
- Drug class: laxatives
- Breastfeeding

Patient resources

Other brands

Metamucil, Laxmar, Hydrocil, Natural Fiber Therapy

Related treatment guides

- Constipation
- Irritable Bowel Syndrome
- Dietary Fiber Supplementation

Further information

Konsyl side effects can vary depending on the individual. Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Note: Medication side effects may be underreported. If you are experiencing side effects that are not listed, submit a report to the FDA by following this guide.

Medical Disclaimer

DRUG STATUS

Availability

OTC Over the counter

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

8.3 / 10

11 Reviews

Related Drugs

MiraLAX, Colace, Linzess, Bentyl, Xifaxan, hyoscyamine, rifaximin, magnesium oxide, senna, docusate

Images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright @ 2000-2025 Drugs.com. All rights reserved.