

[Home](#)

2. Acclidinium

# Acclidinium

**Generic name:** acclidinium [ *A-kli-DIN-ee-um* ]**Brand name:** [Tudorza Pressair](#)**Dosage form:** inhalation powder (400 mcg/inh)**Drug class:** [Anticholinergic bronchodilators](#)[Medically reviewed](#) by Drugs.com on Jul 3, 2024. Written by [Cerner Multum](#).[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#)

## What is acclidinium?

Acclidinium is a bronchodilator.

Acclidinium is used to prevent bronchospasm in adults with [chronic bronchitis](#), [emphysema](#), or other forms of COPD (chronic obstructive pulmonary disease).

Acclidinium may also be used for purposes not listed in this medication guide.

## Acclidinium side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives, itching, rash; wheezing, chest tightness, trouble breathing; swelling of your face, lips, tongue, or throat.

**Acclidinium may cause serious side effects. Call your doctor at once if you have:**

- wheezing, choking, or other breathing problems after using this medication;
- blurred vision, nausea, vomiting, eye pain or redness, or seeing halos or bright colors around lights;
- increased urination, painful or difficult urination;
- little or no urinating; or
- worsening or no improvement in your symptoms.

**Common side effects of acclidinium may include:**

- stuffy nose, [sore throat](#), sinus pain;
- cough; or
- headache.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects.

You may report side effects to FDA at 1-800-FDA-1088.

 [Aclidinium side effects](#) (more detail)

## Related/similar drugs

### Symbicort

Symbicort (budesonide and formoterol) is used to prevent bronchospasm in people with asthma or ...

#### Reviews & ratings

6.6 / 10

[226 Reviews](#)

[View more](#)

### Ventolin HFA

Ventolin HFA (albuterol) is used to treat or prevent breathing problems in patients who have asthma ...

#### Reviews & ratings

7.5 / 10

[18 Reviews](#)

[View more](#)

#### FEATURED

### Breztri Aerosphere

Breztri (budesonide/glycopyrrolate/formoterol fumarate) is a combination inhaler that may be used ...

#### Reviews & ratings

6.9 / 10

[119 Reviews](#)

[View more](#)

### Zithromax

Zithromax (azithromycin) treats infections caused by bacteria, such as respiratory infections, skin ...

#### Reviews & ratings

7.1 / 10

[127 Reviews](#)

[View more](#)

## Azithromycin

Azithromycin is an antibiotic used to treat many different types of infections caused by bacteria ...

### Reviews & ratings

6.8 / 10

[1,306 Reviews](#)

[View more](#)

## Albuterol

Albuterol is a bronchodilator that relaxes muscles in the airways and increases air flow to the ...

### Reviews & ratings

3.2 / 10

[387 Reviews](#)

[View more](#)

## Prednisone

Prednisone is used to treat allergic disorders, ulcerative colitis, psoriasis and arthritis. Learn ...

### Reviews & ratings

7.5 / 10

[867 Reviews](#)

[View more](#)

## Dupixent

Dupixent may be used to treat eczema, eosinophilic or oral-corticosteroid-dependent asthma, chronic ...

### Reviews & ratings

7.2 / 10

[499 Reviews](#)

[View more](#)

## Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

## Before taking this medicine

You should not use acclidinium if you are allergic to acclidinium or to milk proteins.

To make sure acclidinium is safe for you, tell your doctor if you have:

- narrow-angle glaucoma;
- [enlarged prostate](#); or
- bladder obstruction or other urination problems.

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

It is not known whether acclidinium passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Acclidinium is not approved for use by anyone younger than 18 years old.

## How should I take acclidinium?

Follow all directions on your prescription label. Do not take this medicine in larger or smaller amounts or for longer than recommended.

**Acclidinium is not a rescue medicine. It will not work fast enough to treat an asthma attack.** Use only a fast acting inhalation medicine for an asthma attack.

Acclidinium is a powder that comes with a special inhaler device preloaded with measured doses of this medicine. The device delivers a single dose each time you press a button on the inhaler.

Read all patient information, medication guides, and instruction sheets provided to you. Ask your doctor or pharmacist if you have any questions.

Acclidinium should be used at evenly spaced intervals, usually every 12 hours.

Use acclidinium regularly to get the most benefit. Get your prescription refilled before you run out of medicine completely.

**Call your doctor or seek medical attention if you think your fast-acting inhaler medications are not working as well.**

Store at room temperature away from moisture and heat. Keep this medicine in the sealed pouch until ready to use. Do

not store the inhaler device on top of any surface that vibrates.

Throw the inhaler device away 45 days after you have taken it out of the sealed pouch, or if the dose indicator shows a zero or the device locks, whichever comes first. Each inhaler device contains 60 doses.

## Acclidinium dosing information

### Usual Adult Dose for Chronic Obstructive Pulmonary Disease -- Maintenance:

400 mcg (1 inhalation) orally twice a day

Use: Long-term maintenance treatment of bronchospasm associated with chronic obstructive pulmonary disease (COPD), including chronic [bronchitis](#) and emphysema

**i** [Detailed Acclidinium dosage information](#)

## What happens if I miss a dose?

Use the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose.

**Do not** use extra medicine to make up the missed dose.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while taking acclidinium?

If this medication gets in your eyes, rinse with water.

## What other drugs will affect acclidinium?

Tell your doctor about all your current medicines and any you start or stop using, especially:

- bladder or urinary medicines such as [darifenacin](#), [fesoterodine](#), [oxybutynin](#), [tolterodine](#), [solifenacin](#);
- [bronchodilators](#) such as acclidinium, [ipratropium](#), or [tiotropium](#);
- cold or allergy medicine that contains an antihistamine;
- medication for [Parkinson's disease](#); or
- medication to treat excess stomach acid, [stomach ulcer](#), [motion sickness](#), or [irritable bowel syndrome](#).

This list is not complete. Other drugs may interact with acclidinium, including prescription and over-the-counter medicines, vitamins, and [herbal products](#). Not all possible interactions are listed in this medication guide.

**i** [Acclidinium drug interactions](#) (more detail)

## Does acclidinium interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

aclidinium

+

Enter a drug name

Add

## More about acclidinium

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(24\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: anticholinergic bronchodilators](#)
- [Breastfeeding](#)
- [En español](#)

## Patient resources

- [Acclidinium advanced reading](#)

## Other brands

[Tudorza Pressair](#)

## Professional resources

- [Acclidinium monograph](#)

## Other brands

[Tudorza Pressair](#)

## Related treatment guides

- [COPD](#)
- [COPD, Maintenance](#)
- [COPD, Acute](#)

## Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 1.04.

## DRUG STATUS

### Availability

**Rx** Prescription only

### [Pregnancy & Lactation](#)


 Risk data available

### CSA Schedule\*

**N/A** Not a controlled drug



### Approval History

 Drug history at FDA



## User Reviews & Ratings

8.5 / 10

[24 Reviews](#)

# Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



## About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

## Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

## Support

[Help center](#)

[Sitemap](#)

[Contact us](#)





[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Copyright © 2000-2025 Drugs.com. All rights reserved.

