

Home

2. Vivarin

Vivarin

Generic name: caffeine [KAF-een]

Brand names: Jet-Alert, No Doz, Pep-Back ReCharge, Stay Awake, Vivarin, Alert, Pep-Back Peak Performance

Drug class: CNS stimulants



Medically reviewed by Drugs.com on Aug 3, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is Vivarin?

Vivarin is used to help you feel alert or wakeful when you are tired or drowsy.

Vivarin should not be used as a substitute for sleep.

Vivarin may also be used for purposes not listed in this medication guide.

Vivarin side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Stop using Vivarin and call your doctor if you have:

- · ongoing tiredness or drowsiness; or
- ongoing sleep problems.

Common side effects of Vivarin may include:

- · feeling restless;
- · loss of appetite; or
- sleep problems (insomnia).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

<u>Vivarin side effects</u> (more detail)

Related/similar drugs

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Warnings

Use exactly as directed on the label, or as prescribed by your doctor.

Before taking this medicine

Vivarin is not approved for use by anyone younger than 12 years old. This medicine gum should not be used by anyone younger than 18 years old, or anyone who is sensitive to this medicine.

Ask a doctor or pharmacist if Vivarin is safe to use if you have ever had:

- · heart problems;
- · high blood pressure;
- · a stomach ulcer; or
- · liver disease.

Tell your doctor if you are pregnant or breastfeeding.

How should I take Vivarin?

Use exactly as directed on the label, or as prescribed by your doctor.

Each dose of this product usually contains about as much Vivarin as a cup of coffee, a can of cola, or one energy drink.

Do not use more of this product than is recommended on the label. The US Food and Drug Administration (FDA) recommends not consuming more than a total of 400 milligrams of caffeine per day in any form.

You may take the Vivarin tablet with or without food.

Do not chew more than 2 pieces of the Vivarin **gum** at one time. Do not swallow the gum whole.

Store at room temperature away from moisture and heat.

Detailed Vivarin dosage information

What happens if I miss a dose?

Since Vivarin is used when needed, you may not be on a dosing schedule. Skip any missed dose if it's almost time for your next dose. **Do not** use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include fast heartbeats, trouble sleeping, or feeling nervous or irritable.

What should I avoid while taking Vivarin?

Avoid food or drinks that contain Vivarin, such as coffee, tea, cola, or chocolate milk.

What other drugs will affect Vivarin?

Ask a doctor or pharmacist before using Vivarin with any other medications, especially tizanidine.

Other drugs may affect Vivarin, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

<u>Vivarin drug interactions</u> (more detail)

Does Vivarin interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

How much caffeine is in Fioricet?	~
Does caffeine affect Vraylar (cariprazine)?	~
How much caffeine is in Excedrin Migraine?	~
Does Maxalt have caffeine in it?	~
Does caffeine help migraines?	~

More FAQ

- How long do caffeine withdrawal headaches last?
- Does caffeine cause high blood pressure?
- Does coffee help with asthma?

More about Vivarin (caffeine)

- · Check interactions
- · Compare alternatives
- Reviews (12)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- · Drug class: CNS stimulants
- Breastfeeding
- En español

Patient resources

· Vivarin advanced reading

Other brands

Lucidex, NoDoz, Cafcit, Stay Awake, ... +4 more

Professional resources

• Caffeine and Sodium Benzoate Injection prescribing information

Other brands

Cafcit

Related treatment guides

Drowsiness

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.01.

DRUG STATUS

Availability

Rx and/or OTC

Pregnancy & Lactation

ন্প Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

7.4 / 10

12 Reviews

Images

Vivarin 200 mg (V V)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×