

Home

2. Synvisc-One

Synvisc-One

Generic name: hylan G-F 20 [HI-lan-G-F-20]

Brand names: Synvisc, Synvisc-One **Drug class:** Viscosupplementation agents

Medically reviewed by Drugs.com. Last updated on Dec 16, 2024.

Uses Warnings Before taking Dosage Side effects Interactions

What is Synvisc-One?

Synvisc-One is similar to the fluid that surrounds the joints in your body. This fluid acts as a lubricant and shock absorber for the joints.

Synvisc-One is used to treat knee pain caused by osteoarthritis. It is usually given after other arthritis medications have been tried without successful treatment of symptoms.

Synvisc-One may also be used for purposes not listed in this medication guide.

Warnings

You should not receive Synvisc-One if you are allergic to hylan G-F 20, or if you have an infection in your knee or in the skin around your knee.

Before you receive a Synvisc-One injection, tell your doctor if you have blood clots or circulation problems in your legs, or an allergy to birds, feathers, or egg products.

For at least 48 hours after your injection, avoid jogging, strenuous activity, high-impact sports, or standing for longer than 1 hour at a time.

Call your doctor at once if you have severe pain or swelling around the knee after the injection.

Before receiving Synvisc-One

You should not receive Synvisc-One if you are allergic to hylan G-F 20, or if you have an infection in your knee or in the skin around your knee.

To make sure you can safely receive Synvisc-One, tell your doctor if you have:

- blood clots or circulation problems in your legs; or
- an allergy to birds, feathers, or egg products.

It is not known whether Synvisc-One will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using this medication.

It is not known whether Synvisc-One passes into breast milk or if it could harm a nursing baby. Do not use this medication without telling your doctor if you are breast-feeding a baby.

Synvisc-One is generally not used in anyone younger than 21 years old.

Synvisc-One pregnancy and breastfeeding warnings (more detail)

How is Synvisc-One given?

Synvisc-One is a single-dose treatment that is injected directly into your knee. A healthcare provider will give you this injection.

To prevent pain and swelling, your doctor may recommend resting your knee or applying ice for a short time after your injection.

Dosing information

Usual Adult Dose for Osteoarthritis: Synvisc-One is administered as a single intra-articular injection. Strict aseptic administration technique must be followed.

- Inject the full 6 mL in one knee only.
- Using an 18 to 20 gauge needle, remove synovial fluid or effusion before injecting Synvisc-One.
- Do not use the same syringe for removing synovial fluid and for injecting Synvisc-One.
- Twist the tip cap before pulling it off, as this will minimize product leakage.
- To ensure a tight seal and prevent leakage during administration, secure the needle tightly while firmly holding the luer hub.
- Detailed Synvisc-One dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss an appointment for your Synvisc-One injection.

What happens if I overdose?

Since this medication is given by a healthcare professional in a medical setting, an overdose is unlikely to occur.

What should I avoid?

For at least 48 hours after your injection, avoid jogging, strenuous activity, or high-impact sports such as soccer or tennis. Also avoid weight-bearing activity or standing for longer than 1 hour at a time. Ask your doctor how long to wait before you resume these activities.

Synvisc-One side effects

Get emergency medical help if you have any of these signs of an allergic reaction to Synvisc-One: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have severe pain or swelling around the knee after the injection.

Less serious Synvisc-One side effects may include:

- · warmth, pain, stiffness, swelling, or puffiness where the medicine was injected;
- · muscle pain, trouble walking;
- · fever, chills, nausea;
- · numbness or tingly feeling;
- · headache, dizziness;
- · tired feeling; or
- itching or skin irritation around the knee.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Synvisc-One side effects (more detail)

Related/similar drugs

Cymbalta

Cymbalta (duloxetine) is used to treat major depressive disorder, general anxiety disorder and ...

Reviews & ratings

6.3 / 10

1,899 Reviews

View more

Methylprednisolone

Methylprednisolone is used to treat conditions such as allergies, arthritis, lupus and ulcerative ...

Reviews & ratings

7.1 / 10

484 Reviews

View more

FFATI IRFO

.

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Celecoxib

Celecoxib is a nonsteroidal antiinflammatory drug (NSAID) used to treat pain or inflammation ...

Reviews & ratings

7.0 / 10

280 Reviews

View more

Naproxen

Naproxen is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.8 / 10

683 Reviews

View more

Diclofenac

Diclofenac is a nonsteroidal antiinflammatory drug used to treat pain and inflammation associated ...

Reviews & ratings

7.3 / 10

695 Reviews

View more

Duloxetine

Duloxetine is a selective serotonin and

norepinephrine reuptake inhibitor antidepressant used to ...

Reviews & ratings

6.2 / 10

2,456 Reviews

View more

Meloxicam

Meloxicam is a nonsteroidal antiinflammatory drug used to treat pain or inflammation caused by ...

Reviews & ratings

6.3 / 10

600 Reviews

View more

Aspirin

Aspirin is used to treat mild to moderate pain and to reduce fever or inflammation. Learn about ...

Reviews & ratings

7.8 / 10

51 Reviews

View more

Ibuprofen

Ibuprofen (Advil, Motrin) treats minor aches and pains caused by the common cold, headaches ...

Reviews & ratings

7.3 / 10

240 Reviews

View more

What other drugs will affect Synvisc-One?

There may be other drugs that can interact with Synvisc-One. Tell your doctor about all medications you use. This includes prescription, over-the-counter, vitamin, and herbal products. Do not start a new medication without telling your

Synvisc-One drug interactions (more detail)

Does Synvisc-One interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Synvisc-One	
+	
Enter a drug name	Add

More about Synvisc-One (hylan g-f 20)

- Check interactions
- · Compare alternatives
- Reviews (174)
- Side effects
- Dosage information
- During pregnancy
- Drug class: viscosupplementation agents
- En español

Other formulations

Synvisc

Related treatment guides

Osteoarthritis

Further information

• Your doctor can provide more information about Synvisc-One.

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Synvisc-One only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 3.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

& Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

5.8 / 10

174 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.