

#### Home

- 2. Thorazine
- Consumer

# Thorazine Tablets s

Generic name: Chlorpromazine Tablets [ klor-PROE-ma-zeen ]

Brand name: Thorazine

Drug classes: Phenothiazine antiemetics, Phenothiazine antipsychotics

Medically reviewed by Drugs.com. Last updated on Nov 12, 2023.

Uses Before taking Warnings Dosage Side effects Overdose FAQ



The Thorazine brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

# Warning

• There is a higher chance of death in older adults who take Thorazine (chlorpromazine tablets) for mental problems caused by dementia. Most of the deaths were linked to heart disease or infection. This medicine is not approved to treat mental problems caused by dementia.

# **Uses of Thorazine:**

- It is used to treat hiccups.
- It is used to treat tetanus.
- It is used to treat problems with how one acts.
- It is used to treat acute intermittent porphyria.
- It is used to treat mania.
- It is used to treat upset stomach and throwing up.
- It is used to treat schizophrenia.
- It is used to ease anxiety before surgery.
- It may be given to you for other reasons. Talk with the doctor.

# What do I need to tell my doctor BEFORE I take Thorazine?

• If you are allergic to Thorazine (chlorpromazine tablets); any part of Thorazine (chlorpromazine tablets); or any other

drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.

- If you are very sleepy.
- If you have recently drunk a lot of alcohol or taken a big amount of drugs that may slow your actions like phenobarbital or some pain drugs like oxycodone.

This is not a list of all drugs or health problems that interact with Thorazine (chlorpromazine tablets).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Thorazine (chlorpromazine tablets) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

# What are some things I need to know or do while I take Thorazine?

- Tell all of your health care providers that you take Thorazine (chlorpromazine tablets). This includes your doctors, nurses, pharmacists, and dentists.
- Avoid driving and doing other tasks or actions that call for you to be alert until you see how Thorazine (chlorpromazine tablets) affects you.
- To lower the chance of feeling dizzy or passing out, rise slowly if you have been sitting or lying down. Be careful going up and down stairs.
- Avoid drinking alcohol while taking Thorazine (chlorpromazine tablets).
- Talk with your doctor before you use other drugs and natural products that slow your actions.
- If you have been taking Thorazine (chlorpromazine tablets) on a regular basis and you stop it all of a sudden, you may have signs of withdrawal. Do not stop taking Thorazine (chlorpromazine tablets) all of a sudden without calling your doctor. Tell your doctor if you have any bad effects.
- You may get sunburned more easily. Avoid sun, sunlamps, and tanning beds. Use sunscreen and wear clothing and eyewear that protects you from the sun.
- Be careful in hot weather or while being active. Drink lots of fluids to stop fluid loss.
- If you will be near phosphorous insecticides, talk with your doctor.
- Have blood work checked as you have been told by the doctor. Talk with the doctor.
- This medicine may affect certain lab tests. Tell all of your health care providers and lab workers that you take Thorazine (chlorpromazine tablets).
- Low white blood cell counts have happened with drugs like this one. This may lead to a higher chance of infection.
   Rarely, infections have been deadly. Tell your doctor if you have ever had a low white blood cell count. Call your doctor right away if you have signs of infection like fever, chills, or sore throat.
- If you have high blood sugar (diabetes), you will need to watch your blood sugar closely.
- Tell your doctor if you have signs of high or low blood sugar like breath that smells like fruit, dizziness, fast breathing, fast heartbeat, feeling confused, feeling sleepy, feeling weak, flushing, headache, more thirsty or hungry, passing urine more often, shaking, or sweating.
- Dizziness, sleepiness, and feeling less stable may happen with Thorazine (chlorpromazine tablets). These may lead to falling, which can cause broken bones or other health problems.
- An unsafe heartbeat that is not normal (long QT on ECG) has happened with Thorazine (chlorpromazine tablets).

Sudden deaths have rarely happened in people taking Thorazine (chlorpromazine tablets). Talk with the doctor.

- This medicine may cause the results of some pregnancy tests to be wrong. Talk with the doctor.
- If you are 65 or older, use Thorazine (chlorpromazine tablets) with care. You could have more side effects.
- Tell your doctor if you are pregnant, plan on getting pregnant, or are breast-feeding. You will need to talk about the benefits and risks to you and the baby.
- Taking Thorazine (chlorpromazine tablets) in the third trimester of pregnancy may lead to uncontrolled muscle movements and withdrawal in the newborn.

# How is this medicine (Thorazine) best taken?

Use Thorazine (chlorpromazine tablets) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Take with or without food. Take with food if it causes an upset stomach.
- Drink lots of noncaffeine liquids unless told to drink less liquid by your doctor.

#### What do I do if I miss a dose?

- If you take Thorazine (chlorpromazine tablets) on a regular basis, take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Many times Thorazine (chlorpromazine tablets) is taken on an as needed basis. Do not take more often than told by the doctor.
- Detailed Thorazine dosage information

# What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever;
   wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of lupus like a rash on the cheeks or other body parts, sunburn easy, muscle or joint pain, chest pain or shortness of breath, or swelling in the arms or legs.
- · Dizziness or passing out.
- Shakiness, trouble moving around, or stiffness.
- Drooling.
- · Change in the way you act.
- · Seizures.

- · Swelling in the arms or legs.
- · Change in eyesight.
- · Any unexplained bruising or bleeding.
- Enlarged breasts or nipple discharge.
- Ejaculation problems.
- Not able to get or keep an erection.
- For women, no period.
- Trouble passing urine.
- · Feeling very tired or weak.
- · Trouble sleeping.
- Fast or abnormal heartbeat.
- Muscle weakness.
- · Restlessness.
- · Yellow skin or eyes.
- A very bad and sometimes deadly health problem called neuroleptic malignant syndrome (NMS) may happen. Call your doctor right away if you have any fever, muscle cramps or stiffness, dizziness, very bad headache, confusion, change in thinking, fast heartbeat, heartbeat that does not feel normal, or are sweating a lot.
- Some people may get a severe muscle problem called tardive dyskinesia. This problem may lessen or go away after stopping Thorazine (chlorpromazine tablets), but it may not go away. The risk is greater with diabetes and in older adults, especially older women. The risk is greater with longer use or higher doses, but it may also occur after short-term use with low doses. Call your doctor right away if you have trouble controlling body movements or problems with your tongue, face, mouth, or jaw like tongue sticking out, puffing cheeks, mouth puckering, or chewing.
- Thorazine side effects (more detail)

# Related/similar drugs

#### **Fanapt**

Fanapt (iloperidone) is an antipsychotic medication used to treat schizophrenia. Includes Fanapt ...

#### **Reviews & ratings**

6.4 / 10

30 Reviews

View more

#### **Abilify**

Abilify is an antipsychotic medicine

used to treat the symptoms of schizophrenia and bipolar ...

#### **Reviews & ratings**

6.1 / 10

1,187 Reviews

#### View more

#### FEATURED

### Lybalvi

Lybalvi is used to treat adults with manic or mixed episodes associated with bipolar I disorder ...

### **Reviews & ratings**

8.1 / 10

16 Reviews

#### View more

### **Seroquel**

Seroquel is used to treat the symptoms of schizophrenia, bipolar disorder and major depressive ...

### **Reviews & ratings**

7.0 / 10

694 Reviews

#### View more

### **Promethazine**

Promethazine is a phenothiazine and antihistamine used to treat allergies, motion sickness, nausea ...

### **Reviews & ratings**

7.2 / 10

388 Reviews

#### View more

### Risperidone

Risperidone is used to treat schizophrenia and symptoms of bipolar disorder. Learn about side ...

### **Reviews & ratings**

#### 731 Reviews

#### View more

# **Diazepam**

Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

..

### **Reviews & ratings**

8.4 / 10

884 Reviews

### View more

# **Olanzapine**

Olanzapine (brand name Zyprexa) is an atypical antipsychotic that may be used to treat adults and ...

### **Reviews & ratings**

5.9 / 10

1,091 Reviews

#### View more

### **Dexamethasone**

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

## Reviews & ratings

5.9 / 10

162 Reviews

#### View more

### Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

### Reviews & ratings

7.9 / 10

1 05/1 Raviawe

#### View more

## What are some other side effects of Thorazine?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Constipation.
- Dry mouth.
- · Feeling sleepy.
- · Stuffy nose.
- · Upset stomach.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

# If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

## How do I store and/or throw out Thorazine?

- Store at room temperature protected from light. Store in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
   Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

## **Consumer Information Use and Disclaimer**

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions
  about Thorazine (chlorpromazine tablets), please talk with your doctor, nurse, pharmacist, or other health care
  provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

# Frequently asked questions

• What drugs cause tardive dyskinesia?

# More about Thorazine (chlorpromazine)

- · Check interactions
- · Compare alternatives
- Reviews (43)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- Drug class: phenothiazine antiemetics
- Breastfeeding

#### Patient resources

• Thorazine (Chlorpromazine Injection) patient information

### **Professional resources**

- ChlorproMAZINE monograph
- Chlorpromazine Tablets (FDA)

# Related treatment guides

- Hiccups
- Nausea/Vomiting
- Light Sedation
- Mania

# **Further information**

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

**DRUG STATUS** 

**Availability** 



## **User Reviews & Ratings**

6.9 / 10

43 Reviews

# **Images**

Thorazine 10 MG (SKF T73)



# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com

Advertising policy
Attribution & citations

Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

### Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

>