



[Home](#)

2. [Rogaine Women's](#)
3. [FDA PI](#)

# Rogaine Women's: Package Insert / Prescribing Info

**Package insert / product label**

**Generic name:** [minoxidil](#)

**Dosage form:** aerosol, foam

**Drug class:** [Miscellaneous topical agents](#)

[Medically reviewed](#) by Drugs.com. Last updated on Nov 18, 2024.

## On This Page

[Indications and Usage](#)

[Warnings](#)

[Dosage and Administration](#)

[Storage and Handling](#)

## Drug Facts

## Active ingredient

Minoxidil 5% w/w (without propellant)

## Purpose

Hair regrowth treatment for women

## Indications and Usage for Rogaine Women's

to regrow hair on the top of the scalp (see pictures on side of this carton)

## Warnings

**For external use only.**

## Extremely Flammable

Avoid fire, flame, or smoking during and immediately following application.

## Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you

- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

## **When using this product**

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with **once daily** use. For some women, you may need to use this product **once a day** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

## **Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Rogaine Women's Dosage and Administration**

- see enclosed booklet for complete directions on how to use
- apply half a capful **once daily** directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

## Storage and Handling

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25° C (68° to 77° F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

## Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

## Questions?

call toll-free **800-764-2463** or **215-273-8755** (collect)  
visit [www.rogaine.com](http://www.rogaine.com)

Distributed by:

**JOHNSON & JOHNSON**  
**CONSUMER INC.**

Skillman, NJ 08558

## PRINCIPAL DISPLAY PANEL - 60 g Can Carton

#1 DERMATOLOGIST  
RECOMMENDED BRAND

WOMEN'S  
**Rogaine®**

5% Minoxidil  
Topical Aerosol

Hair Regrowth  
Treatment

REACTIVATES  
HAIR FOLLICLES  
TO STIMULATE  
REGROWTH

CLINICALLY PROVEN  
TO REGROW HAIR

**Once-a-Day**

Foam For Women

UNSCENTED

**TWO MONTH SUPPLY**

**ONE 60 g (2.11 OZ) CAN**

**#1** DERMATOLOGIST  
RECOMMENDED BRAND

**WOMEN'S**  
**Rogaine®**

**5% Minoxidil**  
**Topical Aerosol**

**Hair Regrowth**  
**Treatment**

**REACTIVATES**  
**HAIR FOLLICLES**  
**TO STIMULATE**  
**REGROWTH**

**CLINICALLY PROVEN**  
**TO REGROW HAIR**



**Once-a-Day**  
Foam For Women

UNSCENTED

**TWO MONTH SUPPLY**  
**ONE 60 g (2.11 OZ) CAN**



ACTUAL SIZE

## Drug Facts

### Active ingredient

Minoxidil 5% w/w (without propellant) Hair regrowth treatment for women

### Purpose

**Use** to regrow hair on the top of the scalp (see pictures on side of this carton)

### Warnings

For external use only.

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

#### Do not use if

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have heart disease**

#### When using this product

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with **once-daily use**. For some women, you may need to use this product **once a day** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

#### Stop use and ask a doctor if

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### Directions

- see enclosed booklet for complete directions on how to use
- apply half a capful **once daily** directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### Other information

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed booklet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

### Inactive ingredients

butane, butylated hydroxytoluene, cetyl alcohol, citric acid, glycerin, isobutane, lactic acid, polysorbate 60, propane, purified water, SD alcohol 40-B, stearyl alcohol

### Questions?

call toll-free 800-764-2463 or 215-273-8755 (collect)  
visit [www.rogaine.com](http://www.rogaine.com)

## DIRECTIONS FOR USE

See information booklet with complete directions on how to use and obtain best results.



### 1: PREP HANDS WITH COLD WATER

Rinse your fingers in **cold** water and dry them. **Note:** foam will melt on contact with warm surfaces.



### 2: OPEN CHILD RESISTANT CAP

Be sure to align arrow on the cap with arrow on blue ring. Tilt cap back and pull off.



### 3: DISPENSE VERTICALLY ONTO A COLD SURFACE

**Hold the can straight upside down.** If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto **cold** surface (e.g. dish, or cold hands).



### 4: APPLY TO SCALP, NOT HAIR

Part your hair to expose hair loss area. Massage foam into **scalp**, not hair. **Repeat** until all hair loss areas have been covered.



### 5: CLOSE CAP AND WASH HANDS

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

**WOMEN'S ROGAINE® Foam** is for women who have a general thinning of hair on the top of the scalp (as shown below) and has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, **WOMEN'S ROGAINE® Foam** may not work.

### THIS PACKAGE CONTAINS:

One 60 g (2.11 oz) can of **WOMEN'S ROGAINE® Foam** (two month supply)

The overall look and design of this packaging is subject to trademark protection.



530043395



Stiefel Laboratories.  
Product incorporated from  
U.S. Patent No. 6,946,120  
© J&J 2019  
Active Made in Italy  
Skillman, NJ 08558



**WOMENS ROGAINE UNSCENTED**

minoxidil aerosol, foam

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0030
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	50 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
BUTANE (UNII: 6LV4FOR43R)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOBUTANE (UNII: BXR49TP611)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROPANE (UNII: T75W9911L6)	
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0030-1	1 in 1 CARTON	04/01/2011	
1		60 g in 1 CAN; Type 0: Not a Combination Product		
2	NDC:69968-0030-2	2 in 1 CARTON	04/01/2011	
2		60 g in 1 CAN; Type 0: Not a Combination Product		
3	NDC:69968-0030-3	3 in 1 CARTON	04/01/2011	
3		60 g in 1 CAN; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021812	04/01/2011	

Labeler - Kenvue Brands LLC (118772437)

## Frequently asked questions

- [Does minoxidil work for beards?](#)

## More about Rogaine Women's (minoxidil topical)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(6\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [Drug class: miscellaneous topical agents](#)
- [Breastfeeding](#)

## Patient resources

- [Women's Rogaine advanced reading](#)

## Professional resources

- [Minoxidil \(Topical\) monograph](#)

## Other brands

[Hair Regrowth Treatment for Women](#), [Hair Regrowth Treatment for Men](#)

## Other formulations


- [Rogaine](#)
- [Rogaine For Men Extra Strength](#)


## Related treatment guides

- [Alopecia](#)


[Medical Disclaimer](#)

## DRUG STATUS

**Availability**  
 Rx and/or OTC

**Pregnancy & Lactation**  
 Risk data available

**CSA Schedule\***  
**N/A** Not a controlled drug

**Approval History**  
 Drug history at FDA



## User Reviews & Ratings

[6 Reviews](#)

## Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



### About

[About Drugs.com](#)  
[Advertising policy](#)  
[Attribution & citations](#)

### Terms & privacy

[Terms of use](#)  
[Editorial policy](#)  
[Privacy policy](#)

### Support

[Help center](#)  
[Sitemap](#)  
[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





Ad Choices  
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.