



[Home](#)

2. [Loperamide](#)

3. [FDA PI](#)

# Anti-Diarrheal Tablet: Package Insert / Prescribing Info



## Package insert / product label

**Generic name:** loperamide hydrochloride

**Dosage form:** tablet

**Drug class:** [Antidiarrheals](#)

[Medically reviewed](#) by Drugs.com. Last updated on Aug 24, 2023.

## On This Page

[Indications and Usage](#)

[Warnings](#)

[Dosage and Administration](#)

[Storage and Handling](#)

## Active ingredient (in each caplet)

Loperamide HCl 2 mg

## Purpose

Anti-diarrheal

## Indications and Usage for Anti-Diarrheal Tablet

controls symptoms of diarrhea, including Travelers' Diarrhea

## Warnings

**Allergy alert:** Do not use if you have ever had a rash or other allergic reaction to loperamide HCl.

**Heart alert:** Taking more than directed can cause serious heart problems or death.

## Do not use

if you have bloody or black stool.

## Ask a doctor before use if you have

- a fever

- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

## Ask a doctor or pharmacist before use if you are

taking a prescription drug. Loperamide may interact with certain prescription drugs.

## When using this product,

tiredness, drowsiness, or dizziness may occur. Be careful when driving or operating machinery.

## Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts for more than 2 days
- you get abdominal swelling or bulging. These may be signs of a serious condition.

## If pregnant or breast-feeding,

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Anti-Diarrheal Tablet Dosage and Administration

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.

adults and children 12 years and over	2 caplets after the first loose stool; 1 caplet after each subsequent loose stool; but no more than 4 caplets in 24 hours
children 9-11 years (60-95 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 3 caplets in 24 hours
children 6-8 years (48-59 lbs)	1 caplet after the first loose stool; 1/2 caplet after each subsequent loose stool; but no more than 2 caplets in 24 hours
children 2-5 years (34-47 lbs)	ask a doctor
children under 2 years (up to 33 lbs)	do not use

## Storage and Handling

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store between 20°-25°C (68°-77°F)
- see end flap for expiration date and lot number

## Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, magnesium stearate, microcrystalline cellulose, silicon dioxide

## Questions or comments?

Call 1-800-426-9391 8:30 AM-4:00 PM ET, Monday-Friday

## Principal Display Panel

QUALITY

+ PLUS

NDC 50844-375-08

**\*Compare to active ingredient  
in Imodium® A-D**

**ANTI-  
DIARRHEAL**

**Loperamide HCl Tablets, 2 mg**

ANTI-DIARRHEAL

Controls the symptoms of diarrhea

**24 Caplets**

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Imodium® A-D.

50844 REV0619D37508

Distributed by

**LNK INTERNATIONAL, INC.**

60 Arkay Drive

Hauppauge, NY 11788

USA



loperamide hcl tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50844-375
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77T135393C) (LOPERAMIDE - UNII:6X9OC3H41I)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C YELLOW NO. 10 ALUMINUM LAKE (UNII: CQ3XH3DET6)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	green (light)	Score	2 pieces
Shape	OVAL	Size	10mm
Flavor		Imprint Code	44;375

Contains

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50844-375-45	1 in 1 CARTON	05/03/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:50844-375-02	3 in 1 CARTON	05/03/2005	
2		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:50844-375-95	2 in 1 CARTON	05/03/2005	
3		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
4	NDC:50844-375-08	4 in 1 CARTON	05/03/2005	
4		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

#### Marketing information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076497	05/03/2005	

Labeler - L.N.K. International, Inc. (038154464)

#### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(50844-375) , pack(50844-375)

#### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(50844-375)

## Frequently asked questions

- [How long does Imodium stop diarrhea for?](#)

## More about loperamide

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(91\)](#)
- [Drug images](#)
- [Latest FDA alerts \(3\)](#)
- [Side effects](#)
- [Dosage information](#)
- [Patient tips](#)
- [During pregnancy](#)
- [Drug class: antidiarrheals](#)
- [Breastfeeding](#)
- [En español](#)

## Patient resources

- [Loperamide drug information](#)
- [Loperamide Capsules and Tablets](#)

- [Loperamide Oral Solution and Suspension](#)

### Professional resources

- [Loperamide monograph](#)
- [Loperamide \(FDA\)](#)
- [Loperamide Oral Solution \(FDA\)](#)

### Other brands


[Imodium](#), [Imodium A-D](#), [Anti-Diarrheal](#), [Up and Up Anti-Diarrheal Solution](#)

### Related treatment guides

- [Irritable Bowel Syndrome](#)
- [Diarrhea, Chronic](#)
- [Traveler's Diarrhea](#)
- [Diarrhea, Acute](#)
- [Lymphocytic Colitis](#)
- [Diarrhea](#)

[Medical Disclaimer](#)

### DRUG STATUS

<b>Availability</b>		
	Rx and/or OTC	
<b>Pregnancy &amp; Lactation</b>		
	Risk data available	
<b>CSA Schedule*</b>		
N/A	Not a controlled drug	▼
<b>Approval History</b>		
	Drug history at FDA	▼

### User Reviews & Ratings

8.4 / 10

[91 Reviews](#)

### Images

[Loperamide Hydrochloride 2 mg \(L 2\)](#)



[View larger images](#)

# Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



## About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

## Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

## Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices  
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.