

Home

Felbatol

Felbatol

Generic name: felbamate [fel-BAM-ate] **Drug class:** Carbamate anticonvulsants



Medically reviewed by Drugs.com on Apr 26, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Felbatol?

Felbatol is an anti-epileptic medicine, also called an anticonvulsant.

Felbatol is used alone or with other medications to treat seizures in adults with epilepsy.

Felbatol is also used with other medications **in children** with Lennox-Gastaut syndrome, a severe form of childhood epilepsy that also causes developmental and behavior problems.

Felbatol can cause serious side effects that may not be reversible. This medicine should be used only for conditions that cannot be treated with a safer medicine.

Felbatol may also be used for purposes not listed in this medication guide.

Felbatol side effects

Get emergency medical help if you have **signs of an allergic reaction** (hives, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, sore throat, burning eyes, skin pain, red or purple skin rash with blistering and peeling).

Report any new or worsening symptoms to your doctor, such as: mood or behavior changes, anxiety, panic attacks, trouble sleeping, or if you feel impulsive, irritable, agitated, hostile, aggressive, restless, hyperactive (mentally or physically), depressed, or have thoughts about suicide or hurting yourself.

Felbatol can cause serious or life-threatening side effects on your blood cells or your liver.

Felbatol may cause serious side effects. Call your doctor at once if you have:

- easy bruising or bleeding (nosebleeds, bleeding gums), purple or red spots under your skin;
- low red blood cells (anemia)--pale skin, unusual tiredness, feeling light-headed or short of breath, cold hands and feet;
- new signs of infection--fever, sore throat, frequent or recurring illness; or

• liver problems--loss of appetite, stomach pain (upper right side), nausea, vomiting, dark urine, jaundice (yellowing of the skin or eyes).

Common side effects of Felbatol may include:

- dizziness, drowsiness;
- · headache;
- sleep problems (insomnia);
- · weight loss;
- · nausea, vomiting;
- · double vision; or
- changes in your sense of taste.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Felbatol side effects (more detail)

Related/similar drugs

Klonopin

Klonopin (clonazepam) is used to control seizures in epilepsy and for the treatment of panic ...

Reviews & ratings

8.5 / 10

755 Reviews

View more

Topamax

Topamax (topiramate) is used to prevent seizures in adults and children and to prevent migraine ...

Reviews & ratings

6.2 / 10

645 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's

disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Epidiolex

Epidiolex (cannabidiol) is an oral prescription liquid CBD medicine that may be used to treat ...

Reviews & ratings

4 Reviews

View more

Cannabidiol

Cannabidiol information from Drugs.com, includes Cannabidiol side effects, interactions and indications.

Reviews & ratings

7 Reviews

View more

Lyrica

Lyrica is used to control seizures, treat nerve pain and fibromyalgia. Learn about side effects ...

Reviews & ratings

6.4 / 10

925 Reviews

View more

Diazepam

Diazepam is used to treat anxiety disorders, alcohol withdrawal symptoms, or muscle spasms. Learn

Reviews & ratings

8.4 / 10

884 Reviews

View more

Lamictal

Lamictal is an anti-epileptic medication used treat seizures in adults and children over 2 years ...

Reviews & ratings

8.0 / 10

792 Reviews

View more

Warnings

Felbatol can cause serious or life-threatening side effects on your blood cells or your liver.

Call your doctor if you have unusual bruising or bleeding, new signs of infection (fever, sore throat, frequent or recurring illness), or signs of liver problems (loss of appetite, upper stomach pain, dark urine, yellowing of your skin or eyes).

You should not use Felbatol if you have a history of liver disease or blood cell disorders.

Before taking this medicine

You may be required to read and sign a Patient Acknowledgement form before you get a prescription for Felbatol. You must understand the risks and benefits of Felbatol.

You should not use Felbatol if you are allergic to it, or if you have:

- · a history of liver disease; or
- a history of blood cell disorders.

Tell your doctor if you have ever had:

- · kidney disease;
- · depression;
- a mood disorder; or
- suicidal thoughts or actions.

Some people have thoughts about suicide while taking Felbatol. Your doctor will need to check your progress at regular visits. Your family or other caregivers should also be alert to changes in your mood or symptoms.

Do not start or stop taking seizure medication during pregnancy without your doctor's advice. Having a seizure during pregnancy could harm both mother and baby. Tell your doctor right away if you become pregnant.

If you are pregnant, your name may be listed on a pregnancy registry to track the effects of felbamate on the baby.

It may not be safe to breastfeed while using this medicine. Ask your doctor about any risk.

How should I take Felbatol?

Your doctor will perform blood tests to make sure you do not have conditions that would prevent you from safely using Felbatol.

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

If you switch to Felbatol from another seizure medication, carefully follow your doctor's instructions about how much to take and how often. Avoid medication errors by using only the form and strength your doctor prescribes.

Shake the **oral suspension** (liquid) before you measure a dose. Use the dosing syringe provided, or use a medicine dose-measuring device (not a kitchen spoon).

You will need frequent medical tests, and your next dose may be delayed based on the results.

Felbatol can increase your risk of bleeding or infection. Call your doctor if you have unusual bruising or bleeding, or new signs of infection (fever, sore throat, frequent or recurring illness). These symptoms may first develop even after you have been using the medication for several months.

Store at room temperature away from moisture and heat.

In case of emergency, wear or carry medical identification to let others know you use seizure medication.

Do not stop using Felbatol suddenly, even if you feel fine. Stopping suddenly may cause increased seizures. Follow your doctor's instructions about tapering your dose.

Detailed Felbatol dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

Get your prescription refilled before you run out of medicine completely.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while taking Felbatol?

Drinking alcohol with Felbatol can increase dizziness or drowsiness.

What other drugs will affect Felbatol?

Using Felbatol with other drugs that make you dizzy or drowsy can worsen this effect. Ask your doctor before using

opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Tell your doctor about all other seizure medicines you take. Some drugs can affect your blood levels of felbamate, which may make this medicine less effective.

Other drugs may affect Felbatol, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Felbatol drug interactions (more detail)

Does Felbatol interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



More about Felbatol (felbamate)

- · Check interactions
- · Compare alternatives
- · Pricing & coupons
- Reviews (8)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- · Generic availability
- Drug class: carbamate anticonvulsants
- Breastfeeding
- En español

Patient resources

Felbatol advanced reading

Professional resources

- Felbamate monograph
- Felbamate Oral Suspension (FDA)

Related treatment guides

- Epilepsy
- Lennox-Gastaut Syndrome

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 7.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ন্দ Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

years FDA approved 1993

User Reviews & Ratings

8.4 / 10

8 Reviews

Images

Felbatol 600 mg (FELBATOL 600 04 31)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×