

Home

- 2. Luvox CR
- Consumer

Luvox CR

Generic name: Fluvoxamine Extended-Release Capsules [floo-VOKS-a-meen]

Drug class: Selective serotonin reuptake inhibitors

Medically reviewed by Drugs.com. Last updated on Apr 18, 2024.

Uses Before taking Warnings Dosage Side effects Overdose FAQ



The Luvox CR brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

Warning

- Drugs like this one have raised the chance of suicidal thoughts or actions in children and young adults. The risk
 may be greater in people who have had these thoughts or actions in the past. All people who take Luvox CR
 (fluvoxamine extended-release capsules) need to be watched closely. Call the doctor right away if signs like low
 mood (depression), nervousness, restlessness, grouchiness, panic attacks, or changes in mood or actions are
 new or worse. Call the doctor right away if any thoughts or actions of suicide occur.
- This medicine is not approved for use in all children. Talk with the doctor to be sure that Luvox CR (fluvoxamine extended-release capsules) is right for your child.

Uses of Luvox CR:

- It is used to treat obsessive-compulsive problems.
- It may be given to you for other reasons. Talk with the doctor.

What do I need to tell my doctor BEFORE I take Luvox CR?

- If you are allergic to Luvox CR (fluvoxamine extended-release capsules); any part of Luvox CR (fluvoxamine extended-release capsules); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.
- If you have seizures.
- If you are taking any of these drugs: Linezolid or methylene blue.
- If you are taking any of these drugs: Alosetron, pimozide, ramelteon, thioridazine, or tizanidine.

 If you have taken certain drugs for depression or Parkinson's disease in the last 14 days. This includes isocarboxazid, phenelzine, tranylcypromine, selegiline, or rasagiline. Very high blood pressure may happen.

This is not a list of all drugs or health problems that interact with Luvox CR (fluvoxamine extended-release capsules).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Luvox CR (fluvoxamine extended-release capsules) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Luvox CR?

- Tell all of your health care providers that you take Luvox CR (fluvoxamine extended-release capsules). This includes your doctors, nurses, pharmacists, and dentists.
- Avoid driving and doing other tasks or actions that call for you to be alert until you see how Luvox CR (fluvoxamine extended-release capsules) affects you.
- Do not stop taking Luvox CR (fluvoxamine extended-release capsules) all of a sudden without calling your doctor. You
 may have a greater risk of side effects. If you need to stop Luvox CR (fluvoxamine extended-release capsules), you
 will want to slowly stop it as ordered by your doctor.
- If you smoke, talk with your doctor.
- Avoid drinking alcohol while taking Luvox CR (fluvoxamine extended-release capsules).
- Talk with your doctor before you use other drugs and natural products that slow your actions.
- This medicine may raise the chance of bleeding. Sometimes, bleeding can be life-threatening. Talk with the doctor.
- Some people may have a higher chance of eye problems with Luvox CR (fluvoxamine extended-release capsules).
 Your doctor may want you to have an eye exam to see if you have a higher chance of these eye problems. Call your doctor right away if you have eye pain, change in eyesight, or swelling or redness in or around the eye.
- It may take several weeks to see the full effects.
- This medicine can cause low sodium levels. Very low sodium levels can be life-threatening, leading to seizures, passing out, trouble breathing, or death.
- If you are 65 or older, use Luvox CR (fluvoxamine extended-release capsules) with care. You could have more side effects.
- This medicine may affect growth in children and teens in some cases. They may need regular growth checks. Talk
 with the doctor.
- Use with care in children. Talk with the doctor.
- Tell your doctor if you are pregnant, plan on getting pregnant, or are breast-feeding. You will need to talk about the benefits and risks to you and the baby.
- Taking Luvox CR (fluvoxamine extended-release capsules) in the third trimester of pregnancy may lead to some health problems in the newborn. Talk with the doctor.

How is this medicine (Luvox CR) best taken?

Use Luvox CR (fluvoxamine extended-release capsules) as ordered by your doctor. Read all information given to you.

Follow all instructions closely.

- Take with or without food.
- Take at bedtime if you are taking once a day.
- Swallow whole. Do not chew, open, or crush.
- Keep taking Luvox CR (fluvoxamine extended-release capsules) as you have been told by your doctor or other health care provider, even if you feel well.

What do I do if I miss a dose?

- Take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Detailed Luvox CR dosage information

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of low sodium levels like headache, trouble focusing, memory problems, feeling confused, weakness, seizures, or change in balance.
- Signs of bleeding like throwing up or coughing up blood; vomit that looks like coffee grounds; blood in the urine; black, red, or tarry stools; bleeding from the gums; abnormal vaginal bleeding; bruises without a cause or that get bigger; or bleeding you cannot stop.
- · A big weight gain or loss.
- · Passing urine more often.
- Sex problems like lowered interest in sex or ejaculation problems.
- Erection that lasts more than 4 hours.
- Seizures.
- · Period (menstrual) changes.
- A severe and sometimes deadly problem called serotonin syndrome may happen. The risk may be greater if you also
 take certain other drugs. Call your doctor right away if you have agitation; change in balance; confusion;
 hallucinations; fever; fast or abnormal heartbeat; flushing; muscle twitching or stiffness; seizures; shivering or
 shaking; sweating a lot; severe diarrhea, upset stomach, or throwing up; or very bad headache.
- 1 Luvox CR side effects (more detail)

Related/similar drugs

Zoloft

Zoloft is an antidepressant used to treat major depression, obsessivecompulsive disorder, panic ...

Reviews & ratings

7.3 / 10

1,972 Reviews

View more

Prozac

Prozac (fluoxetine) is an SSRI antidepressant used to treat depression, OCD, panic disorder ...

Reviews & ratings

7.2 / 10

1,239 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Celexa

Celexa (citalopram) is an antidepressant in a group of drugs called selective serotonin reuptake ...

Reviews & ratings

7.3 / 10

866 Reviews

View more

Paxil

Paxil is used to treat depression, obsessive-compulsive disorder and anxiety. Learn about side ...

Reviews & ratings

7.1 / 10

960 Reviews

View more

Effexor XR

Effexor XR (venlafaxine) is used to treat major depressive disorder, anxiety, and panic disorder ...

Reviews & ratings

6.9 / 10

1,012 Reviews

View more

Brisdelle

Brisdelle (paroxetine mesylate) is used to treat hot flashes (vasomotor symptoms) associated with ...

Reviews & ratings

6.4 / 10

38 Reviews

View more

What are some other side effects of Luvox CR?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

- Feeling dizzy, sleepy, tired, or weak.
- Constipation, diarrhea, stomach pain, upset stomach, throwing up, or feeling less hungry.
- Dry mouth.
- Trouble sleeping.
- Headache.
- Gas.

- · Change in taste.
- · Feeling nervous and excitable.
- · Sweating a lot.
- · Shakiness.
- Signs of a common cold.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Luvox CR?

- Store at room temperature in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
 Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

- If your symptoms or health problems do not get better or if they become worse, call your doctor.
- Do not share your drugs with others and do not take anyone else's drugs.
- This medicine comes with an extra patient fact sheet called a Medication Guide. Read it with care. Read it again
 each time Luvox CR (fluvoxamine extended-release capsules) is refilled. If you have any questions about Luvox CR
 (fluvoxamine extended-release capsules), please talk with the doctor, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

Frequently asked questions

- SSRIs vs SNRIs What's the difference between them?
- · What are some common side effects of antidepressants?
- Can the antidepressant fluvoxamine (Luvox) be used to treat COVID-19?

INDIE ADOUL LUYON OIL (IIUYONAIIIIIE)

- · Check interactions
- · Compare alternatives
- Reviews (12)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- Drug class: selective serotonin reuptake inhibitors
- Breastfeeding

Patient resources

Luvox CR advanced reading

Other brands

Luvox

Professional resources

- Luvox CR prescribing information
- FluvoxaMINE (AHFS Monograph)

Related treatment guides

- Obsessive Compulsive Disorder
- Anxiety and Stress
- Social Anxiety Disorder

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

O Discontinued

Pregnancy & Lactation

രു Risk data available

CSA Schedule*
N/A Not a controlled drug
Approval History

Approval History

Drug history at FDA

User Reviews & Ratings

7.2 / 10

12 Reviews

Images

Luvox CR 150 mg (LOGO LCR 150)



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

V