

Home

Temazepam

Temazepam ⊲

Generic name: temazepam [te-MAZ-e-pam]

Brand name: Restoril

Dosage form: oral capsule (15 mg; 22.5 mg; 30 mg; 7.5 mg)

Drug class: Benzodiazepines

Medically reviewed by Sanjai Sinha, MD. Last updated on Jul 10, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is temazepam?

Temazepam is a benzodiazepine (ben-zoe-dye-AZE-eh-peen). It affects chemicals in the brain that may be unbalanced in people with sleep problems (insomnia).

Temazepam is used short term to treat insomnia (trouble falling or staying asleep).

Temazepam works by slowing down the central nervous system (brain), causing drowsiness which helps patients fall asleep.

Warnings

Temazepam can slow or stop your breathing, especially if you have recently used an opioid medication, alcohol, or other drugs that can slow your breathing.

Never take this medicine if you do not have at least 7 to 8 hours to sleep before being active again.

Do not use temazepam if you are pregnant. It can cause birth defects or life-threatening withdrawal symptoms in a newborn. Use effective birth control to prevent pregnancy while taking this medicine.

Some people using this medicine have engaged in activity such as driving, eating, or making phone calls and later having no memory of the activity. If this happens to you, stop taking temazepam and talk with your doctor about another treatment for your sleep disorder.

Temazepam may be habit-forming and should be used only by the person it was prescribed for. This medicine should never be shared with another person, especially someone who has a history of drug abuse or addiction. **MISUSE CAN CAUSE ADDICTION, OVERDOSE, OR DEATH.** Keep the medication in a place where others cannot get to it.

Temazepam may cause a severe allergic reaction. Stop taking this medicine and get emergency medical help if you have any of these signs of an allergic reaction: hives; difficulty breathing; swelling of your face, lips, tongue, or throat. Take this medication only when you are getting ready for several hours of sleep. You may fall asleep very quickly after taking

the medicine.

Before taking this medicine

You should not use temazepam if you are allergic to it.

Do not use temazepam if you are pregnant or may become pregnant. This medicine could harm the unborn baby.

To make sure temazepam is safe for you, tell your doctor if you have ever had:

- lung disease or breathing problems;
- · depression, mental illness, suicidal thoughts;
- · alcoholism or drug addiction; or
- liver or kidney disease.

Ask a doctor if it is safe to breastfeed while using this medicine.

Valtoco is not approved for use by anyone younger than 18 years old.

Temazepam pregnancy and breastfeeding warnings (more detail)

How should I take temazepam?

Take temazepam exactly as prescribed by your doctor. Follow the directions on your prescription label and read all medication guides or instruction sheets. Never use temazepam in larger amounts, or for longer than prescribed. Tell your doctor if you feel an increased urge to use more of this medicine.

Never share this medicine with another person, especially someone with a history of drug abuse or addiction.

MISUSE CAN CAUSE ADDICTION, OVERDOSE, OR DEATH. Keep the medication in a place where others cannot get to it. Selling or giving away this medicine is against the law.

Take this medicine only when you are getting ready for several hours of sleep. You may fall asleep very quickly after taking the medicine.

Call your doctor if your insomnia does not improve after taking temazepam for 7 to 10 nights, or if you have any mood or behavior changes. Insomnia can be a symptom of depression, mental illness, or certain medical conditions.

Temazepam should be used for only a short time. Do not take this medicine for longer than 2 weeks without your doctor's advice.

Do not stop using this medicine without asking your doctor. You may have life-threatening withdrawal symptoms if you stop using the medicine suddenly.

Store at room temperature away from moisture and heat. Keep your medicine in a place where no one can use it improperly.

Temazepam patient tips (more detail)

Dosing information

Usual Adult Dose for Insomnia:

7.5 to 30 mg orally once a day at bedtime

Comments:

- -In transient insomnia, a 7.5 mg dose may be sufficient to improve sleep latency.
- -In elderly or debilitated patients, therapy should be initiated at 7.5 mg until individual responses are determined.

Use: Short-term treatment of insomnia (generally 7 to 10 days)

Detailed Temazepam dosage information

What happens if I miss a dose?

Temazepam is used when needed. If you are on a dosing schedule, skip any missed dose. Take temazepam only when you have time for several hours of sleep. Do not use two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222. An overdose of temazepam can be fatal if you take it with alcohol, opioid medicine, or other drugs that cause drowsiness or slow your breathing.

Overdose symptoms may include extreme drowsiness, confusion, or coma.

What should I avoid while taking temazepam?

Do not drink alcohol. Dangerous side effects or death could occur.

You may still feel sleepy the morning after taking temazepam. Wait until you are fully awake before you drive, operate machinery, or do anything that requires you to be awake and alert. Your reactions may be impaired.

Temazepam side effects

Temazepam may cause a severe allergic reaction. Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; nausea, vomiting; swelling of your face, lips, tongue, or throat.

Temazepam can slow or stop your breathing, especially if you have recently used an opioid medication or alcohol. A person caring for you should seek emergency medical attention if you have slow breathing with long pauses, blue colored lips, or if you are hard to wake up.

Call your doctor at once if you have:

- confusion, agitation, hallucinations;
- depressed mood; or
- thoughts of suicide or hurting yourself.

Some people using temazepam have engaged in activity such as driving, eating, walking, making phone calls, or having sex and later having no memory of the activity. Tell your doctor if this happens to you.

Drowsiness or dizziness may last longer in older adults. Use caution to avoid falling or accidental injury.

Common temazepam side effects may include:

- · drowsiness, tiredness;
- · dizziness;
- · headache:
- · nausea; or
- · feeling nervous.

After you stop using temazepam, get medical help right away if you have symptoms such as: unusual muscle movements, being more active or talkative, sudden and severe changes in mood or behavior, confusion, hallucinations, seizures, suicidal thoughts or actions.

Some withdrawal symptoms may last up to 12 months or longer after stopping this medicine suddenly. Tell your doctor if you have ongoing anxiety, depression, problems with memory or thinking, trouble sleeping, ringing in your ears, a burning or prickly feeling, or a crawling sensation under your skin.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Temazepam side effects (more detail)

Related/similar drugs

Ativan

Ativan is a benzodiazepine used to treat anxiety disorders or anxiety associated with depression ...

Reviews & ratings

8.0 / 10

479 Reviews

View more

Benadryl

Benadryl is an antihistamine and is used to treat sneezing, runny nose, itching and other ...

Reviews & ratings

7.0 / 10

79 Reviews

View more

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

685 Reviews

View more

Ambien

Ambien (zolpidem) is a prescription sedative used to treat insomnia, helping you fall asleep and ...

Reviews & ratings

7.0 / 10

558 Reviews

View more

Lunesta

Lunesta is a sedative and is used to treat insomnia. Lunesta's effects typically begin within 30 ...

Reviews & ratings

5.9 / 10

341 Reviews

View more

Eszopiclone

Eszopiclone (brand name Lunesta) is a sedative and is used to treat insomnia. Eszopiclone's effects ...

Reviews & ratings

5.7 / 10

442 Reviews

View more

Melatonin

Melatonin is used to combat jet lag and

ease sleep problems like insomnia. Learn about uses ...

Reviews & ratings

5.7 / 10

239 Reviews

View more

Diphenhydramine

Diphenhydramine is an antihistamine used to treat sneezing, runny nose, itching, hives and other ...

Reviews & ratings

5.5 / 10

541 Reviews

View more

Zolpidem

Zolpidem is a sedative-hypnotic medicine used for the short-term treatment of insomnia (trouble ...

Reviews & ratings

6.9 / 10

1,055 Reviews

View more

What other drugs will affect temazepam?

Taking temazepam with other drugs that make you sleepy or slow your breathing can cause dangerous side effects or death. Ask your doctor before using opioid medication, a sleeping pill, a muscle relaxer, or medicine for anxiety or seizures.

Other drugs may interact with temazepam, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all other medicines you use.

Temazepam drug interactions (more detail)

Does temazepam interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

temazepam + Enter a drug name Add

Popular FAQ

What are the strongest sleeping pills?

More about temazepam

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (448)
- Drug images
- Latest FDA alerts (2)
- Side effects
- Dosage information
- Patient tips
- During pregnancy
- Support group
- Drug class: benzodiazepines
- Breastfeeding
- En español

Patient resources

Other brands

Restoril

Professional resources

- Temazepam monograph
- Temazepam (FDA)

Other brands

Restoril

Related treatment guides

• Insomnia

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medicine only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 12.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

4 Some potential for abuse

Approval History

Drug history at FDA

User Reviews & Ratings

6.5 / 10

448 Reviews

Images

Temazepam 15 mg (15 mg Novel 121)





View larger images

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×