

Home

2. Zeasorb-AF

Zeasorb-AF

Generic name: miconazole topical [my-CON-a-zole]

Brand names: Aloe Vesta Clear Antifungal, Azolen, Baza Antifungal, Critic-Aid Clear AF, Cruex Prescription Strength, ... show all 62 brands

Drug class: Topical antifungals



Medically reviewed by Drugs.com on Jun 12, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is Zeasorb-AF?

Zeasorb-AF is an antifungal medication. This medicine prevents fungus from growing on your skin.

Zeasorb-AF (for the skin) is used to treat skin infections such as athlete's foot, jock itch, ringworm, tinea versicolor (a fungus that discolors the skin), and yeast infections of the skin.

Zeasorb-AF may also be used for purposes not listed in this medication guide.

Zeasorb-AF side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Zeasorb-AF may cause serious side effects. Stop using Zeasorb-AF and call your doctor at once if you have:

• severe blistering, redness, or irritation of treated skin.

Common side effects of Zeasorb-AF may include:

• itching, peeling, or dry skin.

Although the risk of serious side effects is low when Zeasorb-AF is applied to the skin, side effects can occur if the medicine is absorbed into your bloodstream, including:

- dry mouth, sore tongue, tooth pain, red or swollen gums;
- · altered sense of taste:
- · nausea, diarrhea; or
- · headache.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects.

You may report side effects to FDA at 1-800-FDA-1088.

1 Zeasorb-AF side effects (more detail)

Related/similar drugs

Lotrisone

Lotrisone is used to treat fungal skin infections such as athletes foot, jock itch, and ringworm ...

Reviews & ratings

1 Reviews

View more

Lamisil

Lamisil (terbinafine) is used to treat infections caused by fungus that affect the fingernails or ...

Reviews & ratings

6.7 / 10

138 Reviews

View more

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

685 Reviews

View more

Penlac

Penlac nail lacquer (ciclopirox) is used to treat fungal infections of the toenails and ...

Reviews & ratings

3 Reviews

View more

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical

conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use Zeasorb-AF if you are allergic to miconazole.

Ask a doctor or pharmacist if it is safe for you to use this medicine if you have other medical conditions, especially:

• if you are using a blood thinner such as warfarin, Coumadin, Jantoven.

It is not known whether Zeasorb-AF will harm an unborn baby. **Do not use this medicine without a doctor's advice if you are pregnant.**

It is not known whether miconazole topical passes into breast milk or if it could harm a nursing baby. **Do not use this** medicine without a doctor's advice if you are breast-feeding a baby.

How should I use Zeasorb-AF?

Use exactly as directed on the label, or as prescribed by your doctor. Do not use in larger or smaller amounts or for longer than recommended.

Do not take by mouth. Zeasorb-AF is for use only on the skin. Do not use this medicine on open wounds.

Zeasorb-AF is not for use in the vagina or rectum.

Wash your hands before and after using this medication, unless you are treating a skin condition on your hands.

Clean and dry the affected area. Apply the cream, lotion, spray, or powder once or twice daily as directed for 2 to 4 weeks.

Do not cover the treated skin area unless your doctor tells you to. A light cotton-gauze dressing may be used to protect clothing.

Use this medication for the full prescribed length of time. Your symptoms may improve before the infection is completely cleared. Skipping doses may also increase your risk of further infection that is resistant to antifungal medicine.

Call your doctor if the infection does not clear up in 2 weeks (or 4 weeks for athlete's foot), or if it appears to get worse.

Store at room temperature away from moisture and heat. Keep the tube tightly closed when not in use.

Detailed Zeasorb-AF dosage information

What happens if I miss a dose?

Apply the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** use extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using Zeasorb-AF?

Avoid getting this medication in your eyes, nose, or mouth.

Avoid wearing tight-fitting, synthetic clothing that doesn't allow air circulation. Wear loose-fitting clothing made of cotton and other natural fibers until the infection is healed.

What other drugs will affect Zeasorb-AF?

It is not likely that other drugs you take orally or inject will have an effect on topically applied miconazole. But many drugs can interact with each other. Tell each of your health care providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

Zeasorb-AF drug interactions (more detail)

Does Zeasorb-AF interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Popular FAQ

How long do you have to lay down for after using Monistat?

Do you wash Monistat out in the morning?

More FAQ

- Why does Monistat burn/itch so bad?
- Monistat-1: white discharge and burning, is this normal?

More about Zeasorb-AF (miconazole topical)

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (1)
- Latest FDA alerts (2)
- · Side effects

- Dosage information
- During pregnancy
- Drug class: topical antifungals
- Breastfeeding
- En español

Patient resources

- Zeasorb-AF advanced reading
- Zeasorb-AF (Miconazole Powder)

Other brands

Monistat 7, Mitrazol, Monistat 3, Monistat 1 Combination Pack, ... +29 more

Professional resources

- Miconazole monograph
- Miconazole (FDA)

Other brands

Monistat 7, Monistat 3, Monistat 1 Combination Pack

Other formulations

- · Zeasorb-AF Jock Itch
- Zeasorb-AF Drying Gel

Related treatment guides

- · Cutaneous Candidiasis
- Tinea Corporis
- Tinea Cruris
- Tinea Pedis
- Tinea Versicolor

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

 $\overset{\mathbf{Rx}}{\mathsf{orc}}$ Rx and/or OTC

Pregnancy & Lactation

Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

Review this drug

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









