

Home

Olopatadine

Olopatadine ophthalmic

Generic name: olopatadine ophthalmic [OH-loe-PAT-a-deen]

Brand names: Pataday Once Daily Relief, Pataday Once Daily Relief Extra Strength, Pataday Twice A Day Relief, Pataday, Pazeo, Patanol,

Clear Eyes Allergy Itch Relief

Dosage form: ophthalmic solution (0.1%; 0.2%; 0.7%) **Drug class:** Ophthalmic antihistamines and decongestants



Medically reviewed by Drugs.com on Jul 27, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is olopatadine ophthalmic?

Olopatadine is an antihistamine that reduces the natural chemical histamine in the body. Histamine can produce symptoms of itching or watery eyes.

Olopatadine ophthalmic (for the eye) is used to treat eye itching caused by allergies.

Olopatadine ophthalmic may also be used for purposes not listed in this medication guide.

Olopatadine ophthalmic side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

olopatadine ophthalmic may cause serious side effects. Stop using olopatadine ophthalmic and call your doctor at once if you have:

- eye pain or changes in vision;
- eye itching that gets worse or lasts longer than 72 hours;
- · severe burning, stinging, or irritation after using this medicine; or
- eye swelling, redness, severe discomfort, crusting or drainage (may be signs of infection).

Less serious side effects may be more likely, and you may have none at all.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

① Olopatadine ophthalmic side effects (more detail)

Related/similar drugs

Dexamethasone

Dexamethasone is used to treat inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

162 Reviews

View more

Promethazine

Promethazine is a phenothiazine and antihistamine used to treat allergies, motion sickness, nausea ...

Reviews & ratings

7.2 / 10

388 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Methylprednisolone

Methylprednisolone is used to treat conditions such as allergies, arthritis, lupus and ulcerative ...

Reviews & ratings

7.1 / 10

484 Reviews

View more

Loratadine

Loratadine is a non-drowsy antihistamine used to relieve allergy symptoms like sneezing, runny ...

Reviews & ratings

4.7 / 10

139 Reviews

View more

Cetirizine

Cetirizine treats cold or allergy symptoms such as sneezing, itching, watery eyes, or runny nose ...

Reviews & ratings

5.8 / 10

294 Reviews

View more

Montelukast

Montelukast is a daily oral medication used to prevent asthma attacks, exercise-induced ...

Reviews & ratings

5.6 / 10

571 Reviews

View more

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use olopatadine ophthalmic if you are allergic to it.

Ask a doctor or pharmacist if olopatadine ophthalmic is safe to use if you have any type of eye infection.

Tell your doctor if you are pregnant or breastfeeding.

Olopatadine ophthalmic is not approved for use by anyone younger than 2 years old.

How should I use olopatadine ophthalmic?

Use exactly as directed on the label, or as prescribed by your doctor.

Do not use while wearing soft contact lenses. A preservative in this medicine could permanently stain the lenses. Use the medicine at least 15 minutes before inserting your contact lenses.

Wash your hands before using eye medication.

To apply the eye drops: Tilt your head back slightly and pull down your lower eyelid to create a small pocket. Hold the dropper above the eye and squeeze a drop into this pocket. Close your eyes for 1 or 2 minutes.

Wait at least 10 minutes before using any other eye drops your doctor has prescribed.

Use only the number of drops recommended on the medicine label.

Do not touch the tip of the eye dropper or place it directly on your eye. A contaminated dropper can infect your eye, which could lead to serious vision problems.

Do not use the eye drops if the liquid looks cloudy or has changed colors.

Store at room temperature away from moisture and heat. Do not freeze. Keep the bottle tightly closed when not in use.

Olopatadine ophthalmic dosing information

Usual Adult Dose for Seasonal Allergic Conjunctivitis:

0.1% solution: 1 drop in each affected eye twice per day at an interval of 6 to 8 hours

0.2%/0.7% solution: 1 drop in each affected eye once a day

Use: Treatment of the signs and symptoms of allergic conjunctivitis

Usual Pediatric Dose for Seasonal Allergic Conjunctivitis:

2 years or older:

0.2%/0.7% solution: 1 drop in each affected eye once a day

3 years or older:

0.1% solution: 1 drop in each affected eye twice per day at an interval of 6 to 8 hours

Use: Treatment of the signs and symptoms of allergic conjunctivitis

1 Detailed Olopatadine ophthalmic dosage information

What happens if I miss a dose?

Use the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** use two doses at one time.

What happens if I overdose?

An overdose of olopatadine ophthalmic is not expected to be dangerous. Seek emergency medical attention or call the Poison Help line at 1-800-222-1222 if anyone has accidentally swallowed the medication.

What should I avoid while using olopatadine ophthalmic?

Avoid wearing contact lenses while your eyes are red or irritated. olopatadine ophthalmic will not treat eye irritation caused by wearing contacts.

What other drugs will affect olopatadine ophthalmic?

Medicine used in the eyes is not likely to be affected by other drugs you use. But many drugs can interact with each other. Tell each of your healthcare providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

Does olopatadine ophthalmic interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

olopatadine ophthalmic	
+	
Enter a drug name	Add

More about olopatadine ophthalmic

- Compare alternatives
- · Pricing & coupons
- Reviews (141)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: ophthalmic antihistamines and decongestants
- Breastfeeding

Patient resources

Olopatadine (Ophthalmic) advanced reading

Other brands

Pataday, Patanol, Pataday Once Daily Relief, Pataday Twice Daily Relief, Pazeo

Professional resources

- · Olopatadine monograph
- Olopatadine Ophthalmic Solution (FDA)

Other brands

Patanol, Pataday Once Daily Relief, Pataday Twice Daily Relief, Pazeo

Related treatment guides

- Seasonal Allergic Conjunctivitis
- Allergies

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 7.01.

DRUG STATUS

Availability

or OTC

Pregnancy & Lactation

ঝ্ Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA

User Reviews & Ratings

5.3 / 10

141 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×