

Home

Hydrocortisone/pramoxine

Hydrocortisone and pramoxine (topical/rectal)

Generic name: hydrocortisone and pramoxine (topical/rectal) [HYE-droe-KOR-ti-sone-and-pra-MOX-een]

Brand names: Analpram-HC, Epifoam, Pramosone, ProCort, Proctofoam HC, ... show all 18 brands

Dosage forms: rectal cream (1%-1%; 2.35%-1%; 2.5%-1%), rectal foam (1%-1%), rectal kit (2.5%-1% with cleansing wipes), ... show all 8

dosage forms

Drug class: Anorectal preparations



Medically reviewed by Drugs.com on Aug 8, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is hydrocortisone and pramoxine topical?

Hydrocortisone is a steroid. It reduces the actions of chemicals in the body that cause inflammation.

Pramoxine is an anesthetic, or "numbing medicine." It works by interfering with pain signals sent from the nerves to the brain.

Hydrocortisone and pramoxine topical (for the skin) is a combination medicine used to treat itching and discomfort caused by allergic reactions, eczema, minor burns, insect bites, or other skin conditions.

Hydrocortisone and pramoxine rectal (for the rectum) is used to treat itching or swelling caused by hemorrhoids or other inflammatory conditions of the rectum or anus.

Hydrocortisone and pramoxine topical may also be used for other purposes not listed in this medication guide.

Hydrocortisone and pramoxine topical side effects

Get emergency medical help if you have any of these **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Stop using this medication and call your doctor at once if you show signs of absorbing too much of the medicine through your skin, such as:

- blurred vision, eye pain, or seeing halos around lights;
- · mood changes;
- sleep problems (insomnia);
- high blood sugar (increased thirst or urination, hunger, dry mouth, fruity breath odor, weight loss);
- · weight gain, puffiness in your face; or

· muscle weakness, feeling tired.

Stop using the medicine and call your doctor if you have rectal bleeding or severe irritation in any treated skin.

Common side effects of hydrocortisone and pramoxine may include:

- · mild redness or swelling of treated skin;
- · thinning of treated skin; or
- numbness on areas where the medicine is accidentally applied.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

<u>Hydrocortisone / pramoxine topical side effects</u> (more detail)

Related/similar drugs

Stelara

Stelara (ustekinumab) is used to treat Crohn's disease, ulcerative colitis, plaque psoriasis, and ...

Reviews & ratings

7.6 / 10

252 Reviews

View more

Humira

Humira is a tumor necrosis factor blocker that is used to treat many inflammatory conditions such ...

Reviews & ratings

6.4 / 10

698 Reviews

View more

FEATURED

Skyrizi

Skyrizi (risankizumab) is used to treat plaque psoriasis, psoriatic arthritis, ulcerative colitis ...

Reviews & ratings

7.9 / 10

56 Reviews

View more

Remicade

Remicade is used to treat rheumatoid arthritis, psoriatic arthritis, ulcerative colitis and Crohn's ...

Reviews & ratings

7.0 / 10

213 Reviews

View more

Infliximab

Infliximab infusion (brand names Avsola, Inflectra, Remicade, and others) reduces inflammation and ...

Reviews & ratings

6.8 / 10

291 Reviews

View more

Adalimumab

Adalimumab is used to treat plaque psoriasis, Crohn's disease, ulcerative colitis, rheumatoid ...

Reviews & ratings

6.4 / 10

737 Reviews

View more

Clobetasol topical

Clobetasol is available as a cream, gel, ointment, lotion, solution, foam or spray and is used to ...

Reviews & ratings

8.2 / 10

164 Reviews

View more

Hydrocortisone topical

Hydrocortisone cream is used to treat eczema, dermatitis, psoriasis, hemorrhoids, insect bites or ...

Reviews & ratings

7.0 / 10

63 Reviews

View more

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use hydrocortisone and pramoxine if you are allergic to hydrocortisone or pramoxine, or to any other anesthetics or "numbing medicines."

To make sure hydrocortisone and pramoxine is safe for you, tell your doctor if you have:

- · liver disease;
- · diabetes;
- problems with your eyes;
- · a stomach or intestinal disorder;
- · a rectal sore or infection; or
- if you use any drugs that weaken the immune system, including steroids.

Hydrocortisone and pramoxine topical will not treat a bacterial, fungal, or viral skin infection. If you have a skin infection, you should not use this medication until your infection is treated and clears up.

FDA pregnancy category C. It is not known whether hydrocortisone and pramoxine will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using this medication.

It is not known whether hydrocortisone and pramoxine passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Do not use this medicine on a child without a doctor's advice. Children are more sensitive to the effects of topical hydrocortisone.

How should I use hydrocortisone and pramoxine topical?

Follow all directions on your prescription label. Do not use this medicine in larger or smaller amounts or for longer than

recommended.

Do not use hydrocortisone and pramoxine to treat any condition that has not been checked by your doctor.

Wash your hands before and after applying this medicine, unless you are using hydrocortisone and pramoxine to treat a hand condition.

Use only a small amount of hydrocortisone and pramoxine topical on the affected area and rub it gently into the skin.

Do not cover the treated skin area unless your doctor tells you to. Covering the skin that is treated with this medicine can increase the amount of the drug your skin absorbs, which may lead to unwanted side effects. Follow your doctor's instructions.

Do not take hydrocortisone and pramoxine rectal by mouth. It is for use only in your rectum.

Shake the hydrocortisone and pramoxine rectal foam before each use.

For best results from the **rectal medication**, use only the applicator provided with the medication. Otherwise, follow the directions provided with your medicine.

Clean the rectal area with mild soap and water before applying the medicine, or use any cleansing wipes provided with your medicine.

Your body may absorb too much of this medication if you use a large amount, if you apply it over large skin areas, or if you cover treated skin with heat, bandages, or plastic wrap. Skin that is cut or irritated may also absorb more topical medication than healthy skin.

Call your doctor if your symptoms do not improve, if they get worse, or if you develop signs of infection (redness, swelling, oozing) while using hydrocortisone and pramoxine. This medicine will not treat a bacterial, fungal, or viral skin infection.

Store at room temperature away from moisture and heat.

Do not refrigerate the rectal aerosol foam. Keep the rectal foam canister away from open flame or high heat. The canister may explode if it gets too hot. Do not puncture or burn an empty canister.

1 Detailed Hydrocortisone / pramoxine topical dosage information

What happens if I miss a dose?

Since hydrocortisone and pramoxine is used when needed, you may not be on a dosing schedule. If you are on a schedule, use the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** use extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

An overdose of hydrocortisone and pramoxine topical is not expected to produce life-threatening symptoms. However, **long-term use of high steroid doses** can lead to symptoms such as thinning skin, easy bruising, changes in the shape or location of body fat (especially in your face, neck, back, and waist), increased facial hair, menstrual problems,

What should I avoid while using hydrocortisone and pramoxine topical?

Do not apply this medication to swollen skin areas or deep puncture wounds. Avoid using the medicine on skin that is raw or blistered, such as a severe burn or abrasion. Avoid using on body areas where you have skin folds or thin skin unless your doctor has told you to.

Avoid getting this medication in your eyes, mouth, and nose, or on your lips. If this does happen, rinse with water.

What other drugs will affect hydrocortisone and pramoxine topical?

It is not likely that other drugs you take orally or inject will have an effect on topically applied hydrocortisone and pramoxine. But many drugs can interact with each other. Tell each of your health care providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

Hydrocortisone / pramoxine topical drug interactions (more detail)

Does hydrocortisone/pramoxine topical interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

hydrocortisone/pramoxine topical	
+	
Enter a drug name	Add

More about hydrocortisone / pramoxine topical

- · Check interactions
- Compare alternatives
- · Pricing & coupons
- Reviews (38)
- Side effects
- Dosage information
- During pregnancy
- Drug class: anorectal preparations

Patient resources

- · Hydrocortisone and pramoxine advanced reading
- Pramoxine and Hydrocortisone Rectal Cream
- Pramoxine and Hydrocortisone Rectal Foam

Other brands

Proctofoam HC, Analpram E, Pramosone, Procort, Epifoam

Professional resources

- Hydrocortisone and Pramoxine Cream prescribing information
- Hydrocortisone and Pramoxine Suppository (FDA)
- Pramosone Ointment (FDA)

Other brands

Proctofoam HC, Analpram-HC, Pramosone, Epifoam, ... +2 more

Related treatment guides

- Hemorrhoids
- Dermatological Disorders
- Dermatitis
- Psoriasis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 4.01.

DRUG STATUS



User Reviews & Ratings

8.1 / 10

38 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.