

#### Home

Jublia

## Jublia ⊲

Generic name: efinaconazole topical [ EF-in-a-KON-a-zole-TOP-ik-al ]

Drug class: Topical antifungals

Medically reviewed by Sophia Entringer, PharmD. Last updated on Jul 1, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

### What is Jublia solution?

Jublia topical solution contains efinaconazole, an antifungal medication that fights infections caused by fungus.

Jublia solution is used to treat a fungal infection of the toenail called onychomycosis.

Jublia solution is a clear, colorless to pale yellow solution supplied in a white plastic bottle with a flow-through brush applicator.

## **Warnings**

Jublia solution is for external use only and is not for ophthalmic, oral, or intravaginal use. It is for use on toenails and immediately adjacent skin only.

Avoid pedicures, the use of nail polish, and cosmetic nail products while using Jublia.

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

## Before taking this medicine

You should not use Jublia if you are allergic to efinaconazole.

It is not known whether efinaconazole will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using this medicine.

It is not known whether efinaconazole topical passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breastfeeding a baby.

Jublia solution is not approved for use by anyone younger than 6 years old.

Jublia pregnancy and breastfeeding warnings (more detail)

### How should I use Jublia solution?

Use Jublia solution exactly as prescribed by your doctor. Follow all directions on your prescription label. Do not use this medicine in larger or smaller amounts or for longer than recommended.

Jublia is usually applied to affected toenails once daily for 48 weeks (approximately 11 months).

Before you apply this medicine, wash and thoroughly dry your toenails. Wait at least 10 minutes after showering, bathing, or washing the area before applying Jublia.

Apply this medicine over the entire toenail and under the tip of the nail. Allow the medicine to dry completely before putting on a sock or shoe.

After you apply Jublia solution, wait at least 10 minutes before you take a bath or shower.

Avoid getting this medicine on any other skin besides the cuticles or the skin around your toenail.

Call your doctor if your symptoms do not improve, or if they get worse while using Jublia.

Use this medicine for the full prescribed length of time. Your symptoms may improve before the infection is completely cleared. Skipping doses can increase your risk of infection that is resistant to medication.

Store in an upright position at room temperature, away from moisture and heat. Do not freeze.

Store in an upright position at room temperature, away from moisture and heat. Keep the bottle tightly closed when not in use. Do not freeze.

Jublia solution is flammable. Do not use near high heat or open flame. Do not smoke until the solution has completely dried on your nail.

## **Dosing information**

#### Usual Adult Dose for Onychomycosis -- Toenail:

Apply to affected toenail(s) once a day for 48 weeks.

#### Comments:

- -The integrated flow-through brush applicator should be used.
- -The toenail, toenail folds, toenail bed, hyponychium, and undersurface of the toenail plate should be completely covered.

Use: For the topical treatment of onychomycosis of the toenail(s) due to Trichophyton rubrum and T mentagrophytes

#### **Usual Pediatric Dose for Onychomycosis -- Toenail:**

6 years or older: Apply to affected toenail(s) once a day for 48 weeks.

#### Comments:

- -The integrated flow-through brush applicator should be used.
- -The toenail, toenail folds, toenail bed, hyponychium, and undersurface of the toenail plate should be completely covered.

Use: For the topical treatment of onychomycosis of the toenail(s) due to T rubrum and T mentagrophytes

## What happens if I miss a dose?

Use the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. Do not use two doses at one time.

## What happens if I overdose?

An overdose of Jublia solution is not expected to be dangerous. Seek emergency medical attention or call the Poison Help line at 1-800-222-1222 if anyone has accidentally swallowed the medication.

## What should I avoid while using Jublia?

Do not get this medicine in your eyes, mouth, or vagina. Jublia solution is for use only on the toenails.

Avoid having a pedicure or using nail polish on your toenails.

### Jublia side effects

Get emergency medical help if you have **signs of an allergic reaction to Jublia**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

severe redness, itching, or swelling of the affected toenail.

Common Jublia side effects may include:

- · pain, redness, swelling, burning, stinging, itching, or blisters where the medicine was applied; or
- · ingrown toenail.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Jublia side effects (more detail)

## Related/similar drugs

#### Lamisil

Lamisil (terbinafine) is used to treat infections caused by fungus that affect the fingernails or ...

#### **Reviews & ratings**

6.7 / 10

138 Reviews

View more

#### **Penlac**

Penlac nail lacquer (ciclopirox) is used to treat fungal infections of the toenails and ...

#### **Reviews & ratings**

3 Reviews

View more

FEATURED

#### **Omvoh**

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

#### **Reviews & ratings**

1 Reviews

View more

### **Sporanox**

Sporanox (itraconazole) is used to treat fungal infections of the lungs, mouth, throat, toenails ...

#### **Reviews & ratings**

8.4 / 10

18 Reviews

View more

## What other drugs will affect Jublia?

Medicine used on the nail is not likely to be affected by other drugs you use. But many drugs can interact with each

other. Tell each of your healthcare providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

### Does Jublia interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



## **Popular FAQ**

How do I get rid of nail fungus?

#### References

1. Jublia Product Label

### More about Jublia (efinaconazole topical)

- Compare alternatives
- Pricing & coupons
- Reviews (229)
- · Side effects
- Dosage information
- During pregnancy
- · Generic availability
- FDA approval history
- Drug class: topical antifungals
- Breastfeeding
- En español

#### **Professional resources**

- · Jublia prescribing information
- Efinaconazole (AHFS Monograph)

### Related treatment guides

• Onychomycosis, Toenail

### **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Jublia only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

#### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 2.01.

#### **DRUG STATUS**

#### **Availability**

Rx Prescription only

#### **Pregnancy & Lactation**

ঝ্য Risk data available

CSA Schedule\*

N/A Not a controlled drug

**Approval History** 

10 years FDA approved 2014

#### **User Reviews & Ratings**

5.7 / 10

229 Reviews

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

#### **Support**

Help center

Sitemap

Contact us













<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







 $\sim$ 

Copyright © 2000-2025 Drugs.com. All rights reserved.