

Home

2. Prozac Weekly

Prozac Weekly

Generic name: Fluoxetine Delayed-Release Capsules [floo-OKS-e-teen]

Drug class: Selective serotonin reuptake inhibitors

Medically reviewed by Drugs.com. Last updated on Jan 29, 2024.

Uses Before taking Warnings Dosage Side effects Overdose FAQ



The Prozac Weekly brand name has been **discontinued** in the U.S. If generic versions of this product have been approved by the FDA, there may be generic equivalents available.

See also: Prozac Capsules

Warning

- Drugs like this one have raised the chance of suicidal thoughts or actions in children and young adults. The risk
 may be greater in people who have had these thoughts or actions in the past. All people who take Prozac
 Weekly (fluoxetine delayed-release capsules) need to be watched closely. Call the doctor right away if signs like
 low mood (depression), nervousness, restlessness, grouchiness, panic attacks, or changes in mood or actions
 are new or worse. Call the doctor right away if any thoughts or actions of suicide occur.
- This medicine is not approved for use in all children. Talk with the doctor to be sure that Prozac Weekly (fluoxetine delayed-release capsules) is right for your child.

Uses of Prozac Weekly:

- It is used to treat low mood (depression).
- It is used to treat obsessive-compulsive problems.
- It is used to treat eating problems.
- It is used to treat panic attacks.
- It may be given to you for other reasons. Talk with the doctor.

What do I need to tell my doctor BEFORE I take Prozac Weekly?

- If you have an allergy to fluoxetine or any other part of Prozac Weekly (fluoxetine delayed-release capsules).
- If you are allergic to Prozac Weekly (fluoxetine delayed-release capsules); any part of Prozac Weekly (fluoxetine

delayed-release capsules); or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had.

- If you are taking any of these drugs: Linezolid, methylene blue, pimozide, or thioridazine.
- If you have taken certain drugs for depression or Parkinson's disease in the last 14 days. This includes isocarboxazid, phenelzine, tranylcypromine, selegiline, or rasagiline. Very high blood pressure may happen.
- If you are taking any drugs that can cause a certain type of heartbeat that is not normal (prolonged QT interval).

 There are many drugs that can do this. Ask your doctor or pharmacist if you are not sure.
- If you are breast-feeding. Do not breast-feed while you take Prozac Weekly (fluoxetine delayed-release capsules).

This is not a list of all drugs or health problems that interact with Prozac Weekly (fluoxetine delayed-release capsules).

Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take Prozac Weekly (fluoxetine delayed-release capsules) with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

What are some things I need to know or do while I take Prozac Weekly?

- Tell all of your health care providers that you take Prozac Weekly (fluoxetine delayed-release capsules). This includes your doctors, nurses, pharmacists, and dentists.
- Avoid driving and doing other tasks or actions that call for you to be alert until you see how Prozac Weekly (fluoxetine delayed-release capsules) affects you.
- Do not stop taking Prozac Weekly (fluoxetine delayed-release capsules) all of a sudden without calling your doctor. You may have a greater risk of side effects. If you need to stop Prozac Weekly (fluoxetine delayed-release capsules), you will want to slowly stop it as ordered by your doctor.
- Avoid drinking alcohol while taking Prozac Weekly (fluoxetine delayed-release capsules).
- Talk with your doctor before you use other drugs and natural products that slow your actions.
- If you have high blood sugar (diabetes), you will need to watch your blood sugar closely.
- It may take several weeks to see the full effects.
- This medicine may raise the chance of bleeding. Sometimes, bleeding can be life-threatening. Talk with the doctor.
- Very bad and sometimes deadly reactions along with a rash have rarely happened with Prozac Weekly (fluoxetine delayed-release capsules). Lung, kidney, or liver problems have also happened. Call your doctor right away if you have a change in the amount of urine passed, dark urine, not hungry, upset stomach or stomach pain, light-colored stools, throwing up, yellow skin or eyes, or shortness of breath.
- Some people may have a higher chance of eye problems with Prozac Weekly (fluoxetine delayed-release capsules).
 Your doctor may want you to have an eye exam to see if you have a higher chance of these eye problems. Call your doctor right away if you have eye pain, change in eyesight, or swelling or redness in or around the eye.
- This medicine can cause low sodium levels. Very low sodium levels can be life-threatening, leading to seizures, passing out, trouble breathing, or death.
- Use with care in children. Talk with the doctor.
- This medicine may affect growth in children and teens in some cases. They may need regular growth checks. Talk

with the doctor.

- If you are 65 or older, use Prozac Weekly (fluoxetine delayed-release capsules) with care. You could have more side effects.
- Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using Prozac Weekly (fluoxetine delayed-release capsules) while you are pregnant.
- Taking Prozac Weekly (fluoxetine delayed-release capsules) in the third trimester of pregnancy may lead to some health problems in the newborn. Talk with the doctor.

How is this medicine (Prozac Weekly) best taken?

Use Prozac Weekly (fluoxetine delayed-release capsules) as ordered by your doctor. Read all information given to you. Follow all instructions closely.

- Take with or without food.
- Keep taking Prozac Weekly (fluoxetine delayed-release capsules) as you have been told by your doctor or other health care provider, even if you feel well.
- Swallow whole. Do not chew, break, or crush.

What do I do if I miss a dose?

- Take a missed dose as soon as you think about it.
- If it is close to the time for your next dose, skip the missed dose and go back to your normal time.
- Do not take 2 doses at the same time or extra doses.
- Detailed Prozac Weekly dosage information

What are some side effects that I need to call my doctor about right away?

WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect:

- Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat.
- Signs of low sodium levels like headache, trouble focusing, memory problems, feeling confused, weakness, seizures, or change in balance.
- A big weight gain or loss.
- Sex problems like lowered interest in sex or ejaculation problems.
- Erection that lasts more than 4 hours.
- · Seizures.
- Dizziness.
- Slow heartbeat.

- · Any unexplained bruising or bleeding.
- · Anxiety.
- · Very nervous and excitable.
- · More thirst.
- · Period (menstrual) changes.
- · Passing urine more often.
- Trouble controlling body movements.
- A severe and sometimes deadly problem called serotonin syndrome may happen. The risk may be greater if you also
 take certain other drugs. Call your doctor right away if you have agitation; change in balance; confusion;
 hallucinations; fever; fast or abnormal heartbeat; flushing; muscle twitching or stiffness; seizures; shivering or
 shaking; sweating a lot; severe diarrhea, upset stomach, or throwing up; or very bad headache.
- A type of abnormal heartbeat (prolonged QT interval) has happened with Prozac Weekly (fluoxetine delayed-release
 capsules). Sometimes, this has led to another type of unsafe abnormal heartbeat (torsades de pointes). Call your
 doctor right away if you have a fast or abnormal heartbeat, or if you pass out.
- 1 Prozac Weekly side effects (more detail)

Related/similar drugs

Abilify

Abilify is an antipsychotic medicine used to treat the symptoms of schizophrenia and bipolar ...

Reviews & ratings

6.1 / 10

1,187 Reviews

View more

Zoloft

Zoloft is an antidepressant used to treat major depression, obsessivecompulsive disorder, panic ...

Reviews & ratings

7.3 / 10

1,972 Reviews

View more

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9

inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

685 Reviews

View more

Venlafaxine

Venlafaxine is used to treat major depressive disorder, anxiety, and panic disorder. Learn about ...

Reviews & ratings

6.5 / 10

2,786 Reviews

View more

Citalopram

Citalopram is an antidepressant (selective serotonin reuptake inhibitor) and is used to treat ...

Reviews & ratings

7.4 / 10

2,231 Reviews

View more

Lorazepam

Lorazepam is in a group of drugs called benzodiazepines and is used to treat anxiety disorders ...

Reviews & ratings

7.9 / 10

1,054 Reviews

View more

Lexapro

Lexapro is used to treat anxiety and major depressive disorder. Learn about side effects ...

Reviews & ratings

7.6 / 10

2,376 Reviews

View more

Clonazepam

Clonazepam is used to treat seizures and panic disorder. Learn about side effects, interactions and ...

Reviews & ratings

8.2 / 10

2,176 Reviews

View more

Xanax

Xanax (alprazolam) is a benzodiazepine medication used to treat anxiety and panic disorders ...

Reviews & ratings

8.6 / 10

915 Reviews

View more

Quetiapine

Quetiapine is an atypical antipsychotic used to treat schizophrenia, bipolar disorder, and major ...

Reviews & ratings

7.2 / 10

2,249 Reviews

View more

What are some other side effects of Prozac Weekly?

All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away:

• Upset stomach or throwing up.

- Not hungry.
- Diarrhea.
- Dry mouth.
- · Feeling sleepy.
- Strange or odd dreams.
- Trouble sleeping.
- · Feeling tired or weak.
- Flu-like signs.
- · Yawning.
- · Hot flashes.
- · Feeling nervous and excitable.
- · Shakiness.
- · Sweating a lot.
- Headache.

These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects.

You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at https://www.fda.gov/medwatch.

If OVERDOSE is suspected:

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

How do I store and/or throw out Prozac Weekly?

- Store at room temperature. Do not freeze.
- · Protect from light.
- Keep lid tightly closed.
- Store in a dry place. Do not store in a bathroom.
- Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets.
- Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so.
 Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area.

Consumer Information Use and Disclaimer

• If your symptoms or health problems do not get better or if they become worse, call your doctor.

- Do not share your drugs with others and do not take anyone else's drugs.
- This medicine comes with an extra patient fact sheet called a Medication Guide. Read it with care. Read it again
 each time Prozac Weekly (fluoxetine delayed-release capsules) is refilled. If you have any questions about Prozac
 Weekly (fluoxetine delayed-release capsules), please talk with the doctor, pharmacist, or other health care provider.
- If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

Frequently asked questions

- SSRIs vs SNRIs What's the difference between them?
- Is Prozac (fluoxetine) safe for dogs?
- Prozac vs Zoloft What are the Differences & Similarities?
- What are some common side effects of antidepressants?
- Taking fluoxetine, what can I use for a bad cough from cold or strep throat?

More about Prozac Weekly (fluoxetine)

- · Check interactions
- · Compare alternatives
- Reviews (5)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- Drug class: selective serotonin reuptake inhibitors
- Breastfeeding

Patient resources

Other brands

Sarafem, Rapiflux, Selfemra

Professional resources

- Prozac Weekly prescribing information
- FLUoxetine (AHFS Monograph)

Other brands

Sarafem

Other formulations

Prozac

Related treatment guides

- Depression
- Anxiety and Stress
- Bulimia
- Major Depressive Disorder

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRI	\sim	\sim T	ATI	10
IJKI	11 -		41 I	1.5

Availability
Discontinued

Pregnancy & Lactation

Risk data available

CSA Schedule*
N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

5 Reviews

Images

Prozac weekly 90 MG (3004 90mg Lilly)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









)

Copyright © 2000-2025 Drugs.com. All rights reserved.