

Home

2. Alcaftadine

Alcaftadine ophthalmic

Generic name: alcaftadine ophthalmic [al-KAF-ta-deen-off-THAL-mik]

Brand name: Lastacaft

Dosage form: ophthalmic solution (0.25%)

Drug class: Ophthalmic antihistamines and decongestants



Medically reviewed by Drugs.com on Oct 11, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is alcaftadine ophthalmic?

Alcaftadine is an antihistamine that reduces the effects of natural chemical histamine in the body. Histamine can produce symptoms such as itchy or watery eyes.

Alcaftadine ophthalmic (for the eyes) is used to prevent itching in the eyes caused by allergies.

Alcaftadine ophthalmic should not be used to treat eye irritation caused by contact lenses.

Alcaftadine ophthalmic may also be used for purposes not listed in this medication guide.

Alcaftadine ophthalmic side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Stop using alcaftadine ophthalmic and call your doctor at once if you have severe burning, stinging, or other irritation after using the eye drops.

Less serious side effects may include:

- mild burning, stinging, or irritation;
- eye redness or itching;
- · runny or stuffy nose, sore throat, flu symptoms; or
- · headache.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Alcaftadine ophthalmic side effects (more detail)

Related/similar drugs

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Warnings

To make sure you can safely use alcaftadine ophthalmic, tell your doctor about any medical conditions that affect your eyes.

Alcaftadine ophthalmic should not be used to treat eye irritation caused by contact lenses.

Do not use this medication while wearing contact lenses. Alcaftadine ophthalmic may contain a preservative that can discolor soft contact lenses. Wait at least 15 minutes after using alcaftadine ophthalmic before putting your contact lenses in.

Alcaftadine ophthalmic should not be used in a child younger than 2 years old.

Do not allow the tip of the dropper to touch any surface, including your eyes or hands. If the dropper becomes contaminated it could cause an infection in your eye, which can lead to vision loss or serious damage to the eye.

Stop using alcaftadine ophthalmic and call your doctor at once if you have severe burning, stinging, or other irritation after using the eye drops.

Before taking this medicine

You should not use this medication if you are allergic to alcaftadine.

To make sure you can safely use alcaftadine ophthalmic, tell your doctor about any medical conditions that affect your eyes.

Alcaftadine ophthalmic is not expected to harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant during treatment.

It is not known whether alcaftadine ophthalmic passes into breast milk or if it could harm a nursing baby. Do not use this medication without telling your doctor if you are breast-feeding a baby.

Alcaftadine ophthalmic should not be used in a child younger than 2 years old.

How should I use alcaftadine ophthalmic?

Use exactly as prescribed by your doctor. Do not use in larger or smaller amounts or for longer than recommended. Follow the directions on your prescription label.

Do not use this medication while wearing contact lenses. Alcaftadine ophthalmic may contain a preservative that can discolor soft contact lenses. Wait at least 15 minutes after using alcaftadine ophthalmic before putting your contact lenses in.

Wash your hands before using eye medication.

To apply the eye drops:

- Tilt your head back slightly and pull down your lower eyelid to create a small pocket. Hold the dropper above the eye with the tip down. Look up and away from the dropper as you squeeze out a drop, then close your eye.
- Use only the number of drops your doctor has prescribed.
- Gently press your finger to the inside corner of the eye (near your nose) for about 1 minute to keep the liquid from draining into your tear duct.
- Wait at least 10 minutes before using any other eye drops that your doctor has prescribed.

Do not allow the tip of the dropper to touch any surface, including your eyes or hands. If the dropper becomes contaminated it could cause an infection in your eye, which can lead to vision loss or serious damage to the eye.

Do not use the eye drops if the liquid has changed colors or has particles in it. Call your doctor for a new prescription.

Store at room temperature away from moisture and heat. Do not freeze. Keep the bottle tightly closed when not in use.

Alcaftadine ophthalmic dosing information

Usual Adult Dose for Allergic Conjunctivitis:

1 drop instilled into each eye once a day

Comments:

- -Contacts should be removed before administration, and may be reinserted after 15 minutes.
- -When additional ophthalmic medications are used, an interval of at least 5 minutes between each application is recommended.

Use: Prevention of itching associated with allergic conjunctivitis

Usual Pediatric Dose for Allergic Conjunctivitis:

2 years and older: 1 drop instilled into each eye once a day

Comments:

- -Contacts should be removed before administration, and may be reinserted after 15 minutes.
- -When additional ophthalmic medications are used, an interval of at least 5 minutes between each application is recommended.

Use: Prevention of itching associated with allergic conjunctivitis

Detailed Alcaftadine ophthalmic dosage information

What happens if I miss a dose?

Use the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** use extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using alcaftadine ophthalmic?

Do not use other eye medications during treatment with alcaftadine ophthalmic unless your doctor tells you to.

What other drugs will affect alcaftadine ophthalmic?

It is not likely that other drugs you take orally or inject will have an effect on alcaftadine ophthalmic used in the eyes. But many drugs can interact with each other. Tell your doctor about all medicines you use. This includes prescription, over-the-counter, vitamin, and herbal products. Do not start a new medication without telling your doctor.

Does alcaftadine ophthalmic interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

alcaftadine ophthalmic	
+	
Enter a drug name	Add

More about alcaftadine ophthalmic

- Compare alternatives
- Reviews (30)
- · Side effects
- Dosage information
- During pregnancy
- · Drug class: ophthalmic antihistamines and decongestants
- En español

Patient resources

· Alcaftadine advanced reading

Other brands

Lastacaft

Professional resources

• Alcaftadine (EENT) monograph

Other brands

Lastacaft

Related treatment guides

• Conjunctivitis, Allergic

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 1.04.

DRUG STATUS

Availability

OTC Over the counter

Pregnancy & Lactation

ം Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA

User Reviews & Ratings

4.4 / 10

30 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×