

Home

Eylea

Eylea 🖘

Pronunciation: EYE-lee-AH

Generic name: aflibercept ophthalmic

Dosage forms: single-dose pre-filled syringe for ophthalmic injection, single-dose vial for ophthalmic injection

Drug class: Anti-angiogenic ophthalmic agents

Medically reviewed by <u>Carmen Pope</u>, <u>BPharm</u>. Last updated on Mar 12, 2025.

Uses Side effects Before taking Dosage What to avoid Interactions FAQ

What is Eylea?

Eylea is used to treat neovascular (wet) age-related macular degeneration (nAMD) and is FDA-approved for several other eye conditions that involve the retina such as:

- macular edema following retinal vein occlusion (RVO)
- diabetic macular edema (DME)
- diabetic retinopathy (DR)
- retinopathy of prematurity (ROP).

Eylea is given as an injection into the eye every 1 to 2 months by an eye specialist.

Eylea gained FDA approval on November 18, 2011.

Eyela FDA approvals

- Neovascular (Wet) age-related macular degeneration (AMD) a condition where new blood vessels grow under the retina and leak blood and fluid
- Macular edema following retinal vein occlusion (RVO) a swelling in the retina caused by a blockage in the blood vessels
- Diabetic macular edema (DME) a build-up of fluid in the retina that is caused by leaking blood vessels
- Diabetic retinopathy (DR) an eye disorder in diabetics that can lead to a buildup of fluid in the retina and cause blindness
- Retinopathy of prematurity (ROP) an eye condition in premature babies that affects the retina.

Eylea biosimilars

Eylea has five biosimilars (these are like a generic version).

- Two of these, Opuviz and Yesafili, are designated as interchangeable biosimilars.
- Three others Ahzantive, Enzeevu and Pavblu are approved as non-interchangeable biosimilars.
- Unlike Eylea, these biosimilars are not approved for ROP.

See Does Eylea have a biosimilar? for more information.

Mechanism

Eylea works by inhibiting a signal protein produced by multiple cells called VEGF that stimulates the growth of new blood vessels.

- Eylea binds to the VEGF receptor and blocks VEGF-A and PIGF (Placental Growth Factor) another blood vesselpromoting protein.
- Clinical trials have shown it reduces abnormal blood vessel growth and leakage in the retina.
- This helps manage conditions like wet age-related macular degeneration (AMD), diabetic macular edema, and diabetic retinopathy.

Eylea belongs to the drug class called Vascular Endothelial Growth Factor (VEGF) inhibitors.

Eylea vs Eylea HD

Eylea HD (approved August 18, 2023) is a longer-acting, higher-dose form of Eylea that does not have to be given as often. See What is the difference between Eylea and Eylea HD?

Eylea side effects

The most common side effects of Eylea are:

- · red or watery eyes
- blurred vision
- · swelling of the eyelids
- mild eye pain or discomfort after the injection
- cataracts
- increased eye pressure
- floaters
- vitreous detachment (when the gel-like substance inside your eye starts to pull away from the back of the eye)
- · scratches or damage to the clear front part of your eye
- bleeding in the front (conjunctival haemorrhage) or back of your eye (retinal hemorrhage).

Clinical trials have also reported a temporary increase in blood pressure following eye injections (see Does Eylea and Eylea HD raise blood pressure?).

Serious side effects and warnings

Eylea may cause an increase in the **pressure of the fluids inside the eye** (intraocular pressure), usually within 60 minutes of an intravitreal injection.

Temporary visual disturbances may occur following an intravitreal injection with Eylea. Do not drive or operate machinery until your vision recovers.

Eylea may cause an eye condition called **endophthalmitis**, which is a serious inflammation of the fluids inside the eye. Retinal detachments have also occurred following eye injections and blood clots in the arteries are also possible. Call your doctor at once if you have eye pain or redness, swelling or puffiness around your eyes, sensitivity to light, or sudden vision problems at any time during treatment.

Eylea may cause an **allergic reaction**. Get emergency medical help if you have any signs of an allergic reaction such as hives, difficulty breathing, or swelling of your eyes, face, lips, tongue, or throat.

Do not receive an eye injection if you have swelling or redness inside your eyes, or any type of infection (bacterial, fungal, viral) in or around your eyes.

Call your doctor at once if you get any of the following symptoms following an Eylea injection:

- eye pain or redness, swelling around your eyes
- sudden vision problems
- seeing flashes of light or "floaters" in your vision, seeing halos around lights
- · your eyes may be more sensitive to light
- · chest pain
- sudden numbness or weakness, especially on one side of the body
- sudden severe headache, confusion, problems with speech or balance.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088.

i Eylea side effects (more detail)

Related/similar drugs

Vabysmo

Vabysmo eye injection is used to treat eye diseases neovascular (wet) agerelated macular ...

Reviews & ratings

7.8 / 10

30 Reviews

View more

Izervay

Izervay (avacincaptad pegol) is used for treating geographic atrophy (GA) due to age-related ...

Reviews & ratings

3 Reviews

View more

Syfovre

Syfovre (pegcetacoplan) treatment for geographic atrophy (GA) a form of dry age-related macular ...

Reviews & ratings

6 Reviews

View more

Ozurdex

Ozurdex is an implant injected into the eye to treat swelling that may occur when there is a ...

Reviews & ratings

6.1 / 10

8 Reviews

View more

Lucentis

Lucentis is used to treat the wet form of age-related macular degeneration. Learn about side ...

Reviews & ratings

6.1 / 10

15 Reviews

View more

Before receiving Eylea

You should not receive Eylea if you are allergic to aflibercept, Eylea, Eylea HD, Opuviz, Yesafili, Ahzantive, Enzeevu, or Pavblu.

Do not receive Eylea if:

- your eyes feel swollen
- you have an infection in or around your eyes.

To make sure this medicine is safe for you, tell your doctor if you:

- have had a blood clot or stroke
- · have glaucoma or other conditions that increase pressure inside your eyes
- are pregnant or planning to become pregnant
- · are breastfeeding.

It is unknown if this medication affects male or female fertility.

Pregnancy

Tell your doctor if you are pregnant or plan to become pregnant while using Eylea. You may need to take a pregnancy test before receiving this injection if you are a female who can get pregnant.

You should use effective birth control to prevent pregnancy before your first dose of this medicine, during treatment and for at least 3 months after your last Eylea injection.

Breastfeeding

Do not breastfeed while you are using Eylea.

1 Eylea pregnancy and breastfeeding warnings (more detail)

How is Eylea administered?

Eylea is given as an injection into your eye. This is called an intravitreal injection.

- Your doctor will use a medicine to numb your eye before giving you the injection.
- You will receive this injection in your doctor's office or clinic.

For a short time after your injection, your eyes will be checked regularly to make sure the injection has not caused any side effects.

Dosing information

The usual recommended adult dose of Eylea is 2mg (0.05mL) (one injection) into each affected eye.

Eylea dosage for nAMD:

Initial: 2 mg every 4 weeks (approximately every 28 days) for the first 3 months.

Maintenance: 2 mg every 8 weeks (2 months). Some patients may need 1 injection every 4 weeks (1 month).

After 1 year of effective treatment, some patients may be treated with 1 dose every 12 weeks, although this is not as effective as the recommended 8-week dosing interval.

Eylea dosage for macular edema following RVO:

Initial and maintenance: 2 mg every 4 weeks (approximately every 25 days).

Eylea dosage for DME and DR:

Initial: 2 mg every 4 weeks (approximately every 28 days) for the first 5 injections.

Maintenance: 2 mg every 8 weeks (2 months). Some patients may need 1 injection every 4 weeks (1 month).

Eylea dosage for ROP:

Initial: 0.4 mg (0.01 mL) administered by intravitreal injection.

- Treatment may be given to both eyes on the same day and repeated if needed.
- The treatment interval between doses injected into the same eye should be at least 10 days.
- Detailed Eylea dosage information

What happens if I miss a dose?

Call your doctor to reschedule if you miss an appointment for your Eylea injection.

What happens if I overdose?

An overdose is unlikely because Eylea is administered by healthcare professionals.

What should I avoid?

Eylea may cause blurred vision and may impair your reactions. Avoid driving or hazardous activity until you know how this medicine will affect you.

What other drugs will affect Eylea?

It is not likely that other drugs you take orally or inject will have an effect on Eylea used in the eyes. However, many drugs can interact with each other. Tell your doctor about all the medicines you use. This includes prescription, over-the-counter, vitamin, and herbal products. Do not start a new medication without telling your doctor.

Does Eylea interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Eylea	
+	
Enter a drug name	Add

Ingredients

Eylea ingredients

Active: aflibercept 40 mg/mL.

Inactive: 10 mM sodium phosphate, 40 mM sodium chloride, 0.03% polysorbate 20, and 5% sucrose with a pH of 6.2.

The single-dose glass vial is designed to deliver 0.05 mL (50 microliters) of the solution containing 2 mg of aflibercept.

Eylea does not contain an anti-microbial preservative.

Manufacturer

Eylea is manufactured by Regeneron Pharmaceuticals, which is based in Tarrytown, New York. Other notable drugs from Regeneron include:

- Dupixent (dupilumab) for treating severe eczema, asthma, and certain nasal conditions
- · Libtayo (cemiplimab) for treating certain types of skin cancer
- Praluent (alirocumab) for lowering cholesterol
- REGEN-COV (casirivimab and imdevimab) a COVID-19 antibody treatment.

Eylea Biosimilars

Biosimilar and interchangeable products are biological products that are highly similar to and have no clinically meaningful differences from the reference product.

Reference products

These are biological products that have already been approved by the FDA, against which biosimilar products are compared. There are 2 for Eylea.

Eylea (aflibercept) - Regeneron Pharmaceuticals, Inc.

Formulation type	Strength
Pre-Filled Syringe	2 mg/0.05 mL
Single-Dose Vial	2 mg/0.05 mL

Eylea HD (aflibercept) - Regeneron Pharmaceuticals, Inc.

Eylea interchangeable products

Interchangeable biosimilar products can be dispensed by a pharmacist without the intervention of the prescriber of the reference product.

Pharmacy laws for biosimilar prescribing may vary by state.

Opuviz (aflibercept-yszy) - Samsung Bioepis Co., Ltd.	~
Yesafili (aflibercept-jbvf) - Biocon Biologics Inc.	~
Eylea biosimilar products	
Biosimilar products can only be dispensed in place of the reference product if the healthcare provider specifically prescribes the biosimilar product by name.	
Pharmacy laws for biosimilar prescribing may vary by state	
Ahzantive (aflibercept-mrbb) - Formycon AG	~
Enzeevu (aflibercept-abzv) - Sandoz Inc.	~
Pavblu (aflibercept-ayyh) - Amgen Inc.	~
Popular FAQ	
How many Eylea injections can you have?	~
What is the difference between Vabysmo and Eylea?	~
What's the difference between Eylea, Eylea HD, and Avastin?	~
What are anti-VEGF drugs (VEGF inhibitors)?	~
How long does Eylea or Eylea HD take to work?	~
Does Medicare cover Eylea injections?	~
What is the difference between Eylea and Eylea HD?	~
When do the Eylea and Eylea HD patents expire?	~
Does Eylea and Eylea HD raise blood pressure?	~
View more FAQ	

References

1. Eylea Prescribing Information

More about Eylea (aflibercept ophthalmic)

- · Compare alternatives
- Pricing & coupons
- Reviews (70)
- Drug images
- · Side effects
- Dosage information
- Patient tips
- During pregnancy
- Support group
- FDA approval history
- Drug class: anti-angiogenic ophthalmic agents
- Breastfeeding

Patient resources

Other brands

Eylea HD, Pavblu, Ahzantive, Yesafili, ... +2 more

Professional resources

- Eylea prescribing information
- Aflibercept (AHFS Monograph)

Other brands

Eylea HD, Pavblu

Related treatment guides

- Macular Degeneration
- Macular Edema Following Retinal Vein Occlusion
- · Diabetic Retinopathy
- Macular Edema
- Diabetic Macular Edema
- Retinopathy of Prematurity

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ঝ্য Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

7.1 / 10

70 Reviews

Images

Eylea 2 mg/0.05 mL pre-filled syringe





Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us







@

Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.