



[Home](#)

2. Tudorza Pressair

Tudorza Pressair

Generic name: [aclidinium](#) [A-kli-DIN-ee-um]

Drug class: [Anticholinergic bronchodilators](#)

[Medically reviewed](#) by Drugs.com. Last updated on Jul 3, 2024.

[Uses](#) [Warnings](#) [Before taking](#) [Dosage](#) [Side effects](#) [Interactions](#)

What is Tudorza Pressair?

Tudorza Pressair is a bronchodilator.

Tudorza Pressair is used to prevent bronchospasm in adults with chronic bronchitis, emphysema, or other forms of COPD (chronic obstructive pulmonary disease).

Tudorza Pressair may also be used for purposes not listed in this medication guide.

Warnings

Tudorza Pressair will not work fast enough to treat a bronchospasm attack. Use only a fast-acting inhalation medicine for a bronchospasm attack.

Call your doctor at once if you have painful or difficult urination, blurred vision, nausea, vomiting, eye pain or redness, or seeing halos or bright colors around lights;

Before taking this medicine

You should not use Tudorza Pressair if you are allergic to aclidinium or to milk proteins.

To make sure Tudorza Pressair is safe for you, tell your doctor if you have:

- narrow-angle glaucoma;
- enlarged prostate; or
- bladder obstruction or other urination problems.

It is not known whether Tudorza Pressair will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant while using this medication.

It is not known whether aclidinium passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

Tudorza Pressair is not approved for use by anyone younger than 18 years old.

 [Tudorza Pressair pregnancy and breastfeeding warnings](#) (more detail)

How should I take Tudorza Pressair?

Use Tudorza Pressair exactly as prescribed by your doctor. Follow all directions on your prescription label. Do not use this medicine in larger or smaller amounts or for longer than recommended.

Tudorza Pressair is not a rescue medicine. Acclidinium will not work fast enough to treat a bronchospasm attack. Use only a fast-acting inhalation medicine for a bronchospasm attack.

Tudorza Pressair is a powder that comes with a special inhaler device preloaded with measured doses of this medicine. The device delivers a single dose each time you press a button on the inhaler.

Tudorza Pressair comes with patient instructions for using the inhaler device. Follow these directions carefully. Ask your doctor or pharmacist if you have any questions.

Tudorza Pressair should be used at evenly spaced intervals, usually every 12 hours.

Use Tudorza Pressair regularly to get the most benefit. Get your prescription refilled before you run out of medicine completely.

Call your doctor or seek medical attention if you think your fast-acting inhaler medications are not working as well.

Store Tudorza Pressair at room temperature away from moisture and heat. Keep this medicine in the sealed pouch until ready to use. Do not store the inhaler device on top of any surface that vibrates.

Throw the inhaler device away 45 days after you have taken it out of the sealed pouch, or if the dose indicator shows a zero or the device locks, whichever comes first. Each inhaler device contains 60 doses.

 [Detailed Tudorza Pressair dosage information](#)

What happens if I miss a dose?

Use the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. Do not use extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid?

If this medication gets in your eyes, rinse with water.

Tudorza Pressair side effects

Get emergency medical help if you have any signs of an allergic reaction to Tudorza Pressair: hives, itching, rash,

wheezing, chest tightness, trouble breathing, swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- wheezing, choking, or other breathing problems after using this medication;
- blurred vision, nausea, vomiting, eye pain or redness, or seeing halos or bright colors around lights;
- increased urination, painful or difficult urination;
- little or no urinating; or
- worsening or no improvement in your symptoms.

Common Tudorza Pressair side effects may include:

- stuffy nose, sore throat, sinus pain;
- cough; or
- headache.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Tudorza Pressair side effects](#) (more detail)

Related/similar drugs

Symbicort

Symbicort (budesonide and formoterol) is used to prevent bronchospasm in people with asthma or ...

Reviews & ratings

6.6 / 10

[226 Reviews](#)

[View more](#)

Ventolin HFA

Ventolin HFA (albuterol) is used to treat or prevent breathing problems in patients who have asthma ...

Reviews & ratings

7.5 / 10

[18 Reviews](#)

[View more](#)

FEATURED

Breztri Aerosphere

Breztri

(budesonide/glycopyrrolate/formoterol fumarate) is a combination inhaler that may be used ...

Reviews & ratings

6.9 / 10

[119 Reviews](#)

[View more](#)

Dupixent

Dupixent may be used to treat eczema, eosinophilic or oral-corticosteroid-dependent asthma, chronic ...

Reviews & ratings

7.2 / 10

[499 Reviews](#)

[View more](#)

Breo Ellipta

Breo Ellipta (fluticasone and vilanterol) is used to prevent airflow obstruction or bronchospasm in ...

Reviews & ratings

5.8 / 10

[228 Reviews](#)

[View more](#)

Spiriva

Spiriva (tiotropium) is used to prevent bronchospasm in people with bronchitis, emphysema, or COPD ...

Reviews & ratings

5.9 / 10

[122 Reviews](#)

[View more](#)

Anoro Eμπια

Anoro (umeclidinium and vilanterol inhalation powder) is used to treat chronic obstructive ...

Reviews & ratings

7.1 / 10

[69 Reviews](#)

[View more](#)

Xopenex

Xopenex is a short-acting bronchodilator used to treat or prevent bronchospasm in asthma and other ...

Reviews & ratings

9.0 / 10

[15 Reviews](#)

[View more](#)

Combivent

Combivent Respimat is used to prevent bronchospasm in people with chronic obstructive pulmonary ...

Reviews & ratings

8.1 / 10

[23 Reviews](#)

[View more](#)

What other drugs will affect Tudorza Pressair?

Tell your doctor about all medicines you use, and those you start or stop using during your treatment with Tudorza Pressair, especially:

- bladder or urinary medicines such as darifenacin, fesoterodine, oxybutynin, tolterodine, solifenacin;
- bronchodilators such as ipratropium or tiotropium;
- cold or allergy medicine that contains an antihistamine;
- medication for Parkinson's disease; or
- medication to treat excess stomach acid, stomach ulcer, motion sickness, or irritable bowel syndrome.

This list is not complete. Other drugs may interact with Tudorza Pressair, including prescription and over-the-counter

medicines, vitamins, and herbal products. Not all possible interactions are listed in this medication guide.

 [Tudorza Pressair drug interactions](#) (more detail)

Does Tudorza Pressair interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Tudorza Pressair

+

Enter a drug name

Add

References

1. [Tudorza Pressair Product Label](#)

More about Tudorza Pressair (aclidinium)

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(24\)](#)
- [Side effects](#)
- [Dosage information](#)
- [During pregnancy](#)
- [FDA approval history](#)
- [Drug class: anticholinergic bronchodilators](#)
- [Breastfeeding](#)
- [En español](#)

Patient resources

- [Tudorza Pressair advanced reading](#)

Professional resources

- [Tudorza Pressair prescribing information](#)
- [Aclidinium \(AHFS Monograph\)](#)

Related treatment guides

- [COPD](#)

- [COPD, Maintenance](#)

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Tudorza Pressair only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 1.04.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation


 Risk data available

CSA Schedule*

N/A Not a controlled drug



Approval History

 Drug history at FDA



User Reviews & Ratings

8.5 / 10

[24 Reviews](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)


[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.