

#### Home

2. Femring

# **Femring**

Generic name: estradiol vaginal (systemic) [ ES-tra-DYE-ole-VA-jin-ul ]

Drug class: Estrogens



Medically reviewed by Drugs.com on Feb 6, 2025. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

## What is Femring (systemic)?

Estradiol is a form of estrogen, a female sex hormone that regulates many processes in the body.

Some estradiol products placed directly into the vagina are used for "local" treatment of vaginal menopause symptoms (such as dryness, burning, and irritation). Other vaginal estradiol products are used for treating vaginal menopause symptoms and symptoms that affect other parts of the body (such as hot flashes). This type of vaginal estradiol has "systemic" effects, meaning that it can affect parts of the body other than where the medicine is directly applied.

This medication guide provides information about Femring for systemic treatment of certain symptoms of menopause, including hot flashes and vaginal dryness, burning, or irritation.

Femring (systemic) may also be used for purposes not listed in this medication guide.

## Femring side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Remove the vaginal ring and seek emergency medical attention if you have: fever with nausea, vomiting, diarrhea, muscle pain, dizziness, fainting, and/or sunburn-like skin rash. These may be signs of a life-threatening disease called toxic shock syndrome.

Femring may cause serious side effects. Call your doctor at once if you have:

- heart attack symptoms--chest pain or pressure, pain spreading to your jaw or shoulder, nausea, sweating;
- signs of a stroke--sudden numbness or weakness (especially on one side of the body), sudden severe headache, slurred speech, problems with vision or balance;
- signs of a blood clot--sudden vision loss, stabbing chest pain, feeling short of breath, coughing up blood, pain or warmth in one or both legs;
- swelling or tenderness in your stomach;

- jaundice (yellowing of the skin or eyes);
- memory problems, confusion, unusual behavior;
- unusual vaginal bleeding, pelvic pain;
- a lump in your breast; or
- high levels of calcium in your blood--nausea, vomiting, constipation, increased thirst or urination, muscle weakness, bone pain, lack of energy.

### Common side effects of Femring may include:

- nausea, vomiting, bloating, stomach cramps;
- · headache:
- breast pain or tenderness;
- swelling in your hands or feet, weight gain;
- thinning scalp hair; or
- vaginal itching or discharge, changes in your menstrual periods, breakthrough bleeding.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Femring side effects (more detail)

## Related/similar drugs

#### **Premarin**

Premarin is used to treat symptoms of menopause such as hot flashes, and vaginal dryness. Learn ...

#### **Reviews & ratings**

7.7 / 10

84 Reviews

View more

#### **Estrace**

Estrace (estradiol) is used to treat symptoms of menopause such as hot flashes and vaginal dryness ...

## Reviews & ratings

7.3 / 10

12 Reviews

View more

#### FEATURED

## **Ozempic**

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

### **Reviews & ratings**

6.6 / 10

1,504 Reviews

View more

### Lo Loestrin Fe

Lo Loestrin Fe (ethinyl estradiol and norethindrone acetate) birth control tablets are used to ...

### **Reviews & ratings**

5.6 / 10

1,560 Reviews

View more

## **Prempro**

Prempro (conjugated estrogens and medroxyprogesterone) is used to treat the symptoms of menopause ...

## Reviews & ratings

6.9 / 10

66 Reviews

View more

## **Vagifem**

Vagifem vaginal inserts are used treat menopause symptoms such as dryness, burning, and irritation ...

## Reviews & ratings

6.0 / 10

102 Reviews

View more

## **Warnings**

You should not use Femring if you have: undiagnosed vaginal bleeding, liver disease, a bleeding disorder, if you will have major surgery, or if you have ever had a heart attack, a stroke, a blood clot, or cancer of the breast, uterus/cervix, or vagina.

Do not use if you are pregnant.

Estradiol may increase your risk of developing a condition that may lead to uterine cancer. Report any unusual vaginal bleeding right away.

Using this medicine can increase your risk of blood clots, stroke, heart attack, or cancer of the breast, uterus, or ovaries. Estradiol should not be used to prevent heart disease, stroke, or dementia.

# Before taking this medicine

You should not use estradiol if you are allergic to it, or if you have:

- unusual vaginal bleeding that has not been checked by a doctor;
- liver disease;
- a history of heart attack, stroke, or blood clot;
- an increased risk of having blood clots due to a heart problem or a hereditary blood disorder; or
- a history of hormone-related cancer, or cancer of the breast, uterus/cervix, or vagina.

Do not use estradiol if you are pregnant. Tell your doctor right away if you become pregnant during treatment.

Using this medicine can increase your risk of blood clots, stroke, or heart attack. You are even more at risk if you have high blood pressure, diabetes, high cholesterol, if you are overweight, or if you smoke.

Estradiol should not be used to prevent heart disease, stroke, or dementia, because this medicine may actually increase your risk of developing these conditions.

Tell your doctor if you have ever had:

- · heart disease:
- liver problems, or jaundice caused by pregnancy or taking hormones;
- · kidney disease;
- gallbladder disease;
- asthma;
- · epilepsy or other seizure disorder;
- · migraines;
- lupus;
- endometriosis or uterine fibroid tumors;
- · hereditary angioedema;

- porphyria (a genetic enzyme disorder that causes symptoms affecting the skin or nervous system);
- a thyroid disorder; or
- · high levels of calcium in your blood.

Using estradiol may increase your risk of cancer of the breast, uterus, or ovaries. Talk with your doctor about this risk.

Estradiol lowers the hormone needed to produce breast milk and can slow breast milk production. Tell your doctor if you are breast-feeding.

## How should I use Femring?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Wash your hands before and after inserting the vaginal ring.

You should not be able to feel the **vaginal ring** once it is in place. Leave the vaginal ring in place for 90 days, then remove it. Your doctor may want you to replace it with a new ring. The ring does not need to be removed during sexual intercourse. If the ring is bothersome, you may remove it, rinse it with warm water, and reinsert it after intercourse.

To remove the ring, loop a finger through the ring and gently pull it from the vagina. **Call your doctor if you have trouble removing a vaginal ring.** 

Estradiol may increase your risk of developing a condition that may lead to uterine cancer. Call your doctor at once if you have any unusual vaginal bleeding while using Femring.

Your doctor should check your progress on a regular basis (every 3 to 6 months) to determine whether you should continue this treatment. Self-examine your breasts for lumps on a monthly basis and have a mammogram every year while using estradiol.

If you need major surgery or will be on long-term bed rest, you may need to stop using this medicine for a short time. Any doctor or surgeon who treats you should know that you are using estradiol.

Keep the vaginal ring in its protective pouch until you are ready to use it. Store at room temperature away from moisture and heat.

Detailed Femring dosage information

## What happens if I miss a dose?

Remove the vaginal ring and insert a new one as soon as you remember. **Do not** use an extra vaginal ring to make up the missed wearing time.

If a vaginal ring falls out, rinse it with warm water and reinsert it. If it slides down into the lower part of the vagina, use your finger to push it in farther.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while using Femring?

Avoid smoking. It can greatly increase your risk of blood clots, stroke, or heart attack while using estradiol.

Avoid using other vaginal products without your doctor's advice.

Grapefruit may interact with estradiol and lead to unwanted side effects. Avoid the use of grapefruit products.

## What other drugs will affect Femring?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Many drugs can affect estradiol. This includes prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible interactions are listed here. Tell your doctor about all your current medicines and any medicine you start or stop using.

Femring drug interactions (more detail)

## Does Femring interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Femring	
+	
Enter a drug name	Add

## More about Femring (estradiol)

- · Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (37)
- Side effects
- Dosage information
- During pregnancy
- Drug class: estrogens
- Breastfeeding
- En español

### **Patient resources**

Femring advanced reading

### Other brands

Estrace, Estradiol Patch, Estrogel, Climara, ... +17 more

### **Professional resources**

- Femring prescribing information
- Estradiol (Systemic, Local) (AHFS Monograph)

### Other brands

Estrace, Estradiol Patch, Estrogel, Climara, ... +11 more

## Related treatment guides

- Atrophic Vaginitis
- · Atrophic Urethritis
- Postmenopausal Symptoms

## **Further information**

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

#### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 4.03.

#### **DRUG STATUS**

### **Availability**

Rx Prescription only

### **Pregnancy & Lactation**

& Risk data available

**CSA Schedule\*** 

N/A Not a controlled drug

## **Approval History**

Drug history at FDA

## **User Reviews & Ratings**

8.7 / 10

37 Reviews

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com Advertising policy

Attribution & citations

### Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

### Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×