



[Home](#)

2. Asthmanefrin

Asthmanefrin

Generic name: [racementhine](#) [RAYSE-ep-i-NEF-rin]

Brand names: Asthmanefrin, [S2 Inhalant](#)

Drug class: [Adrenergic bronchodilators](#)



[Medically reviewed](#) by Drugs.com on Dec 2, 2024. Written by [Cerner Multum](#).

[Uses](#) [Side effects](#) [Warnings](#) [Before taking](#) [Dosage](#) [Interactions](#)

What is Asthmanefrin?

Asthmanefrin is a bronchodilator. It works by relaxing muscles in the airways to improve breathing.

Asthmanefrin is used to relieve occasional symptoms of asthma, such as [wheezing](#), chest tightness, and feeling short of breath.

Asthmanefrin may also be used for purposes not listed in this medication guide.

Asthmanefrin side effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Asthmanefrin may cause serious side effects. Call your doctor at once if you have:

- new or worsening asthma symptoms;
- [fast heart rate](#), tremors or a nervous feeling;
- sleep problems (insomnia);
- a seizure (convulsions); or
- **dangerously high blood pressure**--severe headache, blurred vision, pounding in your neck or ears, nosebleed, anxiety, confusion, severe chest pain, [shortness of breath](#), irregular heartbeats.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.



[Asthmanefrin side effects](#) (more detail)

Related/similar drugs

Ventolin HFA

Ventolin HFA (albuterol) is used to treat or prevent breathing problems in patients who have asthma ...

Reviews & ratings

7.5 / 10

[18 Reviews](#)

[View more](#)

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

Xopenex

Xopenex is a short-acting bronchodilator used to treat or prevent bronchospasm in asthma and other ...

Reviews & ratings

9.0 / 10

[15 Reviews](#)

[View more](#)

Epinephrine

Epinephrine (adrenaline) Injection is used to treat severe allergic reactions (anaphylaxis) to ...

Reviews & ratings

7.4 / 10

[59 Reviews](#)

[View more](#)

Dexamethasone

Dexamethasone is used to treat

inflammatory conditions such as allergies, skin conditions ...

Reviews & ratings

5.9 / 10

[162 Reviews](#)

[View more](#)

Methylprednisolone

Methylprednisolone is used to treat conditions such as allergies, arthritis, lupus and ulcerative ...

Reviews & ratings

7.1 / 10

[484 Reviews](#)

[View more](#)

Warnings

Do not use Asthmanefrin if you have used an MAO inhibitor in the past 14 days, such as [isocarboxazid](#), [linezolid](#), [methylene blue](#) injection, [phenelzine](#), [rasagiline](#), [selegiline](#), or [tranylcypromine](#).

Before taking this medicine

Do not use Asthmanefrin unless you have asthma that has been confirmed by a doctor.

You should not use Asthmanefrin if you are allergic to it.

Do not use Asthmanefrin if you have used an MAO inhibitor in the past 14 days. A dangerous [drug interaction](#) could occur. MAO inhibitors include isocarboxazid, linezolid, methylene blue injection, phenelzine, rasagiline, selegiline, tranylcypromine, and others.

Ask a doctor or pharmacist if it is safe for you to use this medicine if you have other medical conditions, especially:

- [heart disease](#);
- [high blood pressure](#);
- diabetes;
- a thyroid disorder;
- mental illness or an emotional disorder;
- seizures or [epilepsy](#);
- narrow-angle glaucoma; or

- an [enlarged prostate](#) and urination problems.

It is not known whether Asthmanefrin will harm an unborn baby. **Do not use this medicine without a doctor's advice if you are pregnant.**

It is not known whether [racementhine](#) passes into breast milk or if it could harm a nursing baby. **Do not use this medicine without a doctor's advice if you are breast-feeding a baby.**

Do not give this medicine to a child younger than 4 years old without medical advice.

How should I use Asthmanefrin?

Use exactly as directed on the label, or as prescribed by your doctor. Do not take more than the recommended dose. **Using too much Asthmanefrin or using it too often can increase your risk of heart attack or stroke, which can cause death.**

Asthmanefrin is a liquid solution that must be placed into a hand-held bulb nebulizer. You will inhale the medicine from the nebulizer.

Any child using Asthmanefrin should be supervised by an adult while using this medicine.

After using Asthmanefrin, your symptoms should improve within 20 minutes.

Call your doctor right away if your symptoms do not improve within 20 minutes, or if they get worse after using Asthmanefrin.

Asthma is usually treated with a combination of drugs. Use all medications as directed by your doctor. Read the medication guide or patient instructions provided with each medication. **Do not change your doses or medication schedule without your doctor's advice.**

Seek medical attention if you think your medications are not working as well.

Signs that your asthma symptoms may be getting worse include:

- having to use more than 12 inhalations of Asthmanefrin in a 24-hour period;
- having to use more than 9 inhalations in 24 hours for 3 or more days in 1 week; or
- having more than 2 asthma attacks in 1 week.

Store at room temperature away from moisture, heat, and light. Do not freeze.

Do not use Asthmanefrin if it looks brown or cloudy. Throw it out and get a new supply of racementhine.

 [Detailed Asthmanefrin dosage information](#)

What happens if I miss a dose?

Since Asthmanefrin is used when needed, you may not be on a dosing schedule. If you are on a schedule, use the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** use extra medicine to make up the missed dose.

Do not use more than 12 inhalations of racementhine in a 24-hour period.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using Asthmanefrin?

Avoid getting Asthmanefrin in your eyes.

Avoid eating or drinking products that contain [caffeine](#), such as coffee, tea, soft drinks, or energy drinks. Taking caffeine while you are using Asthmanefrin can increase your blood pressure.

What other drugs will affect Asthmanefrin?

Tell your doctor about all your current medicines and any you start or stop using, especially:

- other asthma medications;
- diet pills, an appetite suppressant, or stimulant medicine;
- cold or allergy medicine that contains a decongestant; or
- an antidepressant or medicine to treat mental illness.

This list is not complete. Other drugs may interact with racepinephrine, including prescription and over-the-counter medicines, vitamins, and [herbal products](#). Not all possible interactions are listed in this medication guide.

 [Asthmanefrin drug interactions](#) (more detail)

Does Asthmanefrin interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Asthmanefrin

+

Enter a drug name

Add

More about Asthmanefrin (racepinephrine)

- [Check interactions](#)
- [Compare alternatives](#)
- [Pricing & coupons](#)
- [Reviews \(10\)](#)
- [Side effects](#)
- [Dosage information](#)

- [During pregnancy](#)
- [Drug class: adrenergic bronchodilators](#)
- [En español](#)

Patient resources

- [Asthmanefrin advanced reading](#)

Other brands

[S2 Inhalant](#)

Related treatment guides

- [Asthma, acute](#)

Further information


Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.


Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 1.01.

DRUG STATUS

Availability
 Rx and/or OTC

Pregnancy & Lactation
 Risk data available

CSA Schedule*
N/A Not a controlled drug



User Reviews & Ratings

7.7 / 10

[10 Reviews](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.