

Home

- 2. Depo Provera
- Dosage

Depo-Provera Contraceptive Dosage

Generic name: MEDROXYPROGESTERONE ACETATE 150mg in 1mL

Dosage form: injection, suspension

Drug classes: Contraceptives, Hormones / antineoplastics, Progestins

Medically reviewed by Drugs.com. Last updated on Jul 26, 2024.

Prevention of Pregnancy

Both the 1 mL vial and the 1 mL prefilled syringe of Depo-Provera CI should be vigorously shaken just before use to ensure that the dose being administered represents a uniform suspension.

The recommended dose is 150 mg of Depo-Provera CI every 3 months (13 weeks) administered by deep intramuscular (IM) injection using strict aseptic technique in the gluteal or deltoid muscle, rotating the sites with every injection. As with any IM injection, to avoid an inadvertent subcutaneous injection, body habitus should be assessed prior to each injection to determine if a longer needle is necessary particularly for gluteal IM injection.

Use for longer than 2 years is not recommended (unless other birth control methods are considered inadequate) due to the impact of long-term Depo-Provera CI treatment on bone mineral density (BMD). Dosage does not need to be adjusted for body weight.

To ensure the patient is not pregnant at the time of the first injection, the first injection should be given ONLY during the first 5 days of a normal menstrual period or within the first 5-days post partum. In post partum mothers who exclusively breastfeed, administer Depo Provera CI during or after the sixth post partum week. If the time interval between injections is greater than 13 weeks, the physician should determine that the patient is not pregnant before administering the drug. The efficacy of Depo-Provera CI depends on adherence to the dosage schedule of administration.

Switching from Other Methods of Contraception

When switching from other contraceptive methods, Depo-Provera CI should be given in a manner that ensures continuous contraceptive coverage based upon the mechanism of action of both methods, (e.g., patients switching from oral contraceptives should have their first injection of Depo-Provera CI on the day after the last active tablet or at the latest, on the day following the final inactive tablet).

Frequently asked questions

- Is it normal to have discharge on Depo shot?
- What are my birth control options and how effective are they?
- My stool has changed color. What does it mean?
- How long after having a Depo Provera shot can you have unprotected sex?

• Why is my poop green? What does this mean?

More about Depo Provera (medroxyprogesterone)

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (1,967)
- · Side effects
- During pregnancy
- · Generic availability
- Support group
- Drug class: contraceptives
- Breastfeeding
- En español

Patient resources

- Depo-Provera drug information
- Depo-Provera Contraceptive injection

Professional resources

- Depo-Provera Contraceptive prescribing information
- MedroxyPROGESTERone (AHFS Monograph)

Other formulations

- Provera
- Depo-subQ Provera 104

Related treatment guides

Birth Control

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

প Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

□ Drug history at FDA

User Reviews & Ratings

4.2 / 10

1,967 Reviews

Related Drugs

Mirena, Provera, Nexplanon, Sprintec, Yaz, Slynd, Lo Loestrin Fe, drospirenone, levonorgestrel, norethindrone

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and

natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×