

Home

Dexamethasone/neomycin/polymyxin b

Dexamethasone, neomycin, and polymyxin B (ophthalmic)

Generic name: dexamethasone, neomycin, and polymyxin B (ophthalmic) [*DEX-a-METH-a-sone*, *NEE-oh-MYE-sin*, *and-POL-ee-MIX-in-B*, off-THAL-mik]

Brand names: Maxitrol, Poly-Dex, Ocu-Trol ophthalmic, Dexacidin, Dexasporin, ... show all 9 brands

Dosage forms: ophthalmic ointment (1 mg-3.5 mg-10000 units/g), ophthalmic suspension (1 mg-3.5 mg-10000 units/mL)

Drug class: Ophthalmic steroids with anti-infectives



Medically reviewed by Drugs.com on Aug 4, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is dexamethasone, neomycin, and polymyxin B ophthalmic?

Dexamethasone, neomycin, and polymyxin B ophthalmic (for the eyes) is a combination antibiotic and steroid medicine that is used to treat eye inflammation caused by uveitis, eye injury, radiation, chemical burns, or certain other conditions.

dexamethasone, neomycin, and polymyxin B is used when there is a risk of bacterial infection in or around the eye.

Dexamethasone, neomycin, and polymyxin B ophthalmic may also be used for purposes not listed in this medication guide.

Side Effects

Get emergency medical help if you have **signs of an allergic reaction**: hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Dexamethasone, neomycin, and polymyxin B may cause serious side effects. Call your doctor at once if you have:

- blurred vision, tunnel vision, eye pain, or seeing halos around lights;
- swelling, redness, severe discomfort, crusting or drainage (may be signs of infection);
- pain behind your eyes, sudden vision changes; or
- a wound that will not heal.

Common side effects of dexamethasone, neomycin, and polymyxin B may include:

- · blurred vision; or
- · mild eye irritation.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Dexamethasone / neomycin / polymyxin b ophthalmic side effects (more detail)

Related/similar drugs

Adalimumab

Adalimumab is used to treat plaque psoriasis, Crohn's disease, ulcerative colitis, rheumatoid ...

Reviews & ratings

6.4 / 10

737 Reviews

View more

FEATURED

Omvoh

Omvoh is used to treat moderate to severe ulcerative colitis or Crohn's disease in adults. This ...

Reviews & ratings

1 Reviews

View more

Restasis

Restasis is used to treat chronic dry eye that may be caused by inflammation. Learn about side ...

Reviews & ratings

4.6 / 10

224 Reviews

View more

Warnings

You should not use this medicine if you have a fungal or viral infection in your eyes (including herpes simplex).

Before taking this medicine

You should not use this medicine if you are allergic to dexamethasone, neomycin, or polymyxin B, or if you have a fungal or viral infection in your eyes (including herpes simplex).

Tell your doctor if you have ever had:

- glaucoma;
- cataracts, or if you need cataract surgery; or
- an allergic reaction to a medicine like neomycin (such as kanamycin, paromomycin, streptomycin, or gentamicin).

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant.

It may not be safe to breast-feed while using this medicine. Ask your doctor about any risk.

Do not give this medicine to a child without medical advice.

How should I use dexamethasone, neomycin, and polymyxin B?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Wash your hands before using eye medication.

To apply the eye drops: Tilt your head back slightly and pull down your lower eyelid to create a small pocket. Hold the dropper above the eye and squeeze a drop into this pocket. Close your eyes for 1 or 2 minutes.

Use only the number of drops your doctor has prescribed.

To apply the ointment: Tilt your head back slightly and pull down your lower eyelid to create a small pocket. Squeeze a ribbon of ointment from the tube into this pocket. Blink your eye gently and then keep it closed for 1 or 2 minutes. Wipe excess ointment from your eyelashes using a clean tissue.

Do not touch the tip of the eye dropper or ointment tube, or place it directly on your eye. A contaminated tip can infect your eye, which could lead to serious vision problems.

Call your doctor if your symptoms do not improve after 2 days of treatment.

If you use this medicine for longer than 10 days, you may need frequent vision tests to check the pressure inside your eyes.

Store this medicine at room temperature. Do not freeze. Keep the tube tightly closed when not in use. Store the eye drops in an upright position.

Detailed Dexamethasone / neomycin / polymyxin b ophthalmic dosage information

What happens if I miss a dose?

Use the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** use two doses at one time.

What happens if I overdose?

An overdose of dexamethasone, neomycin, and polymyxin B ophthalmic is not expected to be dangerous. Seek emergency medical attention or call the Poison Help line at 1-800-222-1222 if anyone has accidentally swallowed the medication.

What should I avoid while using dexamethasone, neomycin, and polymyxin B?

Do not share this medicine with another person, even if they have the same symptoms you have.

This medicine may cause blurred vision and may impair your reactions. Avoid driving or hazardous activity until you know how this medicine will affect you.

What other drugs will affect dexamethasone, neomycin, and polymyxin B?

Medicine used in the eyes is not likely to be affected by other drugs you use. But many drugs can interact with each other. Tell each of your healthcare providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

1 Dexamethasone / neomycin / polymyxin b ophthalmic drug interactions (more detail)

Does dexamethasone/neomycin/polymyxin b ophthalmic interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

dexamethasone/neomycin/polymyxin b ophthalmic	
+	
Enter a drug name	Add

More about dexamethasone / neomycin / polymyxin b ophthalmic

- Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (13)
- · Side effects
- Dosage information
- During pregnancy
- · Drug class: ophthalmic steroids with anti-infectives
- En español

Patient resources

- · Neomycin, polymyxin b, and dexamethasone advanced reading
- Neomycin, Polymyxin B, and Dexamethasone Eye Drops
- Neomycin, Polymyxin B, and Dexamethasone Eye Ointment

Other brands

Maxitrol, Ocu-Trol, Poly-Dex

Professional resources

- Neomycin, Polymyxin B, Dexamethasone prescribing information
- Neomycin, Polymyxin B, Dexamethasone Ointment (FDA)

Other brands

Maxitrol, Neo-Poly-Dex

Related treatment guides

- Blepharitis
- Uveitis
- Keratitis
- · Conjunctivitis, Bacterial
- Keratoconjunctivitis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

Antibiotics 101

List of Common Antibiotics & Types

Antibiotics and Alcohol

Probiotics and Antibiotics

Antibiotics for Strep Throat

Antibiotics for a Tooth Infection

Antibiotics for UTI's

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

প্ Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

WADA Class

റ്റ് Anti-Doping Classification

User Reviews & Ratings

7.1 / 10

13 Reviews

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×