

Home

2. Depo-Medrol

Depo-Medrol (injection)

Generic name: methylprednisolone (injection) [METH-il-pred-NIS-oh-lone]

Brand names: DEPO-Medrol, SOLU-Medrol, A-Methapred injection

Drug class: Glucocorticoids



Medically reviewed by Drugs.com on Aug 16, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is Depo-Medrol?

Depo-Medrol is a steroid that prevents the release of substances in the body that cause inflammation.

Depo-Medrol is used to treat many different inflammatory conditions such as arthritis, lupus, psoriasis, ulcerative colitis, allergic disorders, gland (endocrine) disorders, and conditions that affect the skin, eyes, lungs, stomach, nervous system, or blood cells.

Depo-Medrol may also be used for purposes not listed in this medication guide.

Depo-Medrol side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Depo-Medrol may cause serious side effects. Call your doctor at once if you have:

- blurred vision, tunnel vision, eye pain, or seeing halos around lights;
- shortness of breath (even with mild exertion), swelling, rapid weight gain;
- · severe depression, changes in personality, unusual thoughts or behavior;
- new or unusual pain in an arm or leg or in your back;
- severe pain in your upper stomach spreading to your back, nausea and vomiting;
- · bloody or tarry stools, coughing up blood or vomit that looks like coffee grounds;
- a seizure (convulsions); or
- **low potassium**--leg cramps, constipation, irregular heartbeats, fluttering in your chest, increased thirst or urination, numbness or tingling, muscle weakness or limp feeling.

Depo-Medrol can affect growth in children. Tell your doctor if your child is not growing at a normal rate while using Depo-Medrol.

Common side effects of Depo-Medrol may include:

- weight gain (especially in your face or your upper back and torso);
- slow wound healing;
- muscle pain or weakness;
- thinning skin, increased sweating;
- · stomach discomfort, bloating;
- · headache; or
- changes in your menstrual periods.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

1 Depo-Medrol side effects (more detail)

Related/similar drugs

Xeljanz

Xeljanz (tofacitinib) is an oral Janus kinase (JAK) inhibitor that may be used alone or with other ...

Reviews & ratings

5.7 / 10

145 Reviews

View more

Stelara

Stelara (ustekinumab) is used to treat Crohn's disease, ulcerative colitis, plaque psoriasis, and ...

Reviews & ratings

7.6 / 10

252 Reviews

View more

FEATURED

Dupixent

Dupixent may be used to treat eczema, eosinophilic or oral-corticosteroid-dependent asthma, chronic ...

Reviews & ratings

7.2 / 10

499 Reviews

View more

Rinvoq

Rinvoq (upadacitinib) is used to treat rheumatoid arthritis, psoriatic arthritis, atopic ...

Reviews & ratings

7.0 / 10

223 Reviews

View more

Xolair

Xolair injection (omalizumab) is used to reduce the risk of severe food allergy reactions ...

Reviews & ratings

7.5 / 10

229 Reviews

View more

Cymbalta

Cymbalta (duloxetine) is used to treat major depressive disorder, general anxiety disorder and ...

Reviews & ratings

6.3 / 10

1,899 Reviews

View more

Montelukast

Montelukast is a daily oral medication used to prevent asthma attacks, exercise-induced ...

Reviews & ratings

5.6 / 10

View more

Hydroxyzine

Hydroxyzine is an antihistamine used to treat itching, hives, and anxiety. It also acts as a ...

Reviews & ratings

5.9 / 10

1,404 Reviews

View more

Warnings

You may not be able to receive a Depo-Medrol if you have a fungal infection.

Before taking this medicine

You should not be treated with Depo-Medrol if you are allergic to it. You may not be able to receive a this medicine if you have a fungal infection.

Depo-Medrol can weaken your immune system, making it easier for you to get an infection. Steroids can also worsen an infection you already have, or reactivate an infection you recently had. **Tell your doctor about any illness or infection you have had within the past several weeks.**

Tell your doctor if you have ever had:

- · heart disease, high blood pressure;
- a thyroid disorder;
- · diabetes;
- · glaucoma or cataracts;
- · kidney disease;
- · cirrhosis or other liver disease;
- seizures, epilepsy or recent head injury;
- past or present tuberculosis;
- · herpes infection of the eyes;
- a condition called scleroderma;
- stomach ulcers, ulcerative colitis, diverticulitis, or recent intestinal surgery;
- a parasite infection that causes diarrhea (such as threadworms);

- · mental illness or psychosis;
- osteoporosis or low bone mineral density (steroid medication can increase your risk of bone loss);
- a muscle disorder such as myasthenia gravis; or
- an electrolyte imbalance (such as low levels of potassium in your blood).

It is not known whether Depo-Medrol will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

You should not breast-feed while using Depo-Medrol.

How is Depo-Medrol given?

Depo-Medrol is injected into a muscle or soft tissue, into a skin lesion, into the space around a joint, or given as an infusion into a vein. A healthcare provider will give you this injection.

Steroid medication can weaken your immune system, making it easier for you to get an infection. Call your doctor if you have any signs of infection (fever, chills, body aches).

If you have major surgery or a severe injury or infection, your Depo-Medrol dose needs may change. Make sure any doctor caring for you knows you are using this medicine.

If you use this medicine long-term, you may need medical tests and vision exams.

1 Detailed Depo-Medrol dosage information

What happens if I miss a dose?

Call your doctor for instructions if you miss an appointment for your Depo-Medrol.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while receiving Depo-Medrol?

Do not receive a "live" vaccine while using Depo-Medrol. Live vaccines include measles, mumps, rubella (MMR), rotavirus, typhoid, yellow fever, varicella (chickenpox), zoster (shingles), and nasal flu (influenza) vaccine.

Avoid being near people who are sick or have infections. Call your doctor for preventive treatment if you are exposed to chickenpox or measles. These conditions can be serious or even fatal in people who are using Depo-Medrol.

What other drugs will affect Depo-Medrol?

Sometimes it is not safe to use certain medications at the same time. Some drugs can affect your blood levels of other drugs you take, which may increase side effects or make the medications less effective.

Many drugs can affect Depo-Medrol. This includes prescription and over-the-counter medicines, vitamins, and herbal

products. **Not all possible interactions are listed here.** Tell your doctor about all your current medicines and any medicine you start or stop using.

Depo-Medrol drug interactions (more detail)

Does Depo-Medrol interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Depo-Medrol	
+	
Enter a drug name	Add

Popular FAQ

Does methylprednisolone help with COVID?	~
What are steroid injections (cortisone shots)?	~
Why is Yonsa taken with methylprednisolone?	~

More FAQ

- Methylprednisolone vs Prednisone How do they compare?
- How long does methylprednisolone tablets stay in your system?
- Methylprednisolone Tablets How long does a Medrol pack tablet stay in your system?

More about Depo-Medrol (methylprednisolone)

- · Check interactions
- Compare alternatives
- · Pricing & coupons
- Reviews (19)
- Side effects
- Dosage information
- During pregnancy
- Generic availability
- Drug class: glucocorticoids
- Breastfeeding

• En español

Patient resources

Other brands

Medrol, Medrol Dosepak, Solu-Medrol, MethylPREDNISolone Dose Pack, ... +2 more

Professional resources

- Depo-Medrol prescribing information
- Methylprednisolone (AHFS Monograph)

Other brands

Medrol, Solu-Medrol

Related treatment guides

- · Asthma, acute
- Allergic Rhinitis
- Asthma
- Allergies

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances

N

ircums	lances.	
l edical	Disclaimer	
opyrig	ht 1996-2025 Cerner Multum, Inc. Version: 3.01.	
DRUG	STATUS	
Rx	Availability Prescription only	
જુ	Pregnancy & Lactation Risk data available	
N/A	CSA Schedule* Not a controlled drug	~
	Approval History Drug history at FDA	~
	WADA Class Anti-Doping Classification	~



User Reviews & Ratings

5.6 / 10

19 Reviews

Related News

Do Steroid Shots Help Ease Back Pain? Experts Weigh In

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





