



[Home](#)

2. Zantac

# Zantac

**Generic name:** [ranitidine](#) [ *ra-NI-ti-deen* ]

**Drug class:** [H2 antagonists](#)

Medically reviewed by [Philip Thornton, DipPharm](#). Last updated on May 29, 2024.

[Uses](#) [Warnings](#) [Before taking](#) [Dosage](#) [Side effects](#) [Interactions](#) [FAQ](#)

## What is Zantac?

Zantac belongs to a group of drugs called histamine-2 blockers. It works by reducing the amount of acid your stomach produces.

Zantac has been used to treat and prevent ulcers in the stomach and intestines. It also was used to treat conditions in which the stomach produces too much acid, such as Zollinger-Ellison syndrome..

Zantac was also used to treat [gastroesophageal reflux disease \(GERD\)](#) and other conditions in which acid backs up from the stomach into the esophagus, causing heartburn.

A cancer-causing impurity found in many ranitidine medications may increase to unacceptable levels over time and when ranitidine is stored at high temperatures. As a result, the FDA has asked all makers of ranitidine to withdraw this medicine from the market in the United States.

## Warnings

Zantac has been withdrawn from the market in the United States. Some of the contents of this leaflet are preserved for historical purposes only.

Using Zantac may increase your risk of developing pneumonia. Symptoms of pneumonia include chest pain, fever, feeling short of breath, and coughing up green or yellow mucus. Talk with your doctor about your specific risk of developing pneumonia.

Do not use Zantac if you are allergic to ranitidine.

Ask a doctor or pharmacist if it is safe for you to take this medicine if you have kidney disease, liver disease, or porphyria.

Heartburn is often confused with the first symptoms of a heart attack. Seek emergency medical attention if you have chest pain or heavy feeling, pain spreading to the arm or shoulder, nausea, sweating, and a general ill feeling.

## Before taking this medicine

If you have been taking prescription-strength Zantac: Before you stop taking the medicine, ask your doctor about safer treatment options.

If you have been taking over-the-counter (OTC) Zantac: Stop taking the medicine, and ask your doctor or pharmacist about other approved OTC stomach acid reducers.

[Heartburn](#) can mimic early symptoms of a [heart attack](#). Get emergency medical help if you have chest pain that spreads to your jaw or shoulder and you feel anxious or light-headed.

Before using any OTC medicine to reduce stomach acid, ask a doctor or pharmacist if the medicine is safe for you if you have other medical conditions or [allergies](#).

**Ask a doctor before using any OTC stomach acid medicine if you are pregnant or breastfeeding.**

 [Zantac pregnancy and breastfeeding warnings](#) (more detail)

## How should I take Zantac?

Because Zantac has been withdrawn from the market in the U.S., some of the contents of this leaflet are intended for historical purposes only.

Take Zantac exactly as directed on the label, or as prescribed by your doctor.

Measure liquid medicine carefully. Use the dosing syringe provided, or use a medicine dose-measuring device (not a kitchen spoon).

It may take up to 8 weeks before your ulcer heals. Keep using your medications as directed and call your doctor if your symptoms do not improve after 6 weeks.

Your doctor may recommend an antacid to help relieve pain. Carefully follow your doctor's directions about the type of antacid to use, and when to use it.

Store at room temperature away from moisture, heat, and light.

 [Detailed Zantac dosage information](#)

## What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. Do not take two doses at one time.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include lack of coordination, feeling light-headed, or fainting.

## What to avoid

**You should not stop taking prescription-strength Zantac until you ask your doctor to prescribe a different medication.** Talk with doctor as soon as possible about how best to treat your condition.

Avoid drinking alcohol. It can increase the risk of damage to your stomach.

## Zantac side effects

Get emergency medical help if you have **signs of an allergic reaction to Zantac:** [hives](#); difficult breathing; swelling of your face, lips, tongue, or throat.

Stop using Zantac and call your doctor at once if you have:

- stomach pain, loss of appetite;
- dark urine, [jaundice](#) (yellowing of the skin or eyes);
- fever, chills, cough with mucus, chest pain, feeling short of breath;
- fast or [slow heart rate](#);
- easy bruising or bleeding; or
- problems with your skin or hair.

Common Zantac side effects may include:

- [nausea](#), [vomiting](#), stomach pain; or
- [diarrhea](#), [constipation](#).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

 [Zantac side effects](#) (more detail)

## Related/similar drugs

### [Pepcid](#)

Pepcid is used to treat ulcers in the stomach and for conditions where the stomach produces too ...

#### Reviews & ratings

6.0 / 10

[10 Reviews](#)

[View more](#)

### [Prilosec](#)

Prilosec (omeprazole) is used to treat symptoms of GERD and other conditions caused by excess

conditions caused by excess ...

### Reviews & ratings

6.9 / 10

[53 Reviews](#)

[View more](#)

#### FEATURED

### Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

### Reviews & ratings

6.6 / 10

[1,504 Reviews](#)

[View more](#)

### Vancomycin

Vancomycin is used to treat infections of the intestines that cause colitis. Learn about side ...

### Reviews & ratings

6.5 / 10

[57 Reviews](#)

[View more](#)

### Protonix

Protonix (pantoprazole) is used to treat erosive esophagitis and other conditions involving excess ...

### Reviews & ratings

7.2 / 10

[83 Reviews](#)

[View more](#)

### Clindamycin

Clindamycin (Cleocin) is used to treat serious infections caused by bacteria. Includes clindamycin ...

### Reviews & ratings

5.7 / 10

[806 Reviews](#)

[View more](#)

### Metronidazole

Metronidazole is an antibiotic used to fight bacteria in your body. Learn about side effects ...

#### Reviews & ratings

6.0 / 10

[2,431 Reviews](#)

[View more](#)

### Ciprofloxacin

Ciprofloxacin is an antibiotic belong to a group of drugs called fluoroquinolones. Learn about side ...

#### Reviews & ratings

5.0 / 10

[935 Reviews](#)

[View more](#)

## What other drugs will affect Zantac?

Many drugs can interact with ranitidine. This includes prescription and over-the-counter medicines, [vitamins](#), and [herbal products](#). Not all possible interactions are listed here. Tell your doctor about all your current medicines and any medicine you start or stop using.

 [Zantac drug interactions](#) (more detail)

## Does Zantac interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

Zantac

+

Enter a drug name

Add

# Popular FAQ

How long does it take Zantac to work?



## References

1. [Zantac Product Label](#)

## More about Zantac (ranitidine)

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(83\)](#)
- [Drug images](#)
- [Side effects](#)
- [Dosage information](#)
- [Patient tips](#)
- [During pregnancy](#)
- [Generic availability](#)
- [Support group](#)
- [Drug class: H2 antagonists](#)
- [Breastfeeding](#)

## Patient resources

- [Zantac \(Ranitidine Syrup\) patient information](#)
- [Zantac \(Ranitidine Tablets and Capsules\)](#)

## Professional resources

- [Zantac prescribing information](#)
- [Zantac Injection \(FDA\)](#)

## Related treatment guides

- [GERD](#)
- [Erosive Esophagitis](#)
- [Duodenal Ulcer](#)
- [Duodenal Ulcer Prophylaxis](#)

## Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Zantac only for the indication prescribed.


Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

Copyright 1996-2025 Cerner Multum, Inc. Version: 9.01.

### DRUG STATUS

#### Availability

 Discontinued

#### [Pregnancy & Lactation](#)

 Risk data available

#### CSA Schedule\*

N/A Not a controlled drug



#### Approval History

10+ years FDA approved 1983



## User Reviews & Ratings

7.5 / 10

[83 Reviews](#)

## Images

[Zantac 150 mg \(Z 150\)](#)



[View larger images](#)

## Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



[About](#)

[About Drugs.com](#)  
[Advertising policy](#)  
[Attribution & citations](#)

## Terms & privacy

[Terms of use](#)  
[Editorial policy](#)  
[Privacy policy](#)

## Support

[Help center](#)  
[Sitemap](#)  
[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices  
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.