



[Home](#)

2. [Dosage](#)

3. Chlorpheniramine/hydroc...

## Chlorpheniramine / Hydrocodone / Phenylephrine Dosage

Applies to the following strengths: 2 mg-2.5 mg-5 mg/5 mL; 2 mg-1.67 mg-5 mg/5 mL; 4 mg-2.5 mg-10 mg/5 mL; 2 mg-5 mg-5 mg/5 mL; 2 mg-2 mg-7.5 mg/5 mL; 2 mg-5 mg-10 mg/5 mL; 3 mg-5 mg-7.5 mg/5 mL; 2 mg-6 mg-5 mg/5 mL; 4 mg-1.67 mg-5 mg/5 mL; 2.5 mg-3.5 mg-8 mg/5 mL; 2 mg-2.5 mg-10 mg/5 mL; 2 mg-3.5 mg-7.5 mg/5 mL; 2 mg-6 mg-12 mg/5 mL; 2.5 mg-3.25 mg-8 mg/5 mL; 2.5 mg-3.5 mg-10 mg/5 mL

### Usual Adult Dose for:

- [Cough and Nasal Congestion](#)

### Additional dosage information:

- [Renal Dose Adjustments](#)
- [Liver Dose Adjustments](#)
- [Dialysis](#)

### Usual Adult Dose for Cough and Nasal Congestion

**Chlorpheniramine/hydrocodone/phenylephrine 2 mg-6 mg-12 mg/5 mL oral liquid:**

5 to 10 mL orally every 4 to 6 hours not to exceed 50 mL daily.

**Chlorpheniramine/hydrocodone/phenylephrine 2.5 mg-3.5 mg-8 mg/5 mL oral liquid:**

**Chlorpheniramine/hydrocodone/phenylephrine 2.5 mg-3.25 mg-8 mg/5 mL oral liquid:**

10 mL orally every 4 to 6 hours not to exceed 40 mL daily.

**Chlorpheniramine/hydrocodone/phenylephrine 3 mg-5 mg-7.5 mg/5 mL oral liquid:**

5 to 10 mL orally every 4 to 6 hours not to exceed 40 mL daily.

**Chlorpheniramine/hydrocodone/phenylephrine 2 mg-2.5 mg-10 mg/5 mL oral liquid:**

10 mL orally every 4 to 6 hours not to exceed 40 mL daily.

### Renal Dose Adjustments

Data not available

### Liver Dose Adjustments

Data not available

## Dialysis

Data not available

## More about chlorpheniramine / hydrocodone / phenylephrine

- [Check interactions](#)
- [Compare alternatives](#)
- [Reviews \(4\)](#)
- [Side effects](#)
- [During pregnancy](#)
- [Drug class: upper respiratory combinations](#)

## Related treatment guides

- [Cough and Nasal Congestion](#)

## Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

[Medical Disclaimer](#)

### Benadryl Pediatric Dosage Guide

Use these dosage charts for infants and children under 12 years old:  
[Benadryl Dosage Charts \(Infants & Children\)](#)

#### DRUG STATUS

##### Availability

**Rx** Prescription only

##### [Pregnancy & Lactation](#)

 Risk data available

##### CSA Schedule\*

**2** High potential for abuse



## User Reviews & Ratings

[4 Reviews](#)

## Related Drugs

[Bromfed DM](#), [Mucinex D](#), [Promethazine VC with Codeine](#), [Robitussin Nighttime Cough DM](#), [Vanacof](#), [Vicks Nyquil Cough](#), [Alahist CF](#), [dextromethorphan / guaifenesin / phenylephrine](#)

## Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



### About

[About Drugs.com](#)

[Advertising policy](#)

[Attribution & citations](#)

### Terms & privacy

[Terms of use](#)

[Editorial policy](#)

[Privacy policy](#)

### Support

[Help center](#)

[Sitemap](#)

[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Ad Choices  
ADVERTISEMENT



Copyright © 2000-2025 Drugs.com. All rights reserved.