

#### Home

2. Miconazole

## Miconazole oral (buccal) ⊲ ,

Generic name: miconazole oral (buccal) [ mye-KON-a-zole ]

Brand names: Oravig, Monistat I.V., ORAVIG

**Dosage form:** buccal tablet (50 mg) **Drug class:** Azole antifungals



Medically reviewed by Drugs.com on May 29, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

## What is miconazole?

Miconazole is an antifungal medicine that fights infections caused by fungus.

Miconazole buccal is a pill placed between your check and gum to treat candida (yeast) infections inside the mouth.

Miconazole buccal may also be used for purposes not listed in this medication guide.

## Miconazole buccal side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; trouble swallowing or breathing; swelling of your face, lips, tongue, or throat.

## Common side effects of miconazole oral may include:

- nausea, vomiting, stomach pain;
- diarrhea;
- · headache; or
- · changes in your sense of taste.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Miconazole side effects (more detail)

## Related/similar drugs

## **Diflucan**

Diflucan (fluconazole) is used to treat and prevent fungal infections. Includes Diflucan side ...

### **Reviews & ratings**

5.9 / 10

144 Reviews

#### View more

## **Acidophilus**

Acidophilus helps maintain an acidic environment, which can prevent the growth of harmful bacteria ...

### **Reviews & ratings**

9.5 / 10

29 Reviews

## View more

#### FEATURED

## **Ozempic**

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

## **Reviews & ratings**

6.6 / 10

1,504 Reviews

### View more

## **Fluconazole**

Fluconazole is a prescription antifungal used to treat yeast and fungal infections like thrush ...

## **Reviews & ratings**

6.3 / 10

530 Reviews

#### View more

## **Warnings**

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

## Before taking this medicine

You should not use miconazole oral if you are allergic to miconazole (Monistat, Vusion, and others) or if you are allergic to milk proteins.

To make sure miconazole buccal is safe for you, tell your doctor if you have ever had:

- · liver disease; or
- an allergic reaction to antifungal medicine.

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

It is not known whether miconazole buccal passes into breast milk or if it could affect the nursing baby. Tell your doctor if you are breast-feeding.

Miconazole buccal is not approved for use by anyone younger than 16 years old.

## How should I use miconazole buccal?

Follow all directions on your prescription label. Do not use this medicine in larger or smaller amounts or for longer than recommended.

The usual dose of this medicine is one tablet each morning for 14 days in a row.

Brush your teeth before putting in a buccal tablet. Make sure your hands are dry before handling the tablet.

The miconazole buccal tablet should be placed against your upper gum, just above your incisor tooth. Incisor teeth are located on the right and left sides of your two front teeth.

Place the rounded side of the tablet against your gum. Close your mouth and press your finger gently against the side of your cheek for 30 seconds to make sure the tablet stays in place.

**Do not chew or swallow the buccal tablet.** Leave it in place until the next morning. Avoid touching or pressing the tablet while it is in place.

You may eat and drink normally while the tablet is in place, but avoid chewing gum.

During the first 6 hours after placing a buccal tablet in your mouth, if the tablet comes loose try putting it back into place. If the tablet won't stay in place, throw it away and put in a new tablet. If you accidentally swallow a tablet within the first 6 hours of wearing time, drink a full glass of water and put in a new tablet.

After the first 6 hours, if a tablet comes loose or you accidentally swallow it, do not put in a new tablet. Wait until the next morning to put in a new tablet.

If any pieces of the tablet remain in your mouth the next morning, rinse your mouth with water before using a new tablet.

Place the new tablet on the side of your upper gum that is opposite from the side you used the day before. Switch sides of your mouth each morning when using a new tablet.

Call your doctor if your symptoms do not improve, or if they get worse.

Store at room temperature away from moisture and heat.

## Miconazole oral dosing information

#### **Usual Adult Dose for Oral Thrush:**

Apply 50 mg buccally to the upper gum region (canine fossa) once a day for 14 consecutive days.

Use: For the local treatment of oropharyngeal candidiasis

#### **Usual Pediatric Dose for Oral Thrush:**

16 years or older: Apply 50 mg buccally to the upper gum region once a day for 14 consecutive days.

Use: For the local treatment of oropharyngeal candidiasis

Detailed Miconazole dosage information

## What happens if I miss a dose?

Take the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** take extra medicine to make up the missed dose.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

## What should I avoid while using miconazole buccal?

Avoid chewing gum, swishing liquid in your mouth, or hitting the tablet while brushing your teeth.

Avoid wearing an upper denture if it gets in the way of the buccal tablet.

## What other drugs will affect miconazole buccal?

Tell your doctor about all your current medicines and any you start or stop using, especially:

- phenytoin;
- insulin or oral diabetes medicine;
- a blood thinner--warfarin, Coumadin, Jantoven; or
- ergot medicine--dihydroergotamine, ergotamine, ergonovine, methylergonovine.

This list is not complete. Other drugs may interact with miconazole buccal, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible interactions are listed in this medication guide.

Miconazole drug interactions (more detail)

## Does miconazole interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



## **Popular FAQ**

Can you have sex while using Monistat?

Do you wash Monistat out in the morning?

## More FAQ

- What are the most common skin conditions? (with photos)
- Why does Monistat burn/itch so bad?

View more FAQ...

## More about miconazole

- · Check interactions
- · Compare alternatives
- Side effects
- Dosage information
- During pregnancy
- Support group
- · Drug class: azole antifungals
- Breastfeeding
- En español

## **Patient resources**

• Miconazole (Buccal mucosa) advanced reading

 Miconazole (Oral) Other brands Oravig **Professional resources** Other brands Oravig Related treatment guides Oral Thrush **Further information** Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed. Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances. Medical Disclaimer Copyright 1996-2025 Cerner Multum, Inc. Version: 2.01. **DRUG STATUS Availability** Rx Prescription only **Pregnancy & Lactation** 

Availability
Rx Prescription only
Pregnancy & Lactation
Risk data available
CSA Schedule\*
N/A Not a controlled drug
Approval History
Drug history at FDA

## **User Reviews & Ratings**

Review this drug

## **Images**

Oravig (miconazole) 50 mg (L)

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com

Advertising policy

Attribution & citations

### Terms & privacy

Terms of use

**Editorial policy** 

Privacy policy

#### Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×