

Home

Frova

Frova ⊲»

Generic name: frovatriptan [FRO-va-trip-tin]

Drug class: Antimigraine agents



Medically reviewed by Drugs.com on Aug 12, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is Frova?

Frova is a headache medicine that narrows blood vessels around the brain. This medicine also reduces substances in the body that can trigger headache pain, nausea, sensitivity to light and sound, and other migraine symptoms.

Frova is used to treat migraine headaches. This medicine **will only treat** a headache that has already begun. It **will not prevent** headaches or reduce the number of attacks.

Frova should not be used to treat a common tension headache, or a headache that causes loss of movement on one side of your body. Use Frova only if your condition has been confirmed by a doctor as migraine headaches.

Frova may also be used for purposes not listed in this medication guide.

Frova side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Frova may cause serious side effects. Stop using Frova and call your doctor at once if you have:

- sudden and severe stomach pain and bloody diarrhea;
- severe chest pain, shortness of breath, irregular heartbeats;
- a seizure (convulsions);
- blood circulation problems in your legs or feet--cramps, tight or heavy feeling, numbness or tingling, muscle weakness, burning pain, cold feeling, color changes (pale or blue), hip pain;
- heart attack symptoms--chest pain or pressure, pain spreading to your jaw or shoulder, nausea, sweating;
- high levels of serotonin in the body-agitation, hallucinations, fever, fast heart rate, overactive reflexes, nausea, vomiting, diarrhea, loss of coordination, fainting;
- increased blood pressure--severe headache, blurred vision, pounding in your neck or ears, anxiety, nosebleed; or

• signs of a stroke--sudden numbness or weakness (especially on one side of the body), sudden severe headache, slurred speech, problems with vision or balance.

Common side effects of Frova may include:

- mild headache (not a migraine);
- · feeling too warm or too cold;
- dry mouth, upset stomach;
- · chest pain;
- · bone or joint pain;
- numbness or tingling in your fingers or toes;
- · dizziness, tiredness; or
- flushing (warmth, redness, or tingly feeling).

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

frova side effects (more detail)

Related/similar drugs

Celebrex

Celebrex is a nonsteroidal antiinflammatory drug used to treat pain or inflammation. Learn about ...

Reviews & ratings

7.0 / 10

226 Reviews

View more

Botox

Botox is used to treat chronic migraines, excessive sweating, bladder conditions, eye muscle ...

Reviews & ratings

5.7 / 10

473 Reviews

View more

FEATURED

Nurtec ODT

Nurtec ODT (rimegepant) is used to treat acute migraines and prevent episodic migraines, by ...

Reviews & ratings

6.3 / 10

320 Reviews

View more

Qulipta

Qulipta is used to help prevent episodic or chronic migraine headaches in adults. Qulipta is an ...

Reviews & ratings

8.1 / 10

174 Reviews

View more

Metoclopramide

Metoclopramide is used short-term to treat heartburn caused by gastroesophageal reflux. Learn about

Reviews & ratings

3.9 / 10

517 Reviews

View more

Celecoxib

Celecoxib is a nonsteroidal antiinflammatory drug (NSAID) used to treat pain or inflammation ...

Reviews & ratings

7.0 / 10

280 Reviews

View more

Diclofenac

Diclofenac is a nonsteroidal antiinflammatory drug used to treat pain and inflammation associated ...

Reviews & ratings

7.3 / 10

695 Reviews

View more

Propranolol

Propranolol is a beta-blocker that is used to treat tremors, chest pain, high blood pressure, heart ...

Reviews & ratings

8.2 / 10

1,376 Reviews

View more

Warnings

You should not use Frova if you have ever had heart disease, coronary artery disease, blood circulation problems, Wolff-Parkinson-White syndrome, uncontrolled high blood pressure, severe liver disease, a heart attack or stroke, or if your headache seems to be different from your usual migraine headaches.

Do not take Frova within 24 hours before or after using another migraine headache medicine.

Before taking this medicine

You should not use Frova if you are allergic to it, if you have a headache that seems different from your usual migraine headaches, or if you have ever had:

- heart problems, or a stroke (including "mini-stroke");
- coronary artery disease, angina (chest pain), blood circulation problems, lack of blood supply to the heart;
- circulation problems affecting your legs, arms, stomach, intestines, or kidneys;
- a heart disorder called Wolff-Parkinson-White syndrome;
- · uncontrolled high blood pressure; or
- · severe liver disease.

Tell your doctor if you have ever had:

- liver or kidney disease;
- high blood pressure, a heart rhythm disorder; or
- risk factors for coronary artery disease (such as diabetes, menopause, smoking, being overweight, having high

blood pressure or high cholesterol, having a family history of coronary artery disease, or being older than 40 and a man).

It is not known whether Frova will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

It may not be safe to breast-feed while using this medicine. Ask your doctor about any risk.

Frova is not approved for use by anyone younger than 18 years old.

How should I use Frova?

You may receive your first dose in a hospital or clinic setting to quickly treat any serious side effects.

Take Frova as soon as you notice headache symptoms. Follow all directions on your prescription label and read all medication guides or instruction sheets. Use the medicine exactly as directed.

Never use more than your recommended dose. Overuse of migraine headache medicine can make headaches worse. Tell your doctor if the medicine seems to stop working as well in treating your migraine attacks.

Take 1 tablet whole with a full glass of water.

After taking a tablet: If your headache does not completely go away, call your doctor before taking a second tablet. If your headache goes away and then comes back, take a second tablet if it has been at least 2 hours since your first tablet. **Do not take more than 3 tablets in 24 hours.**

Call your doctor if your headache does not go away at all after taking the first Frova tablet.

Tell your doctor if you have more than four headaches in one month (30 days). **Tell your doctor if this medicine seems** to stop working as well in treating your migraine attacks.

Store at room temperature away from moisture and heat.

Detailed Frova dosage information

What happens if I miss a dose?

Since Frova is used when needed, it does not have a daily dosing schedule. Call your doctor if your symptoms do not improve after using Frova.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using Frova?

Do not take Frova within 24 hours before or after using another migraine headache medicine, including:

- sumatriptan, almotriptan, eletriptan, naratriptan, rizatriptan, zolmitriptan; or
- ergot medicine such as dihydroergotamine, ergotamine, ergonovine, or methylergonovine.

Avoid driving or hazardous activity until you know how Frova will affect you. Your reactions could be impaired.

What other drugs will affect Frova?

Using Frova while you are using certain other medicines can cause **high levels of serotonin to build up in your body,** a **condition called "serotonin syndrome,"** which can be fatal. Tell your doctor if you also use:

- medicine to treat depression or a psychiatric disorder;
- medicine for Parkinson's disease;
- · medicine for serious infections;
- herbal products;
- · stimulant medicine;
- · opioid medicine; or
- medicine to prevent nausea and vomiting.

This list is not complete. Other drugs may affect Frova, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

1 Frova drug interactions (more detail)

Does Frova interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

Frova	
+	
Enter a drug name	Add

More about Frova (frovatriptan)

- Check interactions
- Compare alternatives
- Pricing & coupons
- Reviews (42)
- Drug images
- · Side effects
- Dosage information
- During pregnancy
- · Generic availability

- Drug class: antimigraine agents
- Breastfeeding
- En español

Patient resources

Frova advanced reading

Professional resources

- Frova prescribing information
- Frovatriptan (AHFS Monograph)

Related treatment guides

• Migraine

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 8.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

& Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

10+ years FDA approved 2001

User Reviews & Ratings

9.0 / 10

42 Reviews

Related News

Images

Frova 2.5 mg (77 e)



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





