

Home

2. RadiaPlexRx

RadiaPlexRx (topical)

Generic name: sodium hyaluronate (topical) [*SOE-dee-um-HYE-al-ure-ON-ate*] **Brand names:** Bionect, Gelclair, HyGel, Hylira, IPM Wound, RadiaPlexRx, Xclair

Drug class: Miscellaneous topical agents



Medically reviewed by Drugs.com on Dec 21, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is RadiaPlexRx topical?

RadiaPlexRx is similar to the fluid that surrounds your joints. This medicine acts as a lubricant on the skin by restoring moisture and preventing friction or abrasion.

RadiaPlexRx **skin medication** is used to treat skin ulcers such as bed sores or diabetic foot ulcers, as well as burn wounds, surgical incisions, cuts, abrasions, and other skin irritations. This medicine skin medication is also used to treat dry or scaly skin.

RadiaPlexRx **oral gel** is used to treat mouth sores or other irritation caused by infection, chemotherapy or radiation treatments, or dental work.

RadiaPlexRx may also be used for purposes not listed in this medication guide.

RadiaPlexRx topical side effects

Get emergency medical help if you have any of these **signs of an allergic reaction:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Stop using RadiaPlexRx and call your doctor at once if you have any new signs of skin infection such as:

- · redness, warmth;
- · pain, swelling; or
- · oozing or open sores.

RadiaPlexRx oral gel may cause a mild burning sensation in your mouth.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

RadiaPlexRx side effects (more detail)

Related/similar drugs

FEATURED

Repatha

Repatha (evolocumab) is a PCSK9 inhibitor used to lower high cholesterol alongside dietary changes ...

Reviews & ratings

5.3 / 10

685 Reviews

View more

Clobetasol topical

Clobetasol is available as a cream, gel, ointment, lotion, solution, foam or spray and is used to ...

Reviews & ratings

8.2 / 10

164 Reviews

View more

Vancomycin

Vancomycin is used to treat infections of the intestines that cause colitis.

Learn about side ...

Reviews & ratings

6.5 / 10

57 Reviews

View more

Warnings

Follow all directions on your medicine label and package. Tell each of your healthcare providers about all your medical conditions, allergies, and all medicines you use.

Before taking this medicine

You should not use RadiaPlexRx if you are allergic to it.

FDA pregnancy category C. It is not known whether RadiaPlexRx will harm an unborn baby. Tell your doctor if you are

pregnant or plan to become pregnant while using RadiaPlexRx.

It is not known whether sodium hyaluronate topical passes into breast milk or if it could harm a nursing baby. Tell your doctor if you are breast-feeding a baby.

How should I use RadiaPlexRx topical?

Follow all directions on your prescription label. Do not use this medicine in larger or smaller amounts or for longer than recommended.

Do not share this medicine with another person, even if they have the same symptoms you have.

To use sodium hylauronate on the skin:

- Clean and disinfect the skin area before applying RadiaPlexRx cream, gel, film, or spray.
- Apply enough of the medication to cover the wound or affected skin area entirely.
- If you use RadiaPlexRx **gel**, **foam** or **cream** on an open skin wound, dab a thin layer of the medicine onto the affected area with as little rubbing as possible.
- To prevent contaminating the medication tube or bottle, use a sterile rubber glove or finger cot while applying RadiaPlexRx.
- Cover the treated skin area with a sterile gauze pad or other dressing recommended by your doctor.
- RadiaPlexRx for use on the skin is usually applied 2 or 3 times per day. Follow your doctor's instructions.

To use the RadiaPlexRx oral gel:

- Tear open the gel packet and pour the entire contents into a drinking glass. Add 1 or 2 tablespoons of water and stir
 this mixture well.
- If you do not have water available while using the oral gel, you may use it undiluted.
- Rinse your mouth thoroughly by swishing and gargling with the mixture in your mouth for at least 1 minute.
- Make sure your gums, teeth, tongue, and insides of your cheeks are well coated with the medicine before spitting it
 out.
- · Avoid eating or drinking anything for at least 1 hour after using the oral gel.
- RadiaPlexRx oral gel may be used 3 times per day. Follow your doctor's instructions.

Stop using this medicine and call your doctor if your symptoms do not improve or if they get worse, or if you develop new symptoms.

Store at room temperature away from moisture and heat. Keep the tube bottle tightly closed when not in use. Do not tear open an oral gel packet until you are ready to use it.

Detailed RadiaPlexRx dosage information

What happens if I miss a dose?

Since RadiaPlexRx topical is used when needed, you may not be on a dosing schedule. If you are using the medication regularly, use the missed dose as soon as you remember. Skip the missed dose if it is almost time for your next

scheduled dose. Do not use extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What should I avoid while using RadiaPlexRx topical?

Avoid getting RadiaPlexRx skin medication in your mouth or on your lips. If this does happen, rinse with water. Only the oral gel form of sodium hyaluronate is safe to use in the mouth.

If this medication gets in your eyes, rinse with water.

Avoid using a wound disinfectant that contains quarternary ammonium salts. Use only the wound disinfecting method your doctor recommends.

What other drugs will affect RadiaPlexRx topical?

It is not likely that other drugs you take orally or inject will have an effect on topically applied RadiaPlexRx. But many drugs can interact with each other. Tell each of your health care providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

Does RadiaPlexRx interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

RadiaPlexRx	
+	
Enter a drug name	Add

More about RadiaPlexRx (sodium hyaluronate topical)

- Compare alternatives
- Reviews (2)
- Side effects
- Dosage information
- Drug class: miscellaneous topical agents
- En español

Patient resources

Other brands

Professional resources

Other brands

Hylinate

Related treatment guides

- Dermatological Disorders
- Burns, External
- Dermatitis
- Dermatologic Lesion

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 4.02.

DRUG STATUS

Availability

Rx Prescription only

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

Review this drug

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com

Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.