

Home

Irbesartan

Irbesartan ⊲

Generic name: irbesartan [*ir-be-SAR-tan*]

Brand name: Avapro

Dosage form: oral tablet (150 mg; 300 mg; 75 mg)

Drug class: Angiotensin receptor blockers



Medically reviewed by Drugs.com on Apr 16, 2024. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

What is irbesartan?

Irbesartan is an angiotensin II receptor blocker (sometimes called an ARB).

Irbesartan is used to treat high blood pressure (hypertension) in adults and children at least 6 years old. Lowering blood pressure may lower your risk of a stroke or heart attack.

Irbesartan is also used to treat kidney problems caused by type 2 diabetes.

Irbesartan may also be used for purposes not listed in this medication guide.

Irbesartan side effects

Get emergency medical help if you have **signs of an allergic reaction:** hives; difficult breathing; swelling of your face, lips, tongue, or throat.

Irbesartan may cause serious side effects. Call your doctor at once if you have:

- a light-headed feeling, like you might pass out;
- little or no urination;
- high potassium level--nausea, weakness, tingly feeling, chest pain, irregular heartbeats, loss of movement.

Common side effects of irbesartan may include:

- · dizziness;
- · feeling light-headed; or
- · high potassium.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Related/similar drugs

Cozaar

Cozaar (losartan) is used to treat high blood pressure (hypertension). Includes Cozaar side ...

Reviews & ratings

6.4 / 10

62 Reviews

View more

Captopril

Captopril is used to treat hypertension, heart failure and to improve survival after a heart ...

Reviews & ratings

7 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Lisinopril

Lisinopril is an ACE inhibitor. It is used to treat high blood pressure, congestive heart failure ...

Reviews & ratings

5.0 / 10

626 Reviews

View more

Ramipril

Ramipril treats high blood pressure, heart failure, and improves survival after a heart attack ...

Reviews & ratings

5.7 / 10

133 Reviews

View more

Atenolol

Atenolol is used to treat angina (chest pain) and hypertension (high blood pressure). Learn about ...

Reviews & ratings

7.2 / 10

276 Reviews

View more

Altace

Altace (ramipril) is used to treat high blood pressure, heart failure, and to improve survival ...

Reviews & ratings

6.9 / 10

12 Reviews

View more

Hydrochlorothiazide

HCTZ (hydrochlorothiazide) used to treat high blood pressure (hypertension) and edema. Includes ...

Reviews & ratings

5.2 / 10

185 Reviews

View more

Lasix

Lasix is a loop diuretic used to treat fluid retention from heart, liver, or kidney conditions, and ...

Reviews & ratings

6.4 / 10

56 Reviews

View more

Warnings

Do not use if you are pregnant. Stop using and tell your doctor right away if you become pregnant.

If you have diabetes, do not take irbesartan with any medication that contains aliskiren (a blood pressure medicine).

Before taking this medicine

You should not use irbesartan if you are allergic to it.

If you have diabetes, do not take irbesartan with any medication that contains aliskiren (a blood pressure medicine).

You may also need to avoid taking irbesartan with aliskiren if you have kidney disease.

Tell your doctor if you have ever had:

- a heart condition other than one being treated with irbesartan;
- kidney disease (or if you are on dialysis); or
- if you are on a low-salt diet.

Do not use if you are pregnant. Stop using the medicine and tell your doctor right away if you become pregnant. Irbesartan can cause injury or death to the unborn baby if you take the medicine during your second or third trimester.

If you plan to get pregnant, ask your doctor for a safer medicine to use before and during pregnancy. Having high blood pressure during pregnancy may cause complications in the mother and the baby.

You should not breastfeed while using irbesartan.

How should I take irbesartan?

Follow all directions on your prescription label and read all medication guides or instruction sheets. Your doctor may occasionally change your dose. Use the medicine exactly as directed.

Irbesartan may be taken with or without food.

Your blood pressure will need to be checked often. Your kidney function may also need to be checked.

Call your doctor if you are sick with vomiting or diarrhea, or if you are sweating more than usual. You can easily become dehydrated while taking irbesartan.

It may take up to 2 weeks before your blood pressure is under control. **Keep using this medicine as directed, even if you feel well.** High blood pressure often has no symptoms.

You may need to use blood pressure medicine for the rest of your life. Treatment may also include diet, exercise, lowering cholesterol, not smoking, and controlling diabetes.

Store at room temperature away from moisture and heat.

Irbesartan dosing information

Usual Adult Dose for Hypertension:

Initial dose: 150 mg orally once a day

Maintenance 150 to 300 mg orally once a day Maximum dose: 300 mg orally once a day

Comments:

-May be used alone or in combination with other antihypertensive agents.

Use: Treatment of hypertension

Usual Adult Dose for Diabetic Nephropathy:

300 mg orally once a day

Comments:

-This drug has been shown to reduce the rate of progression of nephropathy as measured by the occurrence of doubling of serum creatinine or ESRD (need for dialysis or renal transplantation).

Use: Treatment of diabetic nephropathy in patients with type 2 diabetes and hypertension with elevated serum creatinine and proteinuria (greater than 300 mg/day)

Detailed Irbesartan dosage information

What happens if I miss a dose?

Take the medicine as soon as you can, but skip the missed dose if it is almost time for your next dose. **Do not** take two doses at one time.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

Overdose symptoms may include fast heartbeats or fainting.

What should I avoid while taking irbesartan?

Do not use potassium supplements or salt substitutes, unless your doctor has told you to.

Avoid getting up too fast from a sitting or lying position, or you may feel dizzy.

What other drugs will affect irbesartan?

Tell your doctor about all your other medicines, especially:

- · heart or blood pressure medication;
- · lithium; or
- NSAIDs (nonsteroidal anti-inflammatory drugs)--aspirin, ibuprofen (Advil, Motrin), naproxen (Aleve), celecoxib, diclofenac, indomethacin, meloxicam, and others.

This list is not complete. Other drugs may affect irbesartan, including prescription and over-the-counter medicines, vitamins, and herbal products. Not all possible drug interactions are listed here.

1 Irbesartan drug interactions (more detail)

Does irbesartan interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

irbesartan
+
Enter a drug name
Add

More about irbesartan

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (106)
- Drug images
- Latest FDA alerts (6)
- Side effects
- Dosage information
- During pregnancy
- Drug class: angiotensin receptor blockers
- Breastfeeding
- En español

Patient resources

Other brands

Avapro

Professional resources

- Irbesartan monograph
- Ibesartan (FDA)
- Irbesartan (FDA)

Other brands

Avapro

Related treatment guides

- Diabetic Kidney Disease
- High Blood Pressure

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 10.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

& Risk data available

CSA Schedule*

N/A Not a controlled drug

Approval History

Drug history at FDA

User Reviews & Ratings

4.5 / 10

106 Reviews

Images

Irbesartan 300 mg (H 160)



Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







