

#### Home

Peridex

## Peridex (oral rinse)

Generic name: chlorhexidine gluconate (oral rinse) [ klor-HEX-i-deen ]

Brand names: Peridex, PerioChip, Periogard

Drug classes: Antiseptic and germicides, Mouth and throat products



Medically reviewed by Drugs.com on Dec 11, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions

## What is Peridex?

Peridex is a germicidal mouthwash that reduces bacteria in the mouth.

Peridex is used to treat gingivitis (swelling, redness, bleeding gums). This medicine is usually prescribed by a dentist.

Peridex is not for treating all types of gingivitis. Use the medication only to treat the condition your dentist prescribed it for. Do not share this medication with another person, even if they have the same gum symptoms you have.

Peridex may also be used for purposes not listed in this medication guide.

## Peridex side effects

**Peridex can cause a rare but serious allergic reaction that may be life-threatening.** Get emergency medical help if you have any of these **signs of an allergic reaction:** hives, severe skin rash; wheezing, difficult breathing; cold sweats, feeling light-headed; swelling of your face, lips, tongue, or throat.

Peridex may cause serious side effects. Call your doctor at once if you have:

- white patches or sores inside your mouth or on your lips;
- · mouth ulcers; or
- swelling of your salivary glands (underneath your jaws).

#### Common side effects of Peridex may include:

- mouth irritation;
- · tooth staining;
- · dry mouth;
- unusual or unpleasant taste in your mouth; or

decreased taste sensation.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

• Peridex side effects (more detail)

## Related/similar drugs

#### FEATURED

#### **Ozempic**

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

#### **Reviews & ratings**

6.6 / 10

1,504 Reviews

View more

## **Minocycline**

Minocycline is used to treat infections, such as urinary tract infections, acne and chlamydia ...

### **Reviews & ratings**

5.9 / 10

564 Reviews

View more

## **Warnings**

Peridex can cause a rare but serious allergic reaction that may be life-threatening. Get emergency medical help if you have: hives, severe skin rash; wheezing, difficult breathing; cold sweats, feeling light-headed; swelling of your face, lips, tongue, or throat.

Do not give this medication to a child or teenager without a doctor's advice. Peridex may cause severe irritation or chemical burns in young children.

## Before taking this medicine

You should not use this medication if you are allergic to Peridex.

If you have periodontal disease, you may need special treatments while you are using Peridex.

Do not give this medication to a child or teenager without a doctor's advice. This medicine may cause severe irritation or chemical burns in young children. Peridex is not approved for use by anyone younger than 18 years old.

It is not known whether this medicine will harm an unborn baby. Tell your doctor if you are pregnant or plan to become pregnant.

It is not known whether chlorhexidine gluconate passes into breast milk or if it could affect the nursing baby. Tell your doctor if you are breast-feeding.

## How should I use Peridex?

Follow all directions on your prescription label. Do not use Peridex in larger or smaller amounts or for longer than recommended.

Rinse your mouth with Peridex twice daily after brushing your teeth.

Measure your dose using the cup provided with the medication. Swish the medicine in your mouth for at least 30 seconds, then spit it out. **Do not swallow the mouthwash.** 

Do not add water to the oral rinse. Do not rinse your mouth with water or other mouthwashes right after using Peridex.

Peridex may leave an unpleasant taste in your mouth. Do not rinse your mouth to remove this taste after using the medication. You may rinse the medicine away and reduce its effectiveness.

Use this medication for the full prescribed length of time. Your symptoms may improve before your gingivitis is completely cleared. Peridex will not treat a viral or fungal infection such as cold sores, canker sores, or oral thrush (yeast infection).

Visit your dentist at least every 6 months for preventive tooth and gum care.

Store Peridex at room temperature away from moisture and heat.

Detailed Peridex dosage information

## What happens if I miss a dose?

Use the missed dose as soon as you remember, but brush your teeth first. Skip the missed dose if it is almost time for your next scheduled dose. **Do not** use extra medicine to make up the missed dose.

## What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222, especially if a child has swallowed 4 or more ounces of Peridex.

An overdose of chlorhexidine would occur only if the medicine were swallowed. Overdose symptoms may include nausea, stomach pain, or the appearance of being drunk.

## What should I avoid while taking Peridex?

Peridex can stain teeth, dentures, tooth restorations, your tongue, or the inside of your mouth. Talk with your dentist about ways to remove staining from these surfaces. Stains may be harder to remove from false teeth that have scratches

in their surfaces.

Avoid eating, drinking, or brushing your teeth just after using this medication.

Do not use any other mouthwash unless your doctor has told you to.

## What other drugs will affect Peridex?

It is not likely that other drugs you take orally or inject will have an effect on Peridex. But many drugs can interact with each other. Tell each of your health care providers about all medicines you use, including prescription and over-the-counter medicines, vitamins, and herbal products.

Peridex drug interactions (more detail)

## Does Peridex interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



## More about Peridex (chlorhexidine topical)

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (7)
- Latest FDA alerts (3)
- Side effects
- Dosage information
- During pregnancy
- Generic availability
- Drug class: antiseptic and germicides
- Breastfeeding
- En español

## **Patient resources**

- Peridex advanced reading
- Peridex

## Other brands

Hibiclens, Betasept, ChloraPrep One-Step, Tegaderm CHG Dressing, ... +10 more

## **Professional resources**

- Peridex prescribing information
- Chlorhexidine Gluconate (Topical) (AHFS Monograph)

## Other brands

Hibiclens, Betasept, ChloraPrep One-Step, Paroex, ... +6 more

## Related treatment guides

- Mucositis
- Periodontitis
- Gingivitis

## **Further information**

• Your pharmacist or dentist can provide more information about Peridex oral rinse.

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

#### Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 5.02.

#### **DRUG STATUS**

# Availability Rx and/or OTC Pregnancy & Lactation Risk data available CSA Schedule\* N/A Not a controlled drug

## Approval History

The Drug history at FDA

## **User Reviews & Ratings**

7 Reviews

# **Drugs.com Mobile App**

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





#### **About**

About Drugs.com
Advertising policy
Attribution & citations

### Terms & privacy

Terms of use Editorial policy Privacy policy

#### Support

Help center Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

**Drugs.com** provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





