

Home

Creon

Creon 🖘

Generic name: pancrelipase [pan-kre-LYE-pace]

Drug class: Digestive enzymes

Medically reviewed by Kaci Durbin, MD. Last updated on Jul 23, 2024.

Uses Warnings Before taking Dosage Side effects Interactions FAQ

What is Creon?

Creon contains a combination of three enzymes (proteins): lipase, protease, and amylase. These enzymes are normally produced by the pancreas and are important in the digestion of fats, proteins, and sugars.

Creon is used to replace these enzymes when the body does not have enough of its own. Certain medical conditions can cause this lack of enzymes, including cystic fibrosis, chronic inflammation of the pancreas, or blockage of the pancreatic ducts.

Creon may also be used following surgical removal of the pancreas.

Warnings

Call your doctor at once if you have symptoms of a rare but serious bowel disorder: severe or unusual stomach pain, vomiting, bloating, diarrhea, or constipation.

Do not chew or keep Creon in your mouth. Creon can irritate the inside of your mouth.

Before taking this medicine

To make sure Creon is safe for you, tell your doctor if you have ever had:

- · kidney disease;
- gout;
- high blood uric acid levels (called hyperuricemia);
- diabetes:
- a blockage or scarring in your intestines;
- · trouble swallowing pills;
- · lactose intolerance; or

• or pork protein allergy.

Tell your doctor if you are pregnant or plan to get pregnant, or if you are breastfeeding or plan to breastfeed.

<u>Creon pregnancy and breastfeeding warnings</u> (more detail)

How should I take Creon?

Take Creon exactly as prescribed by your doctor. Follow all directions on your prescription label. Do not take this medicine in larger or smaller amounts or for longer than recommended. Do not switch brands of this medicine without your doctor's advice.

Creon should be taken with a meal or snack.

Read all patient information, medication guides, and instruction sheets provided to you. Be especially careful to follow all directions about giving this medicine to a child. Ask your doctor or pharmacist if you have any questions.

Do not crush, chew, or break open a capsule. Swallow the capsule whole with a full glass of water.

Do not hold the pill in your mouth. Creon can irritate the inside of your mouth.

You may open the Creon capsule and sprinkle the medicine into a spoonful of applesauce to make swallowing easier. Swallow the mixture right away without chewing. Do not save for later use.

Do not mix the medicine with infant formula or breast milk. Give Creon prior to each feeding.

Do not inhale the powder from a Creon capsule, or allow it to touch your skin. It may cause irritation, especially to your nose and lungs.

Tell your doctor if you have any changes in weight. Creon doses are based on weight (especially in children and teenagers), and any changes may affect the dose.

Use this medicine regularly to get the most benefit. Get your prescription refilled before you run out of medicine completely.

Creon must be stored at room temperature 15°C to 25°C (59°F to 77°F) and protected from moisture. Short term storage is permitted at temperatures between 25°C to 40°C (77°F to 104°F) for up to 30 days. Creon should be discarded if exposed to higher temperature and moisture conditions higher than 70%. After opening, keep bottle tightly closed between uses to protect from moisture.

Your medicine bottle may also include a packet or canister of moisture-absorbing preservative. Keep this packet in the bottle at all times.

Call your doctor if you have any worsening of a long-term pancreas problem.

Detailed Creon dosage information

What happens if I miss a dose?

Take the missed dose with your next meal or snack. Do not take extra medicine to make up the missed dose.

What happens if I overdose?

Seek emergency medical attention or call the Poison Help line at 1-800-222-1222.

What to avoid

Follow your doctor's instructions about any restrictions on food, beverages, or activity.

Creon side effects

Get emergency medical help if you have **signs of an allergic reaction to Creon:** hives; difficulty breathing; swelling of your face, lips, tongue, or throat.

Call your doctor at once if you have:

- · joint pain or swelling; or
- symptoms of a rare but serious bowel disorder severe or unusual stomach pain, vomiting, bloating, diarrhea, constipation.

Tell your doctor if your child is not growing at a normal rate while using Creon.

Common Creon side effects may include:

- · stomach pain, gas, vomiting;
- · diarrhea, frequent or abnormal bowel movements;
- · rectal itching;
- · headache, dizziness;
- runny or stuffy nose, cough, sore throat; or
- changes in your blood sugar.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

Creon side effects (more detail)

Related/similar drugs

Zithromax

Zithromax (azithromycin) treats infections caused by bacteria, such as respiratory infections, skin ...

Reviews & ratings

7.1 / 10

127 Reviews

View more

Vitamin e

Vitamin E is an antioxidant that occurs naturally in some foods and is used to treat or prevent ...

Reviews & ratings

7 Reviews

View more

FEATURED

Ozempic

Learn about Ozempic (semaglutide) for type 2 diabetes treatment, weight management, cardiovascular ...

Reviews & ratings

6.6 / 10

1,504 Reviews

View more

Zenpep

Zenpep (pancrealipase) is used to replace pancreatic enzymes when the body does not have enough of ...

Reviews & ratings

7.7 / 10

16 Reviews

View more

Other drugs may interact with Creon, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all your current medicines and any medicine you start or stop using.

Creon drug interactions (more detail)

Does Creon interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.



Frequently asked questions

· What are enteric-coated tablets?

More about Creon (pancrelipase)

- · Check interactions
- · Compare alternatives
- Pricing & coupons
- Reviews (59)
- Drug images
- Side effects
- Dosage information
- During pregnancy
- Support group
- · FDA approval history
- Drug class: digestive enzymes
- Breastfeeding
- En español

Patient resources

Other brands

Zenpep, Pancreaze, Pertzye, Viokace, ... +3 more

Professional resources

- · Creon prescribing information
- Pancrelipase (AHFS Monograph)

Other brands

Zenpep, Pancreaze, Pertzye, Viokace

Related treatment guides

- Pancreatic Exocrine Dysfunction
- Chronic Pancreatitis
- Cystic Fibrosis

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use Creon only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 10.01.

DRUG STATUS

Availability

Rx Prescription only

Pregnancy & Lactation

ঝ্য Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

6.3 / 10

59 Reviews

Images

Creon 180,000 units amylase / 36,000 units lipase / 114,000 units protease (CREON 1236)





Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy
Attribution & citations

Terms & privacy

Terms of use Editorial policy Privacy policy

Support

Help center Sitemap

Contact us











Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.





