

Home

2. Pemetrexed

Pemetrexed

Generic name: pemetrexed [pem-e-TREX-ed] **Brand names:** Alimta, Pemfexy, Pemrydi RTU

Dosage forms: intravenous powder for injection (1 g; 100 mg; 500 mg; 750 mg), intravenous solution (10 mg/mL; 25 mg/mL)

Drug class: Antimetabolites



Medically reviewed by Drugs.com on Aug 31, 2023. Written by Cerner Multum.

Uses Side effects Warnings Before taking Dosage Interactions FAQ

What is pemetrexed?

Pemetrexed is used in adults to treat a certain type of lung cancer that has returned or has spread to other parts of the body (metastatic).

Pemetrexed is also used to treat a type of cancer that affects the lining of the lungs in adults who cannot have surgery.

Pemetrexed may be used in combination with other cancer medicines.

Pemetrexed may also be used for purposes not listed in this medication guide.

Pemetrexed side effects

Get emergency medical help if you have **signs of an allergic reaction** (hives, difficult breathing, swelling in your face or throat) **or a severe skin reaction** (fever, sore throat, burning eyes, skin pain, red or purple skin rash with blistering and peeling).

Pemetrexed may cause serious side effects. Call your doctor at once if you have:

- kidney problems--swelling, urinating less, feeling tired or short of breath;
- lung problems-- new or worsening cough, trouble breathing;
- low blood cell counts--fever, chills, tiredness, mouth sores, skin sores, easy bruising, unusual bleeding, pale skin, cold hands and feet, feeling light-headed or short of breath;
- · swelling, redness, or blistering of skin that was treated with radiation in the past; or
- new signs of infection (fever, weakness, cough, diarrhea, burning when you urinate).

Your cancer treatments may be delayed or permanently discontinued if you have certain side effects.

Common side effects of pemetrexed may include:

- tiredness, feeling short of breath, cough;
- swelling or sores in mouth, sore throat;
- · fever, rash;
- low blood cell count;
- · loss of appetite; or
- nausea, vomiting, diarrhea, constipation.

This is not a complete list of side effects and others may occur. Call your doctor for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088.

• Pemetrexed side effects (more detail)

Related/similar drugs

Opdivo Qvantig

Opdivo Qvantig is used to treat adults with melanoma, non-small cell lung cancer, renal cell ...

Reviews & ratings

Add a review

View more

Rybrevant

Rybrevant is used to treat adults with non-small cell lung cancer (NSCLC) that has spread to other ...

Reviews & ratings

4 Reviews

View more

FEATURED

Opdivo

Opdivo is used to treat many cancers, such as melanoma, non-small cell lung cancer, malignant ...

Reviews & ratings

5.8 / 10

93 Reviews

View more

Keytruda

Keytruda is used to treat multiple types of cancer such as melanoma, nonsmall cell lung cancer ...

Reviews & ratings

4.9 / 10

252 Reviews

View more

Avastin

Avastin is used to brain tumors and cancers of the kidney, colon, rectum, or lung. Learn about side ...

Reviews & ratings

7.5 / 10

30 Reviews

View more

Taxol

Taxol (paclitaxel) is used to treat breast cancer, lung cancer, and ovarian cancer. Includes Taxol ...

Reviews & ratings

7 Reviews

View more

Nivolumab

Nivolumab (brand name Opdivo) is an immunotherapy treatment that treats many cancers, such as ...

Reviews & ratings

5.8 / 10

137 Reviews

View more

Pembrolizumab

Pembrolizumab (Keytruda) is a monoclonal antibody cancer medicine used to treat 279 Reviews

View more

Warnings

Use only as directed. Tell your doctor if you use other medicines or have other medical conditions or allergies.

Before taking this medicine

You should not be treated with pemetrexed if you are allergic to it.

Tell your doctor if you have ever had:

- bone marrow suppression;
- · radiation treatment; or
- · kidney disease.

Pemetrexed can harm an unborn baby if the mother or the father is using pemetrexed.

- If you are a woman, you may need a pregnancy test to make sure you are not pregnant. Use birth control while using this medicine and for at least 6 months after your last dose. Tell your doctor if you become pregnant.
- If you are a man, use birth control if your sex partner is able to get pregnant. Keep using birth control for at least 3 months after your last dose.
- Tell your doctor right away if a pregnancy occurs.

It may be harder for you to get a woman pregnant while you are using this medicine. You should still use birth control to prevent pregnancy because the medicine can harm an unborn baby.

Do not breastfeed while using this medicine, and for at least 1 week after your last dose.

How is pemetrexed given?

Pemetrexed is given as an infusion into a vein for 10 minutes. A healthcare provider will give you this injection.

Pemetrexed is usually given once every 3 weeks. Your doctor will determine how long you should use pemetrexed.

You will be given other medications such as folic acid, vitamin B12, and a steroid to help prevent serious side effects. Keep taking these medicines for as long as your doctor has prescribed.

You may need frequent medical tests and your cancer treatments may be delayed based on the results.

Your blood pressure may get too low or you may get dehydrated during prolonged illness. Call your doctor if you are sick with vomiting or diarrhea.

What happens if I miss a dose?

Call your doctor for instructions if you miss an appointment for your pemetrexed injection.

What happens if I overdose?

In a medical setting an overdose would be treated quickly.

What should I avoid while receiving pemetrexed?

If you have kidney problems, avoid taking ibuprofen (Advil, Motrin) 2 days before, during, and 2 days after you are treated with pemetrexed.

What other drugs will affect pemetrexed?

Pemetrexed can harm your kidneys, especially if you also use certain medicines for pain or arthritis (including ibuprofen, Advil, Motrin, and Aleve).

Other drugs may affect pemetrexed, including prescription and over-the-counter medicines, vitamins, and herbal products. Tell your doctor about all other medicines you use.

Pemetrexed drug interactions (more detail)

Does pemetrexed interact with my other drugs?

Enter medications to view a detailed interaction report using our Drug Interaction Checker.

pemetrexed	
+	
Enter a drug name	Add

Popular FAQ

How does pemetrexed work?

More about pemetrexed

- · Check interactions
- · Compare alternatives
- Pricing & coupons

- Reviews (2)
- · Side effects
- Dosage information
- During pregnancy
- Drug class: antimetabolites
- Breastfeeding
- En español

Patient resources

· Pemetrexed advanced reading

Other brands

Alimta, Pemfexy

Professional resources

- PEMEtrexed monograph
- Pemetrexed (FDA)
- Pemetrexed Injection (FDA)
- Pemetrexed injection, Concentrate (FDA)

Other brands

Alimta, Axtle, Pemfexy, Pemrydi RTU

Related treatment guides

- Non Small Cell Lung Cancer
- Malignant Pleural Mesothelioma

Further information

Remember, keep this and all other medicines out of the reach of children, never share your medicines with others, and use this medication only for the indication prescribed.

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

Copyright 1996-2025 Cerner Multum, Inc. Version: 9.01.

Availability Rx Prescription only Pregnancy & Lactation Risk data available CSA Schedule* N/A Not a controlled drug Approval History Drug history at FDA

User Reviews & Ratings

Review this drug

Images

Pemfexy (pemetrexed) 500 mg/20 mL (25 mg/mL) injection

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com
Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us













Subscribe to our newsletter for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.







Copyright © 2000-2025 Drugs.com. All rights reserved.

×