

Home

- Novolin 70/30
- Dosage

Novolin 70/30 Dosage

Generic name: INSULIN HUMAN 100[iU] in 1mL

Dosage form: injection, suspension

Drug class: Insulin

Medically reviewed by Drugs.com. Last updated on Nov 13, 2024.

Important Administration Instructions

- Always check insulin labels before administration.
- NOVOLIN 70/30 is a suspension that must be resuspended immediately before use. Resuspension is easier when the insulin has reached room temperature.
- To resuspend vial, roll the vial gently in your hands in a horizontal position 10 times until the suspension appears uniformly white and cloudy. Inject immediately.
- To resuspend FlexPen, gently move the pen up and down 20 times so the glass ball moves from one end of the cartridge to the other until the suspension appears uniformly white and cloudy. Inject immediately.
- Inspect NOVOLIN 70/30 visually before use. Do not use NOVOLIN 70/30 if discoloration or particulate matter is seen.
- Administer NOVOLIN 70/30 by subcutaneous injection in the abdominal wall, thigh, upper arm, or buttocks.
- Rotate the injection site within the same region from one injection to the next to reduce the risk of lipodystrophy and localized cutaneous amyloidosis. Do not inject into areas of lipodystrophy or localized cutaneous amyloidosis.
- During changes to a patient's insulin regimen, increase the frequency of blood glucose monitoring.
- Do not administer NOVOLIN 70/30 intravenously and do not use in an insulin infusion pump.
- Do not mix NOVOLIN 70/30 with any other insulins or diluents.

Dosage Information

- Individualize and adjust the dosage of NOVOLIN 70/30 based on the individual's metabolic needs, blood glucose
 monitoring results and glycemic control goal.
- Inject NOVOLIN 70/30 subcutaneously approximately 30 minutes before a meal.
- NOVOLIN 70/30 is typically dosed twice daily (with each dose intended to cover 2 meals or a meal and a snack).
- Dosage adjustments may be needed with changes in physical activity, changes in meal patterns (i.e., macronutrient content or timing of food intake), changes in renal or hepatic function or during acute illness.
- Dosage adjustment may be needed when switching from another insulin to NOVOLIN 70/30.

Dosage Adjustment due to Drug Interactions

Dosage adjustment may be needed when NOVOLIN 70/30 is co-administered with certain drugs.

Frequently asked questions

- Is Novolin the same as Humulin?
- How and where should I inject insulin?
- How long does Humulin last?

More about Novolin 70 / 30 (insulin isophane / insulin regular)

- Check interactions
- · Compare alternatives
- · Pricing & coupons
- Reviews (4)
- Side effects
- During pregnancy
- Drug class: insulin
- En español

Patient resources

- Novolin 70/30 drug information
- NovoLIN 70/30 (Advanced Reading)

Other brands

Humulin 70/30, ReliOn/Novolin 70/30, Humulin 50/50, Humulin 70/30 Pen

Professional resources

• Novolin 70/30 prescribing information

Other brands

Humulin 70/30

Other formulations

- Novolin N
- Novolin R

Related treatment guides

- Type 2 Diabetes
- Diabetes, Type 1

· Gestational Diabetes

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.

Medical Disclaimer

DRUG STATUS

Availability

OTC Over the counter

Pregnancy & Lactation

Risk data available

CSA Schedule*

N/A Not a controlled drug

User Reviews & Ratings

4 Reviews

Related Drugs

Mounjaro, Ozempic, Rybelsus, Trulicity, Lantus, Tresiba, Victoza, Humalog, Basaglar, Levemir

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.





About

About Drugs.com Advertising policy

Attribution & citations

Terms & privacy

Terms of use

Editorial policy

Privacy policy

Support

Help center

Sitemap

Contact us



<u>Subscribe to our newsletter</u> for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment. Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.









Copyright © 2000-2025 Drugs.com. All rights reserved.